

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20

© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|----|-----|---------------|-----------|-----|------|
| A | | INITIAL | 25MAY2015 | DW | CW |
| A1 | | ECR-16-013641 | 24SEP2016 | CH | CW |
| B | | ECR-20-008190 | 31JUL2020 | WOR | CW |
| B1 | | ECR-21-105138 | 23JUN2021 | WOR | CW |

SCALE 1:2

SCALE 1:2

TYPE 1: LOW CONSTRUCTION, SIDE ENTRY
类型1: 低结构, 侧出

TYPE 2: LOW CONSTRUCTION, TOP ENTRY
类型2: 低结构, 顶出

NOTES:

1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: POWDER COATED, GRAY
DEGREE OF PROTECTION: IP65 (MATED)

注释:

1. 技术参数:
上壳材料: 铝合金
表面处理: 灰色粉末涂层
防护等级: IP65 (配合)

| | | | | |
|--|--|-----------------------------|---|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN DAVID.WANG 25MAY2015 | STE TE Connectivity | |
| | | CHK CHRIS.WANG 25MAY2015 | | |
| | | APVD XIANG.XU 25MAY2015 | NAME H16B-TS/TG-M/PG | |
| DIMENSIONS: mm | | PRODUCT SPEC 108-137013 | SIZE CAGE CODE DRAWING NO RESTRICTED TO | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APPLICATION SPEC 114-137013 | A200779 C-T12X01601XX000 | |
| 0 PLC ±- | | WEIGHT - | SCALE 1:1 SHEET 1 OF 2 REV B1 | |
| 1 PLC ±- | | Customer Drawing | | |
| 2 PLC ±- | | | | |
| 3 PLC ±- | | | | |
| 4 PLC ±- | | | | |
| ANGLES ±- | | | | |
| FINISH - | | | | |
| - | | | | |

1471-9 (3/13)

Downloaded From Onevac.com

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| - | - | SEE SHEET 1 | - | - | - |
| | | | | | |
| | | | | | |

NOTES:
SEE SHEET 1.

| | | | | | |
|---------------------------------|--------------------------------------|---|-----------------------------|-----------------------------|--------|
| T1210160116-000 | H16B-TS-PG16 | H16B HOOD, SIDE ENTRY PG16, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,侧出PG16,4耳,低结构,灰色粉末喷涂 | PG16 | - | TYPE 1 |
| T1210160120-000 | H16B-TS-M20 | H16B HOOD, SIDE ENTRY M20, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,侧出M20,4耳,低结构,灰色粉末喷涂 | M20 | - | |
| T1210160121-000 | H16B-TS-PG21 | H16B HOOD, SIDE ENTRY PG21, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,侧出PG21,4耳,低结构,灰色粉末喷涂 | PG21 | - | |
| T1210160125-000 | H16B-TS-M25 | H16B HOOD, SIDE ENTRY M25, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,侧出M25,4耳,低结构,灰色粉末喷涂 | M25 | - | |
| T1210160132-000 | H16B-TS-M32 | H16B HOOD, SIDE ENTRY M32, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,侧出M32,4耳,低结构,灰色粉末喷涂 | M32 | - | |
| T1220160129-000 | H16B-TG-PG29 | H16B HOOD, TOP ENTRY PG29, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,顶出PG29,4耳,低结构,灰色粉末喷涂 | - | PG29 | TYPE 2 |
| T1220160116-000 | H16B-TG-PG16 | H16B HOOD, TOP ENTRY PG16, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,顶出PG16,4耳,低结构,灰色粉末喷涂 | - | PG16 | |
| T1220160120-000 | H16B-TG-M20 | H16B HOOD, TOP ENTRY M20, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,顶出M20,4耳,低结构,灰色粉末喷涂 | - | M20 | |
| T1220160121-000 | H16B-TG-PG21 | H16B HOOD, TOP ENTRY PG21, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,顶出PG21,4耳,低结构,灰色粉末喷涂 | - | PG21 | |
| T1220160125-000 | H16B-TG-M25 | H16B HOOD, TOP ENTRY M25, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,顶出M25,4耳,低结构,灰色粉末喷涂 | - | M25 | |
| T1220160132-000 | H16B-TG-M32 | H16B HOOD, TOP ENTRY M32, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,顶出M32,4耳,低结构,灰色粉末喷涂 | - | M32 | |
| T1220160136-000 | H16B-TG-M36 | H16B HOOD, TOP ENTRY M36, 4 EAR, LOW CONSTRUCTION, POWDER COATED, GRAY H16B上壳,顶出M36,4耳,低结构,灰色粉末喷涂 | - | M36 | |
| 成品料号 ASSEMBLY PART NUMBER | 成品描述 ASSEMBLY PART DESCRIPTION | | PG/M THREAD-1 PG/M 螺纹孔-1 | PG/M THREAD-2 PG/M 螺纹孔-2 | TYPE |

| | | | | |
|---|--|--------------------------------|------------------------------|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN DAVID.WANG 25MAY2015 | STE TE Connectivity | |
| | | CHK CHRIS.WANG 25MAY2015 | | |
| DIMENSIONS: mm | | APVD XIANG.XU 25MAY2015 | NAME H16B-TS/TG-M/PG | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH | | PRODUCT SPEC 108-137013 | DRAWING NO 114-137013 | |
| MATERIAL - | | APPLICATION SPEC 114-137013 | SIZE A2 | CAGE CODE 00779 |
| | | WEIGHT - | DRAWING NO T12X01601XX000 | |
| | | Customer Drawing | SCALE 1:1 | SHEET 2 OF 2 |
| | | | REV B1 | |

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)