

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	H	REVISED PER ECO-13-018297	26NOV13	MGM CT

$\phi.390 \pm .005$ FOR 3/8 STUD 2 PLC
 $\phi.88$ MAX
 $\phi.56$ MIN
 $\phi.70$ MIN
 3.82 MAX
 $\phi.985^{+.005}_{-.010}$
 $\phi.44$ MIN
 $\phi.38$ MAX
 $1.000 \pm .010$
 AMP 3/0 AL 13-78
 4
 2

- 1 WIRE INSULATION: .571-.633 DIA
- 2 THE TONGUE RADIUS FEATURE IS NOT A TOOLING CONTROLLED DIMENSION AND MAY NOT BE A TRUE RADIUS.
- 3 .020 FLASH PERMITTED ON WIRE BARRELL DUE TO IMPACTING
- 4 STAMP "AMP 3/0 AL 13-78" SIZE AND LOCATION APPROX AS SHOWN
5. STUD HOLES SHALL HAVE NO DETACHABLE BURRS THAT WOULD RESULT IN EXPOSED BASE METAL

FUNNEL
 INSERT
 BODY
 INSULATION DEPTH .63 MIN
 CONDUCTOR DEPTH 1.48 MIN
 $.132^{+.010}_{-.005}$

BODY: COPPER ASTM-B187 ANNEALED TIN PL PER ASTM B-545 .000150 MIN THK INSERT & FUNNEL: BRASS PER ASTM B36 NICKEL PLATE SAE AMS QQ-N-290A, DATED JULY 2000, .000100 MIN THK	696825-1
MATERIAL & FINISH	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JR RUTH	30SEP05		TE Connectivity		
DIMENSIONS: INCHES		CHK	MJ SPICER	30SEP05		NAME WIRE TERMINAL, COPALUM SEALED, RING TONGUE, WIRE SIZE: 3/0 ALUMINUM	RESTRICTED TO	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	MJ SPICER	30SEP05			SIZE	CAGE CODE
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .008 4 PLC ± - ANGLES ± -		PRODUCT SPEC	-			SCALE	SHEET	REV
MATERIAL	SEE TABLE	FINISH	SEE TABLE	WEIGHT	111 GRAMS	A2	00779	C=696825
CUSTOMER DRAWING				SCALE	2:1	SHEET	1 of 1	REV H

1471-9 (3/11) Downloaded From Onevac.com

696825

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)