


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION, 19 .
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

MOD	LOC	DIST	P	F	ZONE	LTR	DESCRIPTION	DATE	APPD
2	BD	36				E	REV & REDRAWN PER BD6292	05/14/92	-
						F	REV PER EC 0020-1470-93	01/03/94	TC
						G	REV PER EC 0020-39-94	02/26/94	TC



AMP, PART NO & DATE CODE MARKED IN APPROX AREA SHOWN.

AMP X-202434-X
XXXXX

- 1 5.08µm [.000200] MIN NICKEL PLATED.
- 2 OBSOLETE PART NUMBER.

4.83 [.190]	CLEAR CHROMATE COATED	ALUMINUM ALLOY	1-202434-1
4.83 [.190]		CARBON STEEL	202434-4
3.81 [.150]	CLEAR CHROMATE COATED	ALUMINUM ALLOY	202434-2
A	FINISH	MATERIAL	PART NO

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm [INCHES] TOLERANCES ON: 2 PLC DEC ± 0.13 [.005] 3 PLC DEC ± - ANGLES ± -	DR 05/14/92 L.SIPE	AMP Incorporated Harrisburg, PA 17105-3608
	CHK 5-14-92 R.STONE	
	APPD 5-14-92 S.KLINE	
	APPD 5-14-92 C.ROHDE	
MATERIAL SEE TABLE	PRODUCT SPEC -	NAME PIN HOOD, 34 POSITION, INTERNAL, M SERIES
FINISH SEE TABLE	APPLICATION SPEC -	SIZE B
	WEIGHT -	CAGE CODE 00779
		DRAWING NO C-202434
		SCALE 2:1
		SHEET 1 OF 1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)