



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
A		INITIAL RELEASE	14JUN2019	AJ SH
A1		ADDED NEW DASH 1-1/1-2/1-3	01NOV2019	AJ SH
A2		REVISED PER ECO-20-014966	20OCT2020	SH SH
A3		REVISED PER ECN-21-108538	28JUN2021	SH SZ




2342936-1 AS SHOWN
SCALE 2:1






NOTES:

- 1 CAGE ASSEMBLY: STAINLESS STEEL.
HEAT SINK: ALUMINUM/ NICKEL PLATING.
HEAT SINK CLIP: STAINLESS STEEL.
EMI SPRING: COPPER ALLOY/NICKEL PLATE.
- 2 REFERENCE APPLICATION SPECIFICATION 114-60025 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS. BOARD LAYOUT PER THIS PRINT.
- 3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 4 PART NUMBER AND DATE CODE (YYWWDD) MARKED APPROXIMATELY AS SHOWN.
- 5. MATES WITH QSFP DD MSA COMPATIBLE TRANSCEIVER.
- 6. MINIMUM PC BOARD THICKNESS: SINGLE SIDED: 1.57 MIN
DOUBLE SIDED: 3.00 MIN
- 7 DIMENSION APPLIES WITH MODULE INSERTED.



2342936-1 AS SHOWN
SCALE 2:1




15.05	1	CUSTOMIZED	2-2342936-1
23.00	0	NETWORKING	1-2342936-3
16.00	0	SAN	1-2342936-2
13.70	0	PCI	1-2342936-1
17.50	1	CUSTOMIZED	2342936-4
23.00	1	NETWORKING	2342936-3
16.00	1	SAN	2342936-2
13.70	1	PCI	2342936-1
DIM A	REAR PIN # PER PORT	APPLICATION (HEAT SINK OPTION)	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.20 3 PLC ±0.10 4 PLC ± ANGLES ± FINISH	DWN ARTHUR JIN 11SEP2018 CHK SEAN HAN 11SEP2018 APVD SEAN HAN 11SEP2018	TE Connectivity	
MATERIAL: SEE NOTE	SEE NOTE	PRODUCT SPEC: 108-60122 APPLICATION SPEC: 114-60025	NAME: QSFP-DD, 1X2 CAGE ASSEMBLY W-ZIPPER FIN HEAT SINK W-EMI SPRING, SIZE: A2 CAGE CODE: - DRAWING NO: C-2342936 RESTRICTED TO: -	
CUSTOMER DRAWING		WEIGHT: -	SCALE: 1:1	SHEET 1 OF 6 REV A3

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-




2342936-1 AS SHOWN
WITH PCI HEAT SINK
SCALE 2:1




2342936-2 AS SHOWN
WITH SAN HEAT SINK
SCALE 2:1




2342936-3 AS SHOWN
WITH NETWORKING HEAT SINK
SCALE 2:1




1-2342936-1 AS SHOWN
WITH PCI HEAT SINK
W/O REAR PIN
SCALE 2:1




1-2342936-2 AS SHOWN
WITH SAN HEAT SINK
W/O REAR PIN
SCALE 2:1



1-2342936-3 AS SHOWN
WITH NETWORKING HEAT SINK
W/O REAR PIN
SCALE 2:1



2342936-4 SAME AS -2 EXCEPT HS
SCALE 2:1




2-2342936-1 SAME AS -1 EXCEPT HS
SCALE 3:2


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ARTHUR JIN 11SEP2018	TE Connectivity	
DIMENSIONS: mm		CHK SEAN HAN 11SEP2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SEAN HAN 11SEP2018	NAME QSFP-DD, 1X2 CAGE ASSEMBLY W_ZIPPER FIN HEAT SINK W_ EMI SPRING,	
		PRODUCT SPEC 108-60122	SIZE A2	CAGE CODE -
MATERIAL SEE NOTE		APPLICATION SPEC 114-60025	DRAWING NO G-2342936	RESTRICTED TO -
FINISH SEE NOTE		WEIGHT -	SCALE 1:1	SHEET 2 OF 6
		CUSTOMER DRAWING	REV A3	


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-




2-2342936-1 AS SHOWN
 SCALE 2:1




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ARTHUR JIN 11SEP2018	 TE Connectivity	
DIMENSIONS: mm		CHK SEAN HAN 11SEP2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SEAN HAN 11SEP2018	NAME QSFP-DD, 1X2 CAGE ASSEMBLY W_ZIPPER FIN HEAT SINK W_ EMI SPRING,	
0 PLC ±0.25	1 PLC ±0.25	PRODUCT SPEC 108-60122	SIZE A2	CAGE CODE -
2 PLC ±0.20	3 PLC ±0.10	APPLICATION SPEC 114-60025	DRAWING NO C-2342936	RESTRICTED TO -
4 PLC ±	ANGLES ±	WEIGHT -	SCALE 1:1	SHEET 3 OF 6
MATERIAL SEE NOTE	FINISH SEE NOTE	CUSTOMER DRAWING	REV A3	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




CAGE ASSEMBLY OMITTED FOR CLARITY



SINGLE SIDE MOUNTING



CAGE ASSEMBLY OMITTED FOR CLARITY






BELLY TO BELLY MOUNTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ARTHUR JIN 11SEP2018	TE Connectivity		
DIMENSIONS: mm		CHK SEAN HAN 11SEP2018			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SEAN HAN 11SEP2018	NAME QSFP-DD, 1X2 CAGE ASSEMBLY W_ZIPPER FIN HEAT SINK W_ EMI SPRING,		
0 PLC ±0.25	1 PLC ±0.25	PRODUCT SPEC 108-60122	SIZE A2	CAGE CODE -	DRAWING NO C-2342936
2 PLC ±0.20	3 PLC ±0.10	APPLICATION SPEC 114-60025	RESTRICTED TO -	SCALE 1:1 SHEET 4 OF 6 REV A3	
4 PLC ±	ANGLES ±	WEIGHT -	CUSTOMER DRAWING		
MATERIAL SEE NOTE		FINISH SEE NOTE			

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



RECOMMENDED PCB LAYOUT
 SINGLE TYPE
 SCALE 3:1


DETAIL B
 SCALE 4:1

DETAIL C
 SCALE 4:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 11SEP2018 ARTHUR JIN	TE Connectivity		
DIMENSIONS: mm		CHK 11SEP2018 SEAN HAN			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 11SEP2018 SEAN HAN	NAME QSFP-DD, 1X2 CAGE ASSEMBLY W-ZIPPER FIN HEAT SINK W-EMI SPRING,		
0 PLC ±0.25	1 PLC ±0.25	PRODUCT SPEC 108-60122	SIZE A2	CAGE CODE -	DRAWING NO C-2342936
2 PLC ±0.20	3 PLC ±0.10	APPLICATION SPEC 114-60025	RESTRICTED TO -	SCALE 1:1 SHEET 5 OF 6 REV A3	
4 PLC ±	ANGLES ±	WEIGHT -	CUSTOMER DRAWING		
MATERIAL SEE NOTE		FINISH SEE NOTE			

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



RECOMMENDED PCB LAYOUT
 BELLY TO BELLY
 SCALE 3:1



DETAIL D
 SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 11SEP2018 ARTHUR JIN	 TE Connectivity
DIMENSIONS: mm		CHK 11SEP2018 SEAN HAN	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 11SEP2018 SEAN HAN	NAME QSFP-DD, 1X2 CAGE ASSEMBLY W_ZIPPER FIN HEAT SINK W_ EMI SPRING,
0 PLC ± 0.25		PRODUCT SPEC 108-60122	SIZE A2
1 PLC ± 0.25		APPLICATION SPEC 114-60025	CAGE CODE -
2 PLC ± 0.20		WEIGHT -	DRAWING NO C-2342936
3 PLC ± 0.10		MATERIAL SEE NOTE	RESTRICTED TO -
4 PLC \pm		FINISH SEE NOTE	SCALE 1:1
ANGLES \pm		CUSTOMER DRAWING	SHEET 6 OF 6
FINISH			REV A3

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)