



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
E	-		A1	REVISED PER ECO-11-016594	17AUG11	HMR	DR



- $\triangle 1$ TONGUE MATERIAL THK=0.79[.031].
- 2 WIRE INSUL.DIA. 2.67-3.36[.105-.140], TO SUIT 3.68[.154].
- $\triangle 3$ FROM EDGE OF METAL WIRE BBL TO EDGE OF LIP.
- 4 WIRE RANGE: 22-16 AWG

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAGHAVENDRA 17AUG2011	STE TE Connectivity			
DIMENSIONS: mm [INCHES]		CHK DANIEL ROHDE 17AUG2011				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD DANIEL ROHDE 17AUG2011	NAME			
		PRODUCT SPEC	ASSY TERMINAL BLADE			
		APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
MATERIAL BODY & SLEEVE: Cu PER ASTM B152 INSULATION: PVC-RED		FINISH TIN PER ASTM B545	WEIGHT -	A300779	C-154708	-
CUSTOMER DRAWING			SCALE 4:1	SHEET 1 OF 1	REV A1	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)