

4

3

2


1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50	B2	REVISED PER ECR-19-013909	30SEP2019	PC MB



IDENTIFICATION NUMBER 10 FOR  
MAGNET WIRE RANGE

- CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON  $8.38 \pm 0.08$  [ $.330 \pm .003$ ] CENTERS.
-  SLOT TERMINATES EITHER SINGLE OR DOUBLE MAGNET WIRES OF THE SAME TYPE AND SIZE, COPPER RANGE IS 0.36-0.57mm [#27-#23] AWG. ALUMINIUM RANGE 0.51-0.64mm [#24-#22] AWG. ALUMINIUM WIRE RANGE APPLIES FOR POST TIN PLATED PART NUMBERS ONLY.
- AFTER INSERTION INTO PLASTIC HOLDER TAB PORTION MUST BE BENT OVER 45° TO 90° OR POTTED-IN TO PREVENT PULL-OUT WHEN MATING RECEPTACLE IS DISCONNECTED.



2.03 [.080]  
1.65 [.065]  
DIA DIMPLE  
BOTH SIDES

0.83 [.033]  
0.77 [.030]

4.14 [.163]  
3.99 [.157]

6.43 [.253]  
6.27 [.247]

0.51 [.020]

7.92 [.312]

14.91 [.587]

18.97 [.747]

0.25 MAX  
[.010]  
CUT-OFF TABS  
2 PLACES

2.29 [.090]

2.92 [.115]

3.43 [.135] REF

AMP

1.78 [.070]

3.51 [.138]  
3.35 [.132]

4.32 [.170]  
4.19 [.165]


7.62 [.300]

0.508 ± 0.025  
[.020 ± .001]

0.406 ± 0.025  
[.016 ± .001]

3.05 [.120]  
2.95 [.116]

62657-1  
PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 13/MAR/95 MICHAEL S. FEHER	 TE Connectivity		
DIMENSIONS: INCHES		CHK 14/MAR/95 RICHARD GRZYBOWSKI			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 23/MAR/95 NELSON E. NEFF	NAME TAB, 6.35 [.250] FASTON,™ LOOSE PIECE, MAG-MATE™		
0 PLC ± - 1 PLC ± - 2 PLC ± 0.25 [.010] 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC 108-2012	SIZE A2	CAGE CODE 00779	DRAWING NO C-62657
MATERIAL BRASS	FINISH TIN PLATE	APPLICATION SPEC 114-2046	WEIGHT -	RESTRICTED TO -	SCALE 5:1
CUSTOMER DRAWING			SHEET 1 OF 1	REV B2	

1471-9 (3/11) Downloaded From [Onevac.com](http://Onevac.com)

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)