




LOC	DIST	REVISIONS			
GP	00	REV	DATE	BY	APPV
		2	14DEC2010	WS	MH
		3	11MAY2012	REH	DT



- △ MATERIAL:
 BASE HOUSING, UPPER HOUSING, ORGANIZER,
 AND SPACER: THERMOPLASTIC, FLAMMABILITY
 RATING UL94 V-0
 CONTACT: COPPER ALLOY
- 2. CONFORMS TO THE REQUIREMENTS OF TE PRODUCT
 SPECIFICATION, 108-2375; BASED ON TELCORDIA
 GR-1217-CORE FOR SYSTEM QUALITY LEVEL III,
 APPLICATIONS IN CONTROLLED ENVIRONMENTS
 (CENTRAL OFFICE).
 SEE TE PRODUCT SPECIFICATION 108-2375 FOR
 TEST SEQUENCES.
- △ ROWS GA THRU GE (SHOWN DARKENED) ARE TYPICALLY
 USED AS GROUNDS.
- △ SPECIFIED POSITIONAL TOLERANCE DEFINES HOLE TO
 HOLE LOCATION WITHIN HOLE PATTERN. POSITIONAL
 TOLERANCE OF HOLE PATTERN TO FIDUCIAL MARKS
 OR PCB DATUMS SHALL BE DEFINED BY CUSTOMER.
- △ AREA RESERVED FOR TE CONNECTIVITY LOGO.
- △ AREA RESERVED FOR PART NUMBER (X-XXXXXXX-X) AND
 DATE CODE (YYWW).
- △ USE CENTERLINES INDICATED ON PCB HOLE PATTERN
 TO ESTABLISH ALIGNMENT BETWEEN HEADER AND
 RECEPTACLE BOARDS.
- △ PLATED THROUGH HOLE REQUIREMENTS:
 HOLE SIZE PRIOR TO PLATING = $\varnothing 0.420 \pm 0.013$
 COPPER PLATING THICKNESS = 0.038 ± 0.013
 CALCULATED FINISHED HOLE SIZE = $\varnothing 0.344 \pm 0.039$
 THESE DIMENSIONS APPLY TO THE TOP 1.25mm OF
 THE PCB THICKNESS FROM THE CONNECTOR MOUNTING
 SIDE.
- △ CONTACT SALES FOR AVAILABILITY OF THIS STACK
 HEIGHT.


**SIZE 2 HALF-WIDE W/GUIDE POSTS *
 48 DIFFERENTIAL PAIRS + GROUNDS
 161 TOTAL SIGNAL CONTACTS**

* SIZE 1 AND SIZE 3 ARE ALSO AVAILABLE


THIS PRODUCT HAS NOT
 COMPLETED VALIDATION AND
 QUALIFICATION TESTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN HAMNER 25SEP2010	TE Connectivity																										
DIMENSIONS:		CHK D. TROUT 29SEP2010																											
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. FEDDER 29SEP2010	NAME HEADER ASSEMBLY, HALF-WIDE, 48/161, STRADA MESA MEZZANINE CONNECTOR																										
<table border="1"> <tr><td>0 PLC</td><td>±</td></tr> <tr><td>1 PLC</td><td>±</td></tr> <tr><td>2 PLC</td><td>±0.13</td></tr> <tr><td>3 PLC</td><td>±0.013</td></tr> <tr><td>4 PLC</td><td>±</td></tr> <tr><td>ANGLES</td><td>±</td></tr> <tr><td>FINISH</td><td>#1</td></tr> </table>	0 PLC	±	1 PLC	±	2 PLC	±0.13	3 PLC	±0.013	4 PLC	±	ANGLES	±	FINISH	#1	<table border="1"> <tr><td>PRODUCT SPEC</td><td>108-2375</td></tr> <tr><td>APPLICATION SPEC</td><td>114-13249</td></tr> <tr><td>SIZE</td><td>A100779</td></tr> <tr><td>CAGE CODE</td><td>C=2149780</td></tr> <tr><td>DRAWING NO</td><td></td></tr> <tr><td>RESTRICTED TO</td><td></td></tr> </table>	PRODUCT SPEC	108-2375	APPLICATION SPEC	114-13249	SIZE	A100779	CAGE CODE	C=2149780	DRAWING NO		RESTRICTED TO		SCALE 6:1 SHEET 1 OF 4 REV 3	
0 PLC	±																												
1 PLC	±																												
2 PLC	±0.13																												
3 PLC	±0.013																												
4 PLC	±																												
ANGLES	±																												
FINISH	#1																												
PRODUCT SPEC	108-2375																												
APPLICATION SPEC	114-13249																												
SIZE	A100779																												
CAGE CODE	C=2149780																												
DRAWING NO																													
RESTRICTED TO																													
MATERIAL	△	CUSTOMER DRAWING																											

LOC	DIST	REV	DATE	BY	APPD
GP	00				
REVISIONS					
		SEE SHEET 1			



ISOMETRIC VIEW
 TYPICAL CONFIGURATION FOR 14mm THRU 42mm
 28mm SHOWN
 SCALE 2:1



ISOMETRIC VIEWS
 TYPICAL CONFIGURATION FOR 8mm THRU 13mm
 8mm SHOWN
 SCALE 2:1

9	41.8	42mm	MATTE Sn	9-2149780-2
9	40.8	41mm	MATTE Sn	9-2149780-1
9	39.8	40mm	MATTE Sn	9-2149780-0
9	38.8	39mm	MATTE Sn	8-2149780-9
9	37.8	38mm	MATTE Sn	8-2149780-8
9	36.8	37mm	MATTE Sn	8-2149780-7
9	35.8	36mm	MATTE Sn	8-2149780-6
9	34.8	35mm	MATTE Sn	8-2149780-5
9	33.8	34mm	MATTE Sn	8-2149780-4
9	32.8	33mm	MATTE Sn	8-2149780-3
9	31.8	32mm	MATTE Sn	8-2149780-2
9	30.8	31mm	MATTE Sn	8-2149780-1
9	29.8	30mm	MATTE Sn	8-2149780-0
9	28.8	29mm	MATTE Sn	7-2149780-9
9	27.8	28mm	MATTE Sn	7-2149780-8
9	26.8	27mm	MATTE Sn	7-2149780-7
9	25.8	26mm	MATTE Sn	7-2149780-6
9	24.8	25mm	MATTE Sn	7-2149780-5
9	23.8	24mm	MATTE Sn	7-2149780-4
9	22.8	23mm	MATTE Sn	7-2149780-3
9	21.8	22mm	MATTE Sn	7-2149780-2
9	20.8	21mm	MATTE Sn	7-2149780-1
9	19.8	20mm	MATTE Sn	7-2149780-0
9	18.8	19mm	MATTE Sn	6-2149780-9
9	17.8	18mm	MATTE Sn	6-2149780-8
9	16.8	17mm	MATTE Sn	6-2149780-7
9	15.8	16mm	MATTE Sn	6-2149780-6
9	14.8	15mm	MATTE Sn	6-2149780-5
9	13.8	14mm	MATTE Sn	6-2149780-4
9	12.8	13mm	MATTE Sn	6-2149780-3
9	11.8	12mm	MATTE Sn	6-2149780-2
YES	10.8	11mm	MATTE Sn	6-2149780-1
9	9.8	10mm	MATTE Sn	6-2149780-0
9	8.8	9mm	MATTE Sn	5-2149780-9
9	7.8	8mm	MATTE Sn	5-2149780-8
TOOLED	DIM H	STACK HEIGHT	CONTACT TAIL PLATING	PART NUMBER

9	41.8	42mm	Sn/Pb	4-2149780-2
9	40.8	41mm	Sn/Pb	4-2149780-1
9	39.8	40mm	Sn/Pb	4-2149780-0
9	38.8	39mm	Sn/Pb	3-2149780-9
9	37.8	38mm	Sn/Pb	3-2149780-8
9	36.8	37mm	Sn/Pb	3-2149780-7
9	35.8	36mm	Sn/Pb	3-2149780-6
9	34.8	35mm	Sn/Pb	3-2149780-5
9	33.8	34mm	Sn/Pb	3-2149780-4
9	32.8	33mm	Sn/Pb	3-2149780-3
9	31.8	32mm	Sn/Pb	3-2149780-2
9	30.8	31mm	Sn/Pb	3-2149780-1
9	29.8	30mm	Sn/Pb	3-2149780-0
9	28.8	29mm	Sn/Pb	2-2149780-9
9	27.8	28mm	Sn/Pb	2-2149780-8
9	26.8	27mm	Sn/Pb	2-2149780-7
9	25.8	26mm	Sn/Pb	2-2149780-6
9	24.8	25mm	Sn/Pb	2-2149780-5
9	23.8	24mm	Sn/Pb	2-2149780-4
9	22.8	23mm	Sn/Pb	2-2149780-3
9	21.8	22mm	Sn/Pb	2-2149780-2
9	20.8	21mm	Sn/Pb	2-2149780-1
9	19.8	20mm	Sn/Pb	2-2149780-0
9	18.8	19mm	Sn/Pb	1-2149780-9
9	17.8	18mm	Sn/Pb	1-2149780-8
9	16.8	17mm	Sn/Pb	1-2149780-7
9	15.8	16mm	Sn/Pb	1-2149780-6
9	14.8	15mm	Sn/Pb	1-2149780-5
9	13.8	14mm	Sn/Pb	1-2149780-4
9	12.8	13mm	Sn/Pb	1-2149780-3
9	11.8	12mm	Sn/Pb	1-2149780-2
YES	10.8	11mm	Sn/Pb	1-2149780-1
9	9.8	10mm	Sn/Pb	1-2149780-0
9	8.8	9mm	Sn/Pb	2149780-9
9	7.8	8mm	Sn/Pb	2149780-8
TOOLED	DIM H	STACK HEIGHT	CONTACT TAIL PLATING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DWG: HAMNER 25SEP2010
 CHK: D. TROUT 29SEP2010
 APVD: J. FEDDER 29SEP2010

STE TE Connectivity


NAME: HEADER ASSEMBLY, HALF-WIDE, 48/161, STRADA MESA MEZZANINE CONNECTOR

PRODUCT SPEC: 108-2375
 APPLICATION SPEC: 114-13249


SIZE: A100779C=2149780
 WEIGHT: -
 FINISH: -

CUSTOMER DRAWING SCALE: 6:1 SHEET: 2 OF 4 REV: 3


LOC	DIST	REVISIONS			
GP	00	REV	DATE	BY	APPD
-	-	SEE SHEET 1	-	-	-



PCB LAYOUT AND PIN IDENTIFICATION 
 SHOWN FROM CONNECTOR SIDE
 SCALE 9:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN HAMNER 25SEP2010	 TE Connectivity
DIMENSIONS: mm		CHK D. TROUT 29SEP2010	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. FEDDER 29SEP2010	NAME
0 PLC ±	1 PLC ±	PRODUCT SPEC	HEADER ASSEMBLY, HALF-WIDE, 48/161, STRADA MESA MEZZANINE CONNECTOR
2 PLC ±0.13	3 PLC ±0.013	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO
4 PLC ±	ANGLES ±#1	114-13249	A100779C=2149780
MATERIAL	FINISH	WEIGHT	SCALE 6:1 SHEET 3 OF 4 REV 3
CUSTOMER DRAWING			

LOC		DIST		REVISIONS			
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			



PCB HOLE PATTERN
 SHOWN FROM CONNECTOR SIDE
 SCALE 7:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN HAMNER 25SEP2010	TE Connectivity
DIMENSIONS: mm		CHK D. TROUT 29SEP2010	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ± 3 PLC ±0.13 5 PLC ±0.013 4 PLC ± ANGLES ±1 FINISH		APVD J. FEDDER 29SEP2010	NAME
MATERIAL		PRODUCT SPEC 108-2375	HEADER ASSEMBLY, HALF-WIDE, 48/161, STRADA MESA MEZZANINE CONNECTOR
WEIGHT		APPLICATION SPEC 114-13249	SIZE CAGE CODE DRAWING NO. RESTRICTED TO
CUSTOMER DRAWING		114-13249	A100779C=2149780
SCALE 6:1		SHEET 4 OF 4	REV 3

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)