

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
AC		REVISED PER ECR-20-000721	04MAR2020	PC	SW

1 MATERIAL: CONNECTOR - NYLON UL94-V2 (WHITE)
 CONTACTS - 0.30[.012] THICK COPPER ALLOY
 BRIGHT TIN-LEAD 0.00203[.000080] MIN. THICK
 FOR CONTACTS 640469-2 THRU 2-640469-8.
 MATTE WHISKER MITIGATED TIN PLATE 0.00203[.000080] MIN.
 THICK OVER NICKEL UNDERPLATE FOR CONTACTS 3-640469-2
 THRU 5-640469-8.

2. CONTACTS ACCEPT 24 AWG WIRE WITH 1.52[.060] MAX
 INSULATION DIAMETER.

3. CONTACTS MUST ACCEPT 0.64 ± 0.03[.025 ± .001] SQUARE
 POST AND REMAIN LOCKED IN POSITION.

4 IDENTIFICATION NUMBER FOR LAST CIRCUIT MAY
 NOT APPEAR ON ALL ASSEMBLIES.

5. DIMENSIONS IN BRACKETS ARE IN INCHES.

6. HOUSING FEATURES ARE: CLOSED END WITH LOCKING
 RAMP.

7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING
 PER D.RENAUD/D.SINISI

8 OBSOLETE PARTS

YES	71.12[2.800]	28	5-640469-8
YES	68.58[2.700]	27	5-640469-7
YES	66.04[2.600]	26	5-640469-6
YES	63.50[2.500]	25	5-640469-5
YES	60.96[2.400]	24	5-640469-4
YES	58.42[2.300]	23	5-640469-3
YES	55.88[2.200]	22	5-640469-2
YES	53.34[2.100]	21	5-640469-1
YES	50.80[2.000]	20	5-640469-0
YES	48.26[1.900]	19	4-640469-9
YES	45.72[1.800]	18	4-640469-8
YES	43.18[1.700]	17	4-640469-7
YES	40.64[1.600]	16	4-640469-6
YES	38.10[1.500]	15	4-640469-5
YES	35.56[1.400]	14	4-640469-4
YES	33.02[1.300]	13	4-640469-3
YES	30.48[1.200]	12	4-640469-2
YES	27.94[1.100]	11	4-640469-1
YES	25.40[1.000]	10	4-640469-0
YES	22.86[.900]	9	3-640469-9
YES	20.32[.800]	8	3-640469-8
YES	17.78[.700]	7	3-640469-7
YES	15.24[.600]	6	3-640469-6
YES	12.70[.500]	5	3-640469-5
YES	10.16[.400]	4	3-640469-4
YES	7.62[.300]	3	3-640469-3
YES	5.08[.200]	2	3-640469-2
NO	71.12[2.800]	28	2-640469-8
NO	68.58[2.700]	27	2-640469-7
NO	66.04[2.600]	26	2-640469-6
NO	63.50[2.500]	25	2-640469-5
NO	60.96[2.400]	24	2-640469-4
NO	58.42[2.300]	23	2-640469-3
NO	55.88[2.200]	22	2-640469-2
NO	53.34[2.100]	21	2-640469-1
NO	50.80[2.000]	20	2-640469-0
NO	48.26[1.900]	19	1-640469-9
NO	45.72[1.800]	18	1-640469-8
NO	43.18[1.700]	17	1-640469-7
NO	40.64[1.600]	16	1-640469-6
NO	38.10[1.500]	15	1-640469-5
NO	35.56[1.400]	14	1-640469-4
NO	33.02[1.300]	13	1-640469-3
NO	30.48[1.200]	12	1-640469-2
NO	27.94[1.100]	11	1-640469-1
NO	25.40[1.000]	10	1-640469-0
NO	22.86[.900]	9	640469-9
NO	20.32[.800]	8	640469-8
NO	17.78[.700]	7	640469-7
NO	15.24[.600]	6	640469-6
NO	12.70[.500]	5	640469-5
NO	10.16[.400]	4	640469-4
NO	7.62[.300]	3	640469-3
NO	5.08[.200]	2	640469-2
LEADFREE	DIM A	NO. OF CIRCUITS	PART NO.

△ SUPERSEDED BY 5-640469-8 NO 71.12[2.800] 28 2-640469-8
 △ SUPERSEDED BY 5-640469-7 NO 68.58[2.700] 27 2-640469-7
 △ SUPERSEDED BY 5-640469-6 NO 66.04[2.600] 26 2-640469-6
 △ SUPERSEDED BY 5-640469-5 NO 63.50[2.500] 25 2-640469-5
 △ SUPERSEDED BY 5-640469-4 NO 60.96[2.400] 24 2-640469-4
 △ SUPERSEDED BY 5-640469-3 NO 58.42[2.300] 23 2-640469-3
 △ SUPERSEDED BY 5-640469-2 NO 55.88[2.200] 22 2-640469-2
 △ SUPERSEDED BY 5-640469-1 NO 53.34[2.100] 21 2-640469-1
 △ SUPERSEDED BY 5-640469-0 NO 50.80[2.000] 20 2-640469-0
 △ SUPERSEDED BY 4-640469-9 NO 48.26[1.900] 19 1-640469-9
 △ SUPERSEDED BY 4-640469-8 NO 45.72[1.800] 18 1-640469-8
 △ SUPERSEDED BY 4-640469-7 NO 43.18[1.700] 17 1-640469-7
 △ SUPERSEDED BY 4-640469-6 NO 40.64[1.600] 16 1-640469-6
 △ SUPERSEDED BY 4-640469-5 NO 38.10[1.500] 15 1-640469-5
 △ SUPERSEDED BY 4-640469-4 NO 35.56[1.400] 14 1-640469-4
 △ SUPERSEDED BY 4-640469-3 NO 33.02[1.300] 13 1-640469-3
 △ SUPERSEDED BY 4-640469-2 NO 30.48[1.200] 12 1-640469-2
 △ SUPERSEDED BY 4-640469-1 NO 27.94[1.100] 11 1-640469-1
 △ SUPERSEDED BY 4-640469-0 NO 25.40[1.000] 10 1-640469-0
 △ SUPERSEDED BY 3-640469-9 NO 22.86[.900] 9 640469-9
 △ SUPERSEDED BY 3-640469-8 NO 20.32[.800] 8 640469-8
 △ SUPERSEDED BY 3-640469-7 NO 17.78[.700] 7 640469-7
 △ SUPERSEDED BY 3-640469-6 NO 15.24[.600] 6 640469-6
 △ SUPERSEDED BY 3-640469-5 NO 12.70[.500] 5 640469-5
 △ SUPERSEDED BY 3-640469-4 NO 10.16[.400] 4 640469-4
 △ SUPERSEDED BY 3-640469-3 NO 7.62[.300] 3 640469-3
 △ SUPERSEDED BY 3-640469-2 NO 5.08[.200] 2 640469-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. CARPENTER 22JUL2003	TE Connectivity Ltd.	
DIMENSIONS: INCHES		CHK D. BOSSI 22JUL2003		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. BOSSI 22JUL2003	NAME MTA-100 CONNECTOR ASSEMBLY, 24 AWG, STANDARD, TAPE MOUNTED	
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 0.13 [.005] 4 PLC ± ANGLES ±		PRODUCT SPEC 108-1050	SIZE A2	CAGE CODE 00779
MATERIAL		FINISH	DRAWING NO C-640469	RESTRICTED TO -
		WEIGHT	SCALE 5:1	SHEET 1 of 1
CUSTOMER DRAWING		REV AC		

1471-9 (1/15) Downloaded From Onevac.com

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)