






LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		DRAWING TO REV A	05JUL2011	RKC	JE



- ⚠ MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- ⚠ FINISH:
30µm SELECTIVE GOLD IN CONTACT AREA, SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL.
- 3. CONNECTOR SUPPLIED WITH MOUNTING SCREW.




2149376-1	
ASSEMBLY PART NUMBER	
CONTACT LAYOUT	
DIM M	B = 4.9mm C = 5.5mm
COLUMNS	
	16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1
ROWS	F C C C C C C C C C C C C C C C
	E C C C C C C C C C C C C C C C
	D C C C C C C C C C C C C C C C
	C C C C C C C C C C C C C C C C
	B C C C C C C C C C C C C C C B
A C C C C C C C C C C C C C C C	




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: B. CARBO 21OCT2010	TE Connectivity
DIMENSIONS: mm		CHK: J. EARY 21OCT2010	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: J. EARY 21OCT2010	NAME: IMPACT, 2 PAIR, 16 COLUMN, LEFT GUIDED, RIGHT ANGLE MALE CONNECTOR, 0.39 PTH
0 PLC ± 1 PLC ±0.25 3 PLC ±0.13 4 PLC ± ANGLES ±		PRODUCT SPEC: -	SIZE: CAGE CODE: DRAWING NO: A100779C=2149376
MATERIAL: -		APPLICATION SPEC: -	RESTRICTED TO: -
FINISH: -		WEIGHT: -	SCALE: 5:1 SHEET 1 OF 2 REV A
CUSTOMER DRAWING			

LOC	DIST	REVISIONS			
AD	00	REV	DATE	BY	APPD
		1	SEE SHEET 1		



COPLANAR MATED SIGNAL PATHS



LEFT GUIDED RIGHT ANGLE MALE MATES TO
 RIGHT GUIDED RIGHT ANGLE RECEPTACLE

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN B. CABBO 21OCT2010	TE Connectivity
DIMENSIONS: mm		CHK J. EARY 21OCT2010	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±		APVD J. EARY 21OCT2010	NAME
MATERIAL		PRODUCT SPEC	IMPACT, 2 PAIR, 16 COLUMN, LEFT GUIDED, RIGHT ANGLE MALE CONNECTOR, 0.39 PTH
FINISH		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO
		WEIGHT	A100779C=2149376
		CUSTOMER DRAWING	SCALE 5:1 SHEET 2 OF 2 REV A

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)