



THIS DRAWING IS UNPUBLISHED
RELEASED FOR PUBLICATION
2009
COPYRIGHT 2009 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
B2		ECR-09-015458	10-JULY-09	PKS	MW
B3		PN 1740723-4 ADDED AS PRELIMINARY	29OCT2013	PKS	RRP
B4		REVISED PER ECR-19-015056	01OCT2019	BDA	DH



NOTES :

- 1 Mat. CuSn / THICKNESS 0.8 mm
- 2 1 - 4 µm Sn OVER NICKEL.
- 3 0.3 - 1.5 µm Sn OVER NICKEL.
- 4 2 - 4 µm Ag OVER NICKEL.

P.C.B. HOLE DIM. ACTION PIN


DRILLED HOLE : 1.6 ± 0.025 mm

FIN HOLE : 1.47 ± 0.07 mm




Cu - thickness : 0.025 to 0.075 mm

Sn - thickness : 0.0008 to 0.0012 mm or

Sn - thickness : 0.004 to 0.010




RECOMMENDED BOARD LAYOUT



PRELIMINARY	1740723-5	1	Cu Sn	4	3	BOARD REEL
PRELIMINARY	1740723-4	1	Cu Sn	4	3	REUSED PLASTIC REEL
	1740723-3	A	Cu Sn	2	3	REUSED PLASTIC REEL
	1740723-2	B	Cu Sn	2	3	BOARD REEL
PART-NO	REV.	MATERIAL	SURFACE	REEL		

DIRECTION OFF TOP OF REEL



PN 0-1740723-2 & PN 0-1740723-3

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	±0.2
0 PLC	+
1 PLC	+
2 PLC	+
3 PLC	+
4 PLC	+
ANGLES	±1°
MATERIAL	FINISH
1	2 3

DWN	01-JUN-09
CHK	01-JUN-09
APVD	01-JUN-09
PRODUCT SPEC	108-94044
APPLICATION SPEC	114-18789
WEIGHT	-
Customer Drawing	

DWN SENTHIL 01-JUN-09		TE Connectivity	
CHK RAJENDRA 01-JUN-09		NAME	
APVD M.WESTEN 01-JUN-09		TAB WITH ACTION-PIN	
PRODUCT SPEC		TAB MIT ACTION-PIN	
108-94044		-	
APPLICATION SPEC		-	
114-18789		-	
WEIGHT		-	
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1740723	-
SCALE		SHEET	REV
5:1		1 OF 1	B4

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)