






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
J7		ECO-19-018009 (SEE PAGE NO 3)	18SEP2019	RR	SH


NOTES:

1. TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.15
2. FOR APPLICATION INFORMATION SEE AMP SPEC. 114-19019.
3. FOR PERFORMANCE REQUIREMENTS SEE AMP SPEC. 108-19064



PRINTED CIRCUIT BOARD LAYOUT

[VIEW SHOWN IS CIRCUIT (NONCOMPONENT) SIDE OF BOARD.]
 TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.05
 PRINTED CIRCUIT BOARD THICKNESS: 1.6 mm NOMINAL.



800 PCS. ON A 60cm. DIA. REEL	6 POSITIONS/ 6 CONTACTS.	IN CONTACT AREA: 1.2µm MIN. SEL. GOLD OVER 1.2µm MIN. NICKEL SOLDER TINES: 2.0µm MIN. TIN OVER 1.2µm MIN. NICKEL	HOUSING: PBT,UL 94V-HB COLOR: BLACK CONTACTS: PHOSPHOR BRONZE	216548-1
PACKAGING	REMARKS	FINISH	MATERIAL	PART NUMBER






THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: J.V. LIEMPT 22JAN92	TE Connectivity	
DIMENSIONS: mm		CHK: C. STERKEN	APVD: L.V. SOEST	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
0 PLC ± -		APPLICATION SPEC		
1 PLC ± -		SIZE: A2		
2 PLC ± -		CAGE CODE: 00779		
3 PLC ± -		DRAWING NO: 216548		
4 PLC ± -		RESTRICTED TO: -		
ANGLES: ± -		CUSTOMER DRAWING		
MATERIAL: SEE TABLE		SCALE: - SHEET: 1 of 3 REV: J7		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS					
P	LT/R	DESCRIPTION	DATE	DNW	APVD
-	-	SEE SHEET 1	-	-	-


NOTES:

1. TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.15
2. FOR APPLICATION INFORMATION SEE AMP SPEC. 114-19019.
3. FOR PERFORMANCE REQUIREMENTS SEE AMP SPEC. 108-19064



PRINTED CIRCUIT BOARD LAYOUT

[VIEW SHOWN IS CIRCUIT (NONCOMPONENT) SIDE OF BOARD.]
 TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.05
 PRINTED CIRCUIT BOARD THICKNESS: 1.6 mm NOMINAL.



800 PCS. ON A 60cm. DIA. REEL	6 POSITIONS/ 4 CONTACTS.	IN CONTACT AREA: 1.2 μ m MIN. SEL. GOLD OVER 1.2 μ m MIN. NICKEL	HOUSING: PBT,UL 94V-HB COLOR: BLACK	216548-2
PACKAGING	REMARKS	FINISH	MATERIAL	PART NUMBER
		SOLDER TINES: 2.0 μ m MIN. TIN OVER 1.2 μ m MIN. NICKEL	CONTACTS: PHOSPHOR BRONZE	





THIS DRAWING IS A CONTROLLED DOCUMENT.		DNW J.V.LIEMPT 22JAN92	TE Connectivity																								
DIMENSIONS: mm		CHK C.STERKEN	NAME																								
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD L.V.SOEST	PRODUCT SPEC																								
<table border="1"> <tr><td>0</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>1</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>2</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>3</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>4</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td></td><td>ANGLES</td><td>±</td><td>-</td></tr> </table>		0	PLC	±	-	1	PLC	±	-	2	PLC	±	-	3	PLC	±	-	4	PLC	±	-		ANGLES	±	-	APPLICATION SPEC	
0	PLC	±	-																								
1	PLC	±	-																								
2	PLC	±	-																								
3	PLC	±	-																								
4	PLC	±	-																								
	ANGLES	±	-																								
MATERIAL SEE TABLE	FINISH SEE TABLE	WEIGHT -	SIZE A2	CAGE CODE 00779																							
CUSTOMER DRAWING		DRAWING NO C=216548	RESTRICTED TO																								
		SCALE -	SHEET 2 of 3	REV J7																							

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

NOTES:

1. TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.15
2. FOR APPLICATION INFORMATION SEE AMP SPEC. 114-19019.
3. FOR PERFORMANCE REQUIREMENTS SEE AMP SPEC. 108-19064




Ⓝ ONLY VIEW UPDATED



PRINTED CIRCUIT BOARD LAYOUT

[VIEW SHOWN IS CIRCUIT (NONCOMPONENT) SIDE OF BOARD.]
 TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.05
 PRINTED CIRCUIT BOARD THICKNESS: 1.6 mm NOMINAL.



240 PCS. IN ONE TRAY	6 POSITIONS/ 4 CONTACTS.	IN CONTACT AREA: 1.2µm MIN. SEL. GOLD OVER 1.2µm MIN. NICKEL SOLDER TINES: 2.0µm MIN. TIN OVER 1.2µm MIN. NICKEL	HOUSING: PBT,UL 94V-HB COLOR: BLACK CONTACTS: PHOSPHOR BRONZE	1-216548-5
240 PCS. IN ONE TRAY	6 POSITIONS/ 4 CONTACTS.	IN CONTACT AREA: 1.2µm MIN. SEL. GOLD OVER 1.2µm MIN. NICKEL SOLDER TINES: 2.0µm MIN. TIN OVER 1.2µm MIN. NICKEL	HOUSING: PBT,UL 94V-V0 COLOR: GRAY CONTACTS: PHOSPHOR BRONZE	216548-6
800 PCS. ON A 60cm. DIA. REEL	6 POSITIONS/ 4 CONTACTS.	IN CONTACT AREA: 1.2µm MIN. SEL. GOLD OVER 1.2µm MIN. NICKEL SOLDER TINES: 2.0µm MIN. TIN OVER 1.2µm MIN. NICKEL	HOUSING: PBT,UL 94V-HB COLOR: BLACK CONTACTS: PHOSPHOR BRONZE	216548-5
PACKAGING	REMARKS	FINISH	MATERIAL	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L.V.LIEMPT	22JAN92	TE Connectivity																																																																																																																																																																																																													
DIMENSIONS: mm		CHK C.STERKEN	APVD L.V.SOEST	NAME																																																																																																																																																																																																													
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		MODULAR JACK, 6 POS. TOP ENTRY, SMALL SIZE WITHOUT PANEL STOPS, FOR PCB																																																																																																																																																																																																													
<table border="1"> <tr><td>0</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>1</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>2</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>3</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>4</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>5</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>6</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>7</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>8</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>9</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>10</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>11</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>12</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>13</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>14</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>15</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>16</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>17</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>18</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>19</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>20</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>21</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>22</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>23</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>24</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>25</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>26</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>27</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>28</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>29</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>30</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>31</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>32</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>33</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>34</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>35</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>36</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>37</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>38</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>39</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>40</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>41</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>42</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>43</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>44</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>45</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>46</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>47</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>48</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>49</td><td>PLC</td><td>±</td><td>-</td></tr> <tr><td>50</td><td>PLC</td><td>±</td><td>-</td></tr> </table>		0	PLC	±	-	1	PLC	±	-	2	PLC	±	-	3	PLC	±	-	4	PLC	±	-	5	PLC	±	-	6	PLC	±	-	7	PLC	±	-	8	PLC	±	-	9	PLC	±	-	10	PLC	±	-	11	PLC	±	-	12	PLC	±	-	13	PLC	±	-	14	PLC	±	-	15	PLC	±	-	16	PLC	±	-	17	PLC	±	-	18	PLC	±	-	19	PLC	±	-	20	PLC	±	-	21	PLC	±	-	22	PLC	±	-	23	PLC	±	-	24	PLC	±	-	25	PLC	±	-	26	PLC	±	-	27	PLC	±	-	28	PLC	±	-	29	PLC	±	-	30	PLC	±	-	31	PLC	±	-	32	PLC	±	-	33	PLC	±	-	34	PLC	±	-	35	PLC	±	-	36	PLC	±	-	37	PLC	±	-	38	PLC	±	-	39	PLC	±	-	40	PLC	±	-	41	PLC	±	-	42	PLC	±	-	43	PLC	±	-	44	PLC	±	-	45	PLC	±	-	46	PLC	±	-	47	PLC	±	-	48	PLC	±	-	49	PLC	±	-	50	PLC	±	-	APPLICATION SPEC		SIZE	
0	PLC	±	-																																																																																																																																																																																																														
1	PLC	±	-																																																																																																																																																																																																														
2	PLC	±	-																																																																																																																																																																																																														
3	PLC	±	-																																																																																																																																																																																																														
4	PLC	±	-																																																																																																																																																																																																														
5	PLC	±	-																																																																																																																																																																																																														
6	PLC	±	-																																																																																																																																																																																																														
7	PLC	±	-																																																																																																																																																																																																														
8	PLC	±	-																																																																																																																																																																																																														
9	PLC	±	-																																																																																																																																																																																																														
10	PLC	±	-																																																																																																																																																																																																														
11	PLC	±	-																																																																																																																																																																																																														
12	PLC	±	-																																																																																																																																																																																																														
13	PLC	±	-																																																																																																																																																																																																														
14	PLC	±	-																																																																																																																																																																																																														
15	PLC	±	-																																																																																																																																																																																																														
16	PLC	±	-																																																																																																																																																																																																														
17	PLC	±	-																																																																																																																																																																																																														
18	PLC	±	-																																																																																																																																																																																																														
19	PLC	±	-																																																																																																																																																																																																														
20	PLC	±	-																																																																																																																																																																																																														
21	PLC	±	-																																																																																																																																																																																																														
22	PLC	±	-																																																																																																																																																																																																														
23	PLC	±	-																																																																																																																																																																																																														
24	PLC	±	-																																																																																																																																																																																																														
25	PLC	±	-																																																																																																																																																																																																														
26	PLC	±	-																																																																																																																																																																																																														
27	PLC	±	-																																																																																																																																																																																																														
28	PLC	±	-																																																																																																																																																																																																														
29	PLC	±	-																																																																																																																																																																																																														
30	PLC	±	-																																																																																																																																																																																																														
31	PLC	±	-																																																																																																																																																																																																														
32	PLC	±	-																																																																																																																																																																																																														
33	PLC	±	-																																																																																																																																																																																																														
34	PLC	±	-																																																																																																																																																																																																														
35	PLC	±	-																																																																																																																																																																																																														
36	PLC	±	-																																																																																																																																																																																																														
37	PLC	±	-																																																																																																																																																																																																														
38	PLC	±	-																																																																																																																																																																																																														
39	PLC	±	-																																																																																																																																																																																																														
40	PLC	±	-																																																																																																																																																																																																														
41	PLC	±	-																																																																																																																																																																																																														
42	PLC	±	-																																																																																																																																																																																																														
43	PLC	±	-																																																																																																																																																																																																														
44	PLC	±	-																																																																																																																																																																																																														
45	PLC	±	-																																																																																																																																																																																																														
46	PLC	±	-																																																																																																																																																																																																														
47	PLC	±	-																																																																																																																																																																																																														
48	PLC	±	-																																																																																																																																																																																																														
49	PLC	±	-																																																																																																																																																																																																														
50	PLC	±	-																																																																																																																																																																																																														
MATERIAL SEE TABLE		FINISH SEE TABLE		WEIGHT																																																																																																																																																																																																													
		CUSTOMER DRAWING		SCALE																																																																																																																																																																																																													
		A2 00779		DRAWING NO. C=216548																																																																																																																																																																																																													
		RESTRICTED TO		SHEET 3 of 3																																																																																																																																																																																																													
				REV J7																																																																																																																																																																																																													

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)