






LOC		DIST		REVISIONS			
ES	00	P	LTM	DESCRIPTION	DATE	DMN	APVD
	G2			ADDED THE DASH NO -27	11MAY2011	ML	SZ
	G3			REV PER ECR-13-006828	25APR2013	CZ	SZ
	G4			ADDED NEW DASH NUMBER 2-9	03JUN2013	CZ	SZ



- △ OPTIONAL CENTER MODULE, WITH Ø.150 THRU HOLE OR HOLD DOWN FEATURE
- △ "AMP", TRADEMARK, PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES
- △ MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
 SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
 POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- △ CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- △ MECHANICAL CONNECTOR KEEP OUT ZONE
- △ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- △ PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
- △ PCB - .0453 ±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 CU PLATING TO ACHIEVE A .040±.003 DIA HOLE
- △ FOR P/N:2-6450150-2.THE VARIABLE DIMENSIONS PLEASE SEE SHEET 7.




THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN R.GRZYBOWSKI 16FEB05	TE Connectivity	
DIMENSIONS: INCHES		CHK M.PERCHEKKE 16FEB05		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M.PERCHEKKE	NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.7°		PRODUCT SPEC 108-1973	SIZE A1	
MATERIAL FINISH		APPLICATION SPEC 114-13038	CAGE CODE DRAWING NO C=6450150	
△ 3 △ 4		WEIGHT CUSTOMER DRAWING	RESTRICTED TO SCALE 1:1 SHEET 1 OF 12 REV G5	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-



WITH	2.650	.200	.250	1.550	.875	2.700	-	3.000	.450	2P + 24S + 6P	2-6450150-9
WITH	2.300	.250	.300	1.950	1.275	2.350	-	2.650	.475	3ACP + 24S + 2P	2-6450150-8
WITH	5.150	.300	.300	3.550	2.700	5.200	-	5.500	.450	8ACP + 32S + 6ACP	2-6450150-7
WITH	2.800	.300	.250	2.075	1.375	2.850	-	3.150	.450	4P + 24S + 3ACP	2-6450150-6
WITH	3.800	.300	.250	1.875	1.375	3.850	-	4.150	.450	4P + 16S + 7ACP	2-6450150-5
WITH	2.400	.200	.200	2.100	.825	2.450	-	2.750	.450	2P + 48S + 2P	2-6450150-4
WITH	1.700	.250	.250	1.350	.875	1.750	-	2.050	.450	2P + 16S + 2P	2-6450150-3
WITHOUT	5.500	.300	.300	3.175	2.525	5.550	-	5.850	.475	7ACP+20S+4ACP+5P	2-6450150-2
WITH	2.900	.250	.250	2.550	.875	2.950	-	3.250	.450	2P + 64S + 2P	2-6450150-1
WITH	3.550	-	.300	2.550	1.275	3.600	-	3.900	.475	3ACP + 48S + 5P	2-6450150-0
WITH	4.000	-	-	-	.375	4.050	-	4.350	-	148S	1-6450150-9
WITH	2.800	.250	.250	1.700	1.125	2.850	-	3.150	.450	3P + 20S + 5P	1-6450150-8
WITH	2.200	.250	.250	1.350	.875	2.250	-	2.550	.450	2P + 16S + 4P	1-6450150-7
WITH	3.500	.300	.250	2.775	2.375	3.550	-	3.850	.450	8P + 12S + 3ACP	1-6450150-3
WITH	2.300	.250	.300	1.950	1.275	2.350	-	2.650	.475	3ACP + 24S + 2P	6450150-9
WITH	1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	6450150-8
WITH	3.000	.250	.250	2.150	1.425	3.050	-	3.350	.450	4P + 24S + 4P	6450150-6
WITH	2.500	.300	.250	1.800	1.125	2.550	-	2.850	.450	3P + 24S + 3ACP	6450150-5
WITH	2.675	.200	.200	2.375	1.650	2.725	-	3.025	.475	5P + 24S + 2P	6450150-4
WITH	2.800	.300	.250	2.075	1.375	2.850	-	3.150	.450	4P + 24S + 3ACP	6450150-3
WITH	3.550	-	.300	2.550	1.275	3.600	-	3.900	.475	3ACP + 48S + 5P	6450150-2
WITH	4.350	.250	.250	3.500	2.625	4.400	-	4.700	.450	9P + 32S + 4P	6450150-1
HOLD DOWN	U	T	S	R	W	D	M	L	K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. GRZYBOWSKI	16FEB05		TE Connectivity	
DIMENSIONS: INCHES		CHK M. PERCHERKE	16FEB05		NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. PERCHERKE	-	PRODUCT SPEC		
0 PLC ±.01		PRODUCT SPEC		SIZE		
2 PLC ±.01		APPLICATION SPEC		CAGE CODE		
3 PLC ±.005		114-13038		DRAWING NO		
4 PLC ±.0020		WEIGHT		A100779		
ANGLES ±.0020		FINISH		C=6450150		
MATERIAL		CUSTOMER DRAWING		SCALE 1:1		
FINISH		SHEET 2 OF 12		REV G5		


LOC		DIST		REVISIONS			
ES	00	REV	DATE	BY	APP'D	DATE	BY
		1	SEE SHEET 1				

PART NUMBER	ROWS	POWER (L)				SIGNAL								POWER (R)					HD						
		P13	P12	P11	P10	8	7	6	5	4	3	2	1	P9	P8	P7	P6	P5		P4	P3	P2	P1		
6450150-1	D C B A	VM	VM	VA	VM	E	E	E	E	E	E	E	E	E	E	E	E	VM	VM	VM	VM	VM	VA	VM	HD
9P + 32S + 4P																									

PART NUMBER	ROWS	POWER (L)				SIGNAL												POWER (R)			HD								
		P8	P7	P6	P5	P4	12	11	10	9	8	7	6	5	4	3	2	1	P3	P2		P1							
6450150-2	D C B A	VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM	HD
3ACP + 48S + 5P																													



PART NUMBER	ROWS	POWER (L)			SIGNAL							POWER (R)			HD				
		P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1					
6450150-3	D C B A	VM	VM	VA	E	E	E	E	E	E	E	E	E	E	VM	VM	VM	VM	HD
4P + 24S + 3ACP																			





CODE	TAIL LENGTH	DESCRIPTION	CODE	TAIL LENGTH
VN	.090	STD		
VM	.135	STD		
VB	.090	MFBL	J	.090
VA	.135	MFBL	E	.135
POWER CONTACTS		SIGNAL CONTACTS		

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: R. GRZYBOWSKI 16FEB05	DATE: 16FEB05
DIMENSIONS: INCHES		CHK: M. PERCHERKE	APVD: M. PERCHERKE
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	
0 PLC ± .01	1 PLC ± .01	108-1973	
2 PLC ± .01	3 PLC ± .005	APPLICATION SPEC	
4 PLC ± .002	ANGLES ± .020	114-13038	
MATERIAL	FINISH	WEIGHT	RESTRICTED TO
			A100779C=6450150
CUSTOMER DRAWING		SCALE 1:1	SHEET 3 OF 12 REV 5

PART NUMBER	ROWS	POWER (L)					SIGNAL					POWER (R)				
		P7	P6	P5	P4	P3	6	5	4	3	2	1	P5	P4	P3	P2
6450150-4	D	VB	VB	J	J	J	J	J	J	J	J	VN	VN	VN	VN	
	C	VB	VB	J	J	J	J	J	J	J	J	VN	VN	VN	VN	
	B	VB	VB	J	J	J	J	J	J	J	J	VN	VN	VN	VN	
		5P + 24S + 2P														



PART NUMBER	ROWS	POWER (L)					SIGNAL					POWER (R)				
		P8	P7	P6	P5	P4	6	5	4	3	2	1	P4	P3	P2	P1
6450150-6	D	VB	VN	VB	VN	J	J	J	J	J	J	VN	VB	VN	VB	
	C	VB	VN	VB	VN	J	J	J	J	J	J	VN	VB	VN	VB	
	B	VB	VN	VB	VN	J	J	J	J	J	J	VN	VB	VN	VB	
		4P + 24S + 4P														

NO CONTACT
LOADED



PART NUMBER	ROWS	POWER (L)				SIGNAL					POWER (R)				
		P6	P5	P4	P3	6	5	4	3	2	1	P3	P2	P1	
6450150-5	D	VM	VM	VM	E	E	E	E	E	E	E	VM	VM	VA	
	C	VM	VM	VM	E	E	E	E	E	E	E	VM	VM	VA	
	B	VM	VM	VM	E	E	E	E	E	E	E	VM	VM	VA	
		3P + 24S + 3ACP													

PART NUMBER	ROWS	POWER		SIGNAL					POWER		
		P2	P1	6	5	4	3	2	1	P1	P2
6450150-8	D	VM	VA	E	E	E	E	E	E	VM	VA
	C	VM	VA	E	E	E	E	E	E	VM	VA
	B	VM	VA	E	E	E	E	E	E	VM	VA
		1P + 24S + 1P									



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: R. GRZYBOWSKI 16FEB05	 TE Connectivity
DIMENSIONS: INCHES		CHK: M. PERCHERKE 16FEB05	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERKE	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
0 PLC ±.01		PRODUCT SPEC: 108-1973	SIZE: A1
1 PLC ±.01		APPLICATION SPEC: 114-13038	CAGE CODE: 6450150
2 PLC ±.005		WEIGHT: .114-13038	SCALE: 1:1
3 PLC ±.002		CUSTOMER DRAWING	SHEET 4 OF 12
ANGLES ±.002			REV: G5



REVISONS		DATE	OWN	APVD
ES	00			
DESCRIPTION				
SEE SHEET 1				

PART NUMBER	ROWS	POWER (L)				SIGNAL								POWER (R)											
		P11	P10	P9		3	2	1	P8	P7	P6	P5	P4	P3	P2	P1									
1-6450150-3	D C B A	VM	VM	VA	E	E	E	E	E	E	E	E	E	E	E	E	E	VM	VM	VM	VM				
					E	E	E	E	E	E	E	E	E	E	E	E	E					E	E	E	E
					E	E	E	E	E	E	E	E	E	E	E	E	E					E	E	E	E

8P + 12S + 3ACP


PART NUMBER	ROWS	POWER (L)					SIGNAL					POWER (R)					
		P8	P7	P6	P5	P4	5	4	3	2	1	P3	P2	P1			
1-6450150-8	D C B A	VA	VA	VM	VM	VA	E	E	E	E	E	E	E	E	VM	VM	VM
		VA	VA	VM	VM	VA	E	E	E	E	E	E	E	E	VM	VM	VM
		VA	VA	VM	VM	VA	E	E	E	E	E	E	E	E	VM	VM	VM

3P + 20S + 5P



PART NUMBER	ROWS	SIGNAL																																									
		37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1					
1-6450150-9	D C B A	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E			
		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E

148S




THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	OWN: R.GRZYBOWSKI 16FEB05	CHK: M.PERCHEKKE 16FEB05	APVD: M.PERCHEKKE
INCHES	0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020	PRODUCT SPEC: 108-1973	APPLICATION SPEC: 114-13038	SIZE: A1
MATERIAL:	FINISH:	WEIGHT:	CAGE CODE: 6450150	RESTRICTED TO: -
CUSTOMER DRAWING		SCALE: 1:1	SHEET: 5 OF 12	REV: G5


TE Connectivity

VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1	-	-	-



PART NUMBER	ROWS	POWER				SIGNAL				POWER		
		P6	P5	P4	P3	4	3	2	1	P2	P1	
1-6450150-7	D	VM	VM	VA	VA	E	E	E	E	VA	VM	
	C					E	E	E	E			
	B					E	E	E	E			
2P + 16S + 4P												HD



PART NUMBER	ROWS	POWER (L)								SIGNAL								POWER (R)			
		P8	P7	P6	P5	P4	12	11	10	9	8	7	6	5	4	3	2	1	P3	P2	
2-6450150-0	D	VM	VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM	
	C						E	E	E	E	E	E	E	E	E	E	E				
	B						E	E	E	E	E	E	E	E	E	E	E				
3ACP + 48S + 5P												HD									

NO CONTACTS LOADED

THIS DRAWING IS A CONTROLLED DOCUMENT. DWG: R. GRZYBOWSKI 16FEB05
 CHK: M. PERCHERKE 16FEB05
 APVD: M. PERCHERKE

DIMENSIONS: INCHES. TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±.01
 1 PLC ±.01
 2 PLC ±.01
 3 PLC ±.005
 4 PLC ±.002
 ANGLES ±.2°

MATERIAL: FINISH:

WEIGHT: 114-13038

CUSTOMER DRAWING


NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
 PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038

SIZE: A1
 CAGE CODE: 00779
 DRAWING NO: 6450150

RESTRICTED TO: SCALE: 1:1 SHEET 6 OF 12 REV: G5


LOC	DIST	REV	DATE	APP'D
ES	00			

PART NUMBER	ROWS	POWER (L)		SIGNAL																POWER (R)							
		P4	P3	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	P2	P1						
2-6450150-1	D	VB	VN	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	VN	VB		
	C			J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J			J	
	B			J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J			J	J
	A			J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J			J	J
2P + 64S + 2P		HD																								HD	



PART NUMBER	ROWS	POWER		SIGNAL						POWER					
		P5	P4	6	5	4	3	2	1	P3	P2	P1			
6450150-9	D	VM	VM	E	E	E	E	E	E	E	E	VA	VM	VM	
	C			E	E	E	E	E	E	E	E				
	B			E	E	E	E	E	E	E	E				E
	A			E	E	E	E	E	E	E	E				E
3ACP+24S+2P		HD								HD					

PART NUMBER	ROWS	POWER		SIGNAL						POWER						
		P5	P4	6	5	4	3	2	1	P3	P2	P1				
2-6450150-8	D	VM	VM	E	E	E	E	E	E	E	E	VA	VM	VM		
	C			E	E	E	E	E	E	E	E				E	
	B			E	E	E	E	E	E	E	E				E	E
	A			E	E	E	E	E	E	E	E				E	E
3ACP+24S+2P		HD								HD						



6450150-9 & 2-6450150-8 PCB LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: R. GRZYBOWSKI 16FEB05	STE TE Connectivity
DIMENSIONS: INCHES		CHK: M. PERCHERKE 16FEB05	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERKE	VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
0 PLC ±.01		PRODUCT SPEC	
1 PLC ±.01		108-1973	
2 PLC ±.005		APPLICATION SPEC	
3 PLC ±.005		114-13038	RESTRICTED TO
4 PLC ±.0020		WEIGHT	
ANGLES ±.020		CUSTOMER DRAWING	
FINISH		SCALE 1:1	
MATERIAL		SHEET 7 OF 12	
FINISH		REV G5	


LOC	DIST	REV	DATE	BY	APPD
ES	00				

REVISONS		DATE	BY	APPD
1	SEE SHEET 1			

NO CONTACTS LOADED

PART NUMBER	ROWS	POWER (L)								SIGNAL					POWER (R)							
		P16	P15	P14	P13	P12	P11	P10	P9	P8	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1
2-6450150-2	D C B A	VA		VM		VM	VM	VM	VM	VM	E	E	E	E	E	VM	VM	VM	VM	VM	VM	VM
											E	E	E	E	E							
											E	E	E	E	E							
											E	E	E	E	E							

7ACP+20S+4ACP+5P





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI CHK M. PERCHERKE APPD M. PERCHERKE	16FEB05 16FEB05	STE TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 2 PLC ±.01 3 PLC ±.01 4 PLC ±.0020 ANGLES ±.2°	NAME PRODUCT SPEC APPLICATION SPEC	108-1973 114-13038	
MATERIAL	FINISH	WEIGHT	RESTRICTED TO	
CUSTOMER DRAWING		SCALE 1:1	SHEET 8 OF 12	REV G5

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	OWN	APVD
ES	00	SEE SHEET 1			

PART NUMBER	ROWS	POWER		SIGNAL				POWER	
		P4	P3	4	3	2	1	P2	P1
2-6450150-3	D C B A	VM	VM	E	E	E	E	VA	VA
				E	E	E	E		
				E	E	E	E		
				E	E	E	E		
2P + 16S + 2P		HD		HD					

PART NUMBER	ROWS	POWER		SIGNAL								POWER						
		P4	P3	12	11	10	9	8	7	6	5	4	3	2	1	P2	P1	
2-6450150-4	D C B A	VM	VA	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM
				E	E	E	E	E	E	E	E	E	E	E	E	E		
				E	E	E	E	E	E	E	E	E	E	E	E	E		
				E	E	E	E	E	E	E	E	E	E	E	E	E		
2P + 48S + 2P		HD		HD														



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. GRZYBOWSKI CHK M. PERCHERKE APVD M. PERCHERKE	16FEB05 16FEB05	 TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME PRODUCT SPEC APPLICATION SPEC		
	0 PLC ± 2 PLC ±.01 3 PLC ±.005 4 PLC ±.002 ANGLES ±.020 FINISH	108-1973 114-13038 WEIGHT CUSTOMER DRAWING		VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
MATERIAL		SIZE CAGE CODE DRAWING NO	RESTRICTED TO	
		A100779C=6450150	SCALE 1:1	SHEET 9 OF 12 REV G5



LOC	DIST	REVISIONS			
		REV	DATE	BY	APPD
ES	00	-	-	-	-
		SEE SHEET 1			

PART NUMBER	ROWS	POWER						SIGNAL				POWER				
		P11	P10	P9	P8	P7	P6	P5	4	3	2	1	P4	P3	P2	P1
2-6450150-5	D							E	E	E	E					
	C	VM	VA	VM	VM	VA	VM	E	E	E	E	VM	VM	VM	VM	
	B							E	E	E	E					
	A	HD						E	E	E	E				HD	
4P + 16S + 7ACP																

PART NUMBER	ROWS	POWER (L)			SIGNAL						POWER (R)			
		P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1
2-6450150-6	D				E	E	E	E	E	E				
	C	VM	VM	VA	E	E	E	E	E	E	VM		VM	
	B				E	E	E	E	E	E				
	A	HD			E	E	E	E	E	E				HD
4P + 24S + 3ACP														

(F1)

NO CONTACT LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2°	FINISH	OTHERWISE SPECIFIED:
-----------------------	--	--------	----------------------

MATERIAL	FINISH	WEIGHT	CUSTOMER DRAWING
----------	--------	--------	------------------


DWG: R. GRZYBOWSKI 16FEB05	CHK: M. PERCHERKE 16FEB05	APVD: M. PERCHERKE	NAME
PRODUCT SPEC			108-1973
APPLICATION SPEC			114-13038
SIZE			114-13038
CAGE CODE			6450150
DRAWING NO			A100779
SCALE			1:1
SHEET			10 OF 12
REV			G5

STE TE Connectivity

VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER (L)					SIGNAL								POWER (R)										
			PI4	PI3	PI2	PI1	PI0	P9	8	7	6	5	4	3	2	1	P8	P7	P6	P5	P4		P3	P2	PI	
2-6450150-7	D C B A		VM	VM		VM	VM		E	E	E	E	E	E	E	E		VA		VM	VM		VM	VM		
8ACP + 32S + 6ACP																										




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 16FEB05	16FEB05		TE Connectivity
DIMENSIONS: INCHES		CHK M. PERCHERKE	16FEB05		NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. PERCHERKE		PRODUCT SPEC	
0 PLC ±.01				108-1973	
2 PLC ±.01				APPLICATION SPEC	
3 PLC ±.005				114-13038	
4 PLC ±.0020				WEIGHT	
ANGLES ±.020				A100779C=6450150	
FINISH				SCALE 1:1 SHEET 11 OF 12 REV G5	
MATERIAL				CUSTOMER DRAWING	

LOC	DIST	REVISIONS			
		REV	DATE	BY	APPV
ES	00	-	SEE SHEET 1	-	-

PART NUMBER	ROWS	POWER						SIGNAL						P2	P1
		P8	P7	P6	P5	P4	P3	4	3	2	3	2	1		
2-6450150-9	D	VM	VM	VM	VA	VA	E	E	E	E	E	E	E	VM	VM
	C						E	E	E	E	E	E	E		
	B						E	E	E	E	E	E	E		
	A						E	E	E	E	E	E	E		

NO CONTACTS LOADED
NO CONTACTS LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 16FEB05 CHK M. PERCHERKE 16FEB05 APVD M. PERCHERKE NAME PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038 WEIGHT CUSTOMER DRAWING	TE Connectivity VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL SIZE A1 CAGE CODE 00779 DRAWING NO. 6450150 SCALE 1:1 SHEET 12 OF 12 REV G5
DIMENSIONS: INCHES 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 2 PLC ±.01 3 PLC ±.05 4 PLC ±.0020 ANGLES ±.7° FINISH	RESTRICTED TO	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)