

V 4 2 2 5 4 - P 2 * * * - M * * *

Code 2 = Basic version
Code 9 = version without flanges

Code for performance level
Code for termination style

Style, no of contacts and contact assignment see page 2

V42254-P2***-M6**

Performance level acc to DIN41612 and IEC 603-2	Noble metals	Code
Class I	PdNi + Au or Au	1
	Au	4
Class II	PdNi + Au or Au	2
	Au	5
Class III	PdNi + Au or Au	3

Nickel underlayer
Protection film : HF-grease

V24254-P2***-M***

	L	Code
Pressfit	3.7 ±0.3	63
	6.0 ±0.3	70
Pressfit-w.w. insertion area wire-wrap	13 ±0.5	66
	17 ±0.5	67
	20 ±0.5	68

All female connectors can be pressed-in with a flat stamp (over the connector housing)

TYCO ELECTRONICS CORPORATION	OCOSTKAMP - BELGIUM	LOC DIMENSIONS IN MM	SCALE	WEIGHT
Tyco Electronics				
A2 ECR-10-003044	02JUN10	MKO	DATE 22.06.01	PART NAME
A1 SR-10-0177-03	11AUG03	KV	NAME Colpaert	Receptacle Assembly Eurocard
A SR-10-0275-01	22.06.01	BC	DEP. PE.COM	Press fit Type M with 6 and 8 Special Contacts
REV. CHANGE ORDER	DATE	APP.	TOLERANCE UNLESS SPECIFIED OTHERWISE	PART NO.
				V42254-P2***-M4***-7626
			Customer Drawing Nr. C.5-1393637-4	SHT. 1+
				OF 2




THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE
 SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL,
 WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG PENNSYLVANIA USA

PROPRIETARY:

Old Part Number	TE Part Number	Style & Number of Positions	Termination posts	Loaded Rows	Performance Level	Board Locks
V42254-P2263-M240	5-1393637-4	M24+8	3.7mm Press-in terminals	every row , every pitch	2	No
V42254-P2263-M420	5-1393637-7	M42+6	3.7mm Press-in terminals	every row , every pitch	2	No

OBSOLETE

Active part numbers.
 Contact Tyco Electronics for other configuration availability

 Tyco Electronics	TYCO ELECTRONICS CORPORATION	 DIMENSIONS IN MM	SCALE	WEIGHT
	OOSTKAMP - BELGIUM		 LOC GW	MATERIAL
	DATE	22.06.01	PART NAME	
	NAME	Colpaert	Receptacle Assembly Eurocard Press fit Type M with 6 and 8 Special Contacts	
	DEP.	PE COM	PART NO.	
	TOLERANCE UNLESS SPECIFIED OTHERWISE		V42254-P2***-M4***-*-7626	
A2	SEE SHEET 1		SHT. 2-	
REV.	CHANGE ORDER	DATE	APP.	Customer Drawing Nr. C 5-1393637-4
				OF 2

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)