






REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
E		REVISED PER ECR-20-010049	14DEC2020	BH	E.W



NOTES ;

1. PRODUCT SPEC No.108-5164
2. APPLICATION SPEC No.114-5060,114-5052
3. CUSTOMER MANUAL No ; CM-177J
4. APPLIED CONTACT P/N ; 170032,170452,170454,170456
5. WORKMANSHIP OF THE TAB HOLE EDGES MUST BE SUCH THAT EDGES MUST BE FREE FROM THE BURRS, WITH THE SHEAR DROOP NOT EXCEEDING 0.1 MILLIMETER
6. CLEARANCE LINE FOR TAB TO MATE WITH COUNTERPART HOUSING
7. GENERAL TOLERANCE :
 - x ≤ 10 : ±0.2
 - 10 < x ≤ 30 : ±0.25
 - 30 < x ≤ 100 : ±0.3
 - ANGLE : ±3°

RECOMMENDED MATING TAB DESIGN
 (FINISH) PLAIN OR ELECTRO-TIN
 (MATERIAL) 70/30 BRASS, 0.8MM THK
 (0.8t JIS-3100C-2600P-1/2H)

66 NYLON	BLACK	172864-2
66 NYLON	WHITE	172864-1
MATERIAL	COLOR	P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	-				
		CHK	-				
DIMENSIONS: mm		APVD	-	NAME			
		PRODUCT SPEC	-	250 SERIES AUTOMOTIVE POSITIVE DBL LOCK 2Pos COMBINATION HOUSING (T-TYPE)			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	-	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
0 PLC ± 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		WEIGHT	-	A3	00779	©-172864	-
MATERIAL				CUSTOMER DRAWING			SCALE
							1:1
							SHEET
							1 of 1
							REV
							E

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)