



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
		C		REVISED PER ECO-14-006554	09MAY2014	NK	MM



- ASSEMBLY MAY BE BROKEN TO THE DESIRED NUMBER OF POSITIONS.
 - TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADER IS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD.
- 3 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING.
- 4 MATERIAL: HOUSING - LCP, COLOR: BLACK.
POSTS - PHOSPHOR BRONZE.
- 5 PLATING: 0.000076[.000003] MIN GOLD OVER 0.00068[.000027] Pd/Ni IN CONTACT AREA, 0.00254-0.00508 [.000100-.000200] MATTE TIN ON SOLDER TAIL, ALL OVER 0.00127 [.000050] NICKEL.



RECOMENDED PC BOARD MOUNTING DIMENSIONS FOR 1.60[.063] THICK PC BOARD AND 0.305[.0120] STENCIL THICK.

5	101.19 [3.984]	99.06 [3.900]	39	40	4-1977950-0
5	2.13 [.084]	-	0	1	1977950-1
PLATING	C	B	A	NO. OF POSITIONS	PART NUMBER

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN		CHK		APVD		NAME	
mm	[INCHES]	0 PLC	± -	KIRAN HOLAL	31AUG2013	MIKE MILLER	31AUG2013	MIKE MILLER	31AUG2013	TE Connectivity	
		1 PLC	± -							HEADER ASSEMBLY, MOD II, BREAKWAY, SINGLE ROW, HIGH TEMPERATURE, VERTICAL W/.025 SQ POSTS, .100 CL, 30 Pd/Ni	
		2 PLC	± 0.13[.005]							SIZE CAGE CODE DRAWING NO RESTRICTED TO	
		3 PLC	± -							A2 00779 C=1977950	
		4 PLC	± -							SCALE 1:1 SHEET 1 OF 1 REV C	
		ANGLES	± -								
MATERIAL		FINISH	SEE TABLE								

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)