


Restricted to: General Release


USED ON

THIS DRAWING IS A CONTROLLED DOCUMENT



Left Side

Connector(s): MT-RJ SECURE (No Pins)
 Mode: MM
 Housing Color: Blue
 Geom. Spec: 115-1215



Fiber Path


Fiber A - - Fiber B
 Fiber B - - Fiber A

Notes:

- 1 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
- 2 Label 2 will not be present on any cable assembly less than 5 meters long.
- 3 Includes dust caps (not shown on print).

Right Side

Connector(s): MT-RJ (No Pins)
 Mode: MM
 Housing Color: Black
 Geom. Spec: 115-1215



THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

LOC
CE
DIST
16

B	Rev Per	EC#	ECR-06-019909	8/17/2006	-	MK	
P	LTR	REVISION	RECORD	DATE	DN	APVD	

DIMENSIONS:	TOLERANCES UNLESS
meters	OTHERWISE SPECIFIED:
0 PLC	± .
1 PLC	± .
2 PLC	± .
3 PLC	± .
4 PLC	± .

Customer Print

DWG	Cable Assy Configurator	MATERIAL	HEAT TREAT
CHK	Michael Kepko		
APVD	Michael Kepko	Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
NAME	FO C/A - 2 fiber, 62.5/125, OFNR (Riser) jacket, MT-RJ SECURE (No Pins) to MT-RJ (No Pins)		
SCALE	SIZE	DRAWING NO	SHEET
NTS	A2	C- 6278893	1 of 3
			REV B

8 | 7 | 6 | 5 | 4 | 3 | 2 | 1

Restricted to: General Release

USED ON

THIS DRAWING IS A CONTROLLED DOCUMENT.

Part #	L (meters)	L (feet)	MT-RJ SECURE (No Pins), Blue		MT-RJ (No Pins), Black	
			IL (dB)	RL (dB)	IL (dB)	RL (dB)
0-6278893-1	0.950 - 1.050	3.11 - 3.44	0.5	20	0.5	20
0-6278893-2	1.950 - 2.050	6.39 - 6.72	0.5	20	0.5	20
0-6278893-3	2.950 - 3.050	9.67 - 10.00	0.5	20	0.5	20
0-6278893-4	3.920 - 4.080	12.86 - 13.38	0.51	20	0.51	20
0-6278893-5	4.920 - 5.080	16.14 - 16.66	0.51	20	0.51	20
0-6278893-6	5.920 - 6.080	19.42 - 19.94	0.51	20	0.51	20
0-6278893-7	6.920 - 7.080	22.70 - 23.22	0.51	20	0.51	20
0-6278893-8	7.920 - 8.080	25.98 - 26.50	0.51	20	0.51	20
0-6278893-9	8.850 - 9.150	29.03 - 30.01	0.51	20	0.51	20
1-6278893-0	9.850 - 10.150	32.31 - 33.30	0.52	20	0.52	20
1-6278893-1	10.850 - 11.150	35.59 - 36.58	0.52	20	0.52	20
1-6278893-2	11.850 - 12.150	38.87 - 39.86	0.52	20	0.52	20
1-6278893-3	12.850 - 13.150	42.15 - 43.14	0.52	20	0.52	20
1-6278893-4	13.850 - 14.150	45.43 - 46.42	0.52	20	0.52	20
1-6278893-5	14.850 - 15.150	48.72 - 49.70	0.52	20	0.52	20
1-6278893-6	15.840 - 16.160	51.96 - 53.01	0.52	20	0.52	20
1-6278893-7	16.830 - 17.170	55.21 - 56.33	0.53	20	0.53	20
1-6278893-8	17.820 - 18.180	58.46 - 59.64	0.53	20	0.53	20
1-6278893-9	18.810 - 19.190	61.71 - 62.95	0.53	20	0.53	20
2-6278893-0	19.800 - 20.200	64.96 - 66.27	0.53	20	0.53	20
2-6278893-1	20.790 - 21.210	68.20 - 69.58	0.53	20	0.53	20
2-6278893-2	21.780 - 22.220	71.45 - 72.90	0.53	20	0.53	20
2-6278893-3	22.770 - 23.230	74.70 - 76.21	0.53	20	0.53	20
2-6278893-4	23.760 - 24.240	77.95 - 79.52	0.54	20	0.54	20
2-6278893-5	24.750 - 25.250	81.20 - 82.84	0.54	20	0.54	20
2-6278893-6	25.740 - 26.260	84.44 - 86.15	0.54	20	0.54	20
2-6278893-7	26.730 - 27.270	87.69 - 89.46	0.54	20	0.54	20
2-6278893-8	27.720 - 28.280	90.94 - 92.78	0.54	20	0.54	20
2-6278893-9	28.710 - 29.290	94.19 - 96.09	0.54	20	0.54	20
3-6278893-0	29.700 - 30.300	97.44 - 99.40	0.55	20	0.55	20
3-6278893-1	30.690 - 31.310	100.68 - 102.72	0.55	20	0.55	20
3-6278893-2	31.680 - 32.320	103.93 - 106.03	0.55	20	0.55	20
3-6278893-3	32.670 - 33.330	107.18 - 109.35	0.55	20	0.55	20
3-6278893-4	33.660 - 34.340	110.43 - 112.66	0.55	20	0.55	20
3-6278893-5	34.650 - 35.350	113.68 - 115.97	0.55	20	0.55	20
3-6278893-6	35.640 - 36.360	116.92 - 119.29	0.55	20	0.55	20
3-6278893-7	36.630 - 37.370	120.17 - 122.60	0.56	20	0.56	20
3-6278893-8	37.620 - 38.380	123.42 - 125.91	0.56	20	0.56	20
3-6278893-9	38.610 - 39.390	126.67 - 129.23	0.56	20	0.56	20
4-6278893-0	39.600 - 40.400	129.92 - 132.54	0.56	20	0.56	20
5-6278893-0	49.500 - 50.500	162.40 - 165.68	0.58	20	0.58	20

Qty	U of M	Description	Item No.
1	piece	HOUSING, CONN, MT-RJ.BLACK	1
2	piece	DUST COVER, MT-RJ	2
2	piece	SPRING, MT-RJ, 3.8 DESIGN	3
2	piece	PIN KEEPER, 3.8MM	4
2	piece	MT-RJ, SPRING PUSH, UNIVERSAL	5
2	piece	CRIMP EYELET, MT-RJ	6
1	piece	MT-RJ Keyed Connector Housing - Blue	7
2	piece	MT-RJ FERRULE, THERMOPLAST,MM	8
AR	meter	2 fiber, 62.5/125, 1.8 mm, Twinzip, Orange, OFNR (Riser)	9
2	piece	MT-RJ TwinZip Bend Limiting Boot, Beige	10
2	piece	Trace Label	11

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS TO BE KEPT CONFIDENTIAL AND NOT DISCLOSED TO ANY OTHERS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC
CE
DIST
16


Rev Per	EC#	ECR-06-019909	8/17/2006	-	MK
P	LTR	REVISION RECORD	DATE	DN	APVD

Customer Print

DIENSIONS: meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 P.L.C ± .005
1 P.L.C ± .005
2 P.L.C ± .005
3 P.L.C ± .005
4 P.L.C ± .005

DIN	Cable Assy Configurator	MATERIAL	HEAT TREAT
CHK	Michael Kepko		
APVD	Michael Kepko	 Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
NAME	FO C/A - 2 fiber, 62.5/125, OFNR (Riser) jacket, MT-RJ SECURE (No Pins) to MT-RJ (No Pins)		
SCALE	SIZE	DRAWING NO	SHEET
NTS	A2	C- 6278893	2 of 3
			REV B

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)