


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
A2		ECR-15-009282	05AUG2015	KG DW

- ASSEMBLY SHOWN FOR REFERENCE ONLY. SHIPPED LOOSE PIECE AS SHOWN ON PAGE 2.
- ALL ASSEMBLY DIMENSIONS ARE FOR REFERENCE ONLY.
- Δ PANEL SHOULD BE BETWEEN 3.2mm AND 6.4mm (1/8 TO 1/4 INCH) THICKNESS.
- THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING.
- COMPLETE THE CONNECTOR ASSEMBLY BY ADDING EACH OF THE FOLLOWING PRO BEAM JR KITS:
 - EXPANDED BEAM INSERT ASSEMBLY KIT
 - CABLE ADAPTER KIT, SIZED TO THE CABLE JACKET DIAMETER
 - FERRULE KIT, ONE PER FIBER



Δ RECOMMENDED TFOCA-II[®] PANEL CUT-OUT (DIMENSIONS: INCHES)

TFOCA-II[®] IS A REGISTERED TRADEMARK OF FIBER SYSTEMS INTERNATIONAL CORP.

BLACK Zn-Ni ALLOY	ALUMINUM	1918942-3
NONE	NICKEL ALUMINUM BRONZE	1918942-2
OLIVE DRAB ZINC	ALUMINUM	1918942-1
FINISH	HOUSING ALLOY	PART NUMBER

SUPERSEDED BY:
1918942-3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. GLATFELTER 07NOV2006	STE TE Connectivity	
DIMENSIONS: mm		CHK D. WERTMAN		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. WERTMAN	NAME CONNECTOR SHELL KIT, D-HOLE BULKHEAD SEALED TFOCA-II [®] REPL, PRO BEAM JR.	
0 PLC ±		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
1 PLC ±		APPLICATION SPEC	A200779 C-1918942 -	
2 PLC ±		WEIGHT	SCALE 2:1 SHEET 1 OF 2 REV A2	
3 PLC ±		Customer Drawing		
4 PLC ±				
ANGLES ±				
FINISH				
MATERIAL AS LISTED	FINISH AS LISTED			

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-		SEE SHEET 1	-	-

1. SHIPPED LOOSE PIECE AS SHOWN.

FRONT HOUSING
 -1 & -3: MAT'L: ALUMINUM ALLOY
 FINISH: HARD ANODIZE W/PTFE
 -2: MAT'L: NiAlBrz
 FINISH: NONE

O-RING, 16x1
 (INSTALLED)
 MAT'L: NITRILE

FRONT SEAL
 (INSTALLED)
 MAT'L: FLUOROSILICONE

PANEL NUT
 (INSTALLED)
 -1: MAT'L: ALUMINUM ALLOY
 FINISH: GREEN CHROMATE
 CONVERSION ZINC/NICKEL
 -2: MAT'L: NiAlBrz
 FINISH: NONE
 -3: MAT'L: ALUMINUM ALLOY
 FINISH: BLACK Zn-Ni

PROTECTIVE CAP
 MAT'L: THERMOPLASTIC

COLLET NUT
 -1: MAT'L: ALUMINUM ALLOY
 FINISH: GREEN CHROMATE
 CONVERSION ZINC/NICKEL
 -2: MAT'L: NiAlBrz
 FINISH: NONE
 -3: MAT'L: ALUMINUM ALLOY
 FINISH: BLACK Zn-Ni

TETHER
 MAT'L: PLASTICOATED
 STEEL WIRE

JAM NUT
 -1: MAT'L: ALUMINUM ALLOY
 FINISH: GREEN CHROMATE
 CONVERSION ZINC/NICKEL
 -2: MAT'L: NiAlBrz
 FINISH: NONE
 -3: MAT'L: ALUMINUM ALLOY
 FINISH: BLACK Zn-Ni

COLLET SLEEVE
 -1 & -3: MAT'L: NICKEL SILVER ALLOY
 FINISH: NONE
 -2: MAT'L: NiAlBrz
 FINISH: NONE


WAVE SPRING
 MAT'L: STAINLESS STEEL

D-HOLE HOUSING
 -1: MAT'L: ALUMINUM ALLOY
 FINISH: GREEN CHROMATE
 CONVERSION ZINC/NICKEL
 -2: MAT'L: NiAlBrz
 FINISH: NONE
 -3: MAT'L: ALUMINUM ALLOY
 FINISH: BLACK Zn-Ni

O-RING, 19x1
 (INSTALLED)
 MAT'L: LOW-TEMP NITRILE

O-RING, 20.35x1.78
 (INSTALLED)
 MAT'L: FLUOROSILICONE

O-RING, 30x2
 (INSTALLED)
 MAT'L: FLUOROSILICONE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. GLATFELTER 07NOV2006	 TE Connectivity	
DIMENSIONS: mm		CHK D. WERTMAN		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		APVD D. WERTMAN	PRODUCT SPEC -	RESTRICTED TO -
MATERIAL AS LISTED		FINISH AS LISTED	APPLICATION SPEC -	SCALE 1:1
		WEIGHT -	SIZE A2	SHEET 2 OF 2
		Customer Drawing	DRAWING NO. G-1918942	REV A2

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)