





LOC	DIST	REVISIONS					
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		C		ECR-08-028454	11NOV2008	AL	SY
		D		REVISED PER ECO-14-000886	20FEB2014	JW	SH
		D1		REVISED PER ECO-14-010419	11JUL2014	JW	SH
		E		REVISED PER ECO-15-013594	25SEP2015	JW	SH



2X6 CAGE ASSEMBLY
1761327-1&-2
SCALE 3:2



- ① DATUM AND BASIC DIMENSION TO BE DETERMINED BY CUSTOMER.
- ② INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.
- ③ TOP OF PT CONNECTOR TO BE 0-0.15 FROM INSIDE SURFACE OF CAGE.
- ④ COPPER ALLOY.
- ⑤ 1.25µm MIN TIN PER ASTM B 545 OVER NICKEL FLASH PER QQ-N-290. NON-PLATED EDGES PERMISSIBLE.
- ⑥ LCP, HIGH TEMPERATURE, UL 94V-0 RATED, BLACK.
- ⑦ POLYESTER, UL 94V-0 RATED, BLACK.
- ⑧ CONTACT MATING AREA: SURFACE TREATMENT OVER 0.76µm MIN GOLD PER ASTM B 488 OVER 1.27µm MIN NICKEL PER QQ-N-290. NEEDLE EYE: 1.25µm MIN TIN PER ASTM B 545 OVER 1.27µm MIN NICKEL PER QQ-N-290. REMAINDER OF CONTACT: 0.76µm MIN NICKEL PER QQ-N-290.
- ⑨ DATE CODE AND PART NUMBER IN APPROXIMATE AREA SHOWN.
- ⑩ NICKEL SILVER ALLOY (NO PLATING)

SUPERSEDED BY: 1761327-2	⑧	④, ⑦	NO	⑩	1761327-2
	⑧	④, ⑦	③	④	1761327-1
CONNECTOR FINISH	CONNECTOR MATERIAL	CAGE FINISH	CAGE MATERIAL	PART NUMBER	
THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: B. CRISAMORE 28 JUN 04 DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±, 1 PLC ±0.1, 2 PLC ±, 3 PLC ±, 4 PLC ±, ANGLES ±. CHM: J. KOPPENHEFFER 30 JUN 04 APVD: M. WALMSLEY 30 JUN 04 NAME: CAGE AND PT CONNECTOR ASSEMBLY PRESS FIT, 2X6, STANDARD PROFILE SFP PRODUCT SPEC: 108-2161 APPLICATION SPEC: 114-13103 WEIGHT: - MATERIAL: - FINISH: - CUSTOMER DRAWING					
TE Connectivity				SIZE: A1 CAGE CODE: 1761327 DRAWING NO: 1761327-2 RESTRICTED TO: - SCALE: 4:1 SHEET: 1 OF 3 REV: E	






LOC	DIST	REV	DATE	BY	APPV
ES	00				

REVISIONS					
NO	DESCRIPTION	DATE	BY	APPV	
-	SEE SHEET 1	-	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: B. CRISAMORE 28 JUN 04	TE Connectivity	
DIMENSIONS: mm		CHK: J. KOPPENHEFFER 30 JUN 04		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APV: M. WALMSLEY 30 JUN 04	NAME: CAGE AND PT CONNECTOR ASSEMBLY PRESS FIT, 2X6, STANDARD PROFILE SFP	
0 PLC ±	1 PLC ±0.1	PRODUCT SPEC: 108-2161	SIZE: A1	
2 PLC ±	3 PLC ±	APPLICATION SPEC: 114-13103	CAGE CODE: 1761327	
4 PLC ±	ANGLES ±	WEIGHT: -	SCALE: 1:1	
MATERIAL: -	FINISH: -	CUSTOMER DRAWING	SHEET 2 OF 3	
			REV E	

LOC	DIST	REVISIONS					
		P.	LTN	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-



RECOMMENDED LAYOUT FOR
MATING TRANSCEIVER PCB
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. CRISAMORE	28 JUN 04		TE Connectivity	
		CHK J. KOPPENHEFFER	30 JUN 04		NAME CAGE AND PT CONNECTOR ASSEMBLY PRESS FIT, 2X6, STANDARD PROFILE SFP	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. WALMSLEY		30 JUN 04
mm	0 PLC ±	1 PLC ±	2 PLC ±0.1	PRODUCT SPEC		108-2161
	3 PLC ±	4 PLC ±	ANGLES ±	APPLICATION SPEC		114-13103
MATERIAL	FINISH	WEIGHT	RESTRICTED TO	SIZE	CAGE CODE	DRAWING NO
-	-	-	-	A1	C=1761327	-
CUSTOMER DRAWING				SCALE	8:1	SHEET 3 OF 3
				REV	E	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)