

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC
JDIST
-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED	13JAN2010	Y.K	Y.N

AS SHOWN : - 1

Ø0.7 REF
(PICK UP AREA)

2.4 REF

0.93

1.7

0.4

0.18 REF
(WIPING AMOUNT)

0.95
(PCB HEIGHT)

STROKE CONDITION
SCALE 30:1

1.05

0.45

2

0.42 REF
(CONTACT AREA)

0.72

0.64

1.3±0.05

2.25

0.15

1.23
(SOLDER AREA)

1.05
(SOLDER AREA)

0.7±0.05

0.1

1.5

1.15

0.05

CONNECTOR
MOUNT AREA
PCB LAYOUT (REFERANCE)

△ FINISH (PLATING SPECIFICATION)
 Ni UNDER PLATING : 0.0008mm TO 0.002mm
 Au PLATING (CONTACT PLATING) : 0.00025mm TO 0.0005mm
 AU PLATING (SOLDER PLATING) : 0.00005mm TO 0.0005mm

△ MATERIAL : COPPER ALLOY, THK.=0.1mm

△ CUTTING BURR : 0.05mm MAX.

4 DISUSED PACKAGEING MATERIAL : DRYPACK AND BAKING PROCESS

△ めっき仕様
 Ni 下地めっき : 0.0008mm - 0.002mm
 Au めっき (接点部めっき) : 0.00025mm TO 0.0005mm
 AU めっき (半田部) : 0.00005mm TO 0.0005mm

△ 材料 : 銅合金, 板厚=0.1mm

△ カットバリ : 0.05mm以下

4 ドライバック及びベーキングは不要のこと

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN Y. KUDO 01DEC2009	Tyco Electronics Corporation Kawasaki, Japan	
DIMENSIONS: mm		CHK C. OHASHI 01DEC2009	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.15		APVD Y. NAKAZAWA 01DEC2009	SHIELD FINGER 1310	
0-PLC ± 1-PLC ± 2-PLC ± 3-PLC ± 4-PLC ± ANGLES ±3°		PRODUCT SPEC 108-78740	SIZE	CAGE CODE
MATERIAL		APPLICATION SPEC	DRAWING NO	RESTRICTED TO
FINISH		WEIGHT 0.0044 g	A300779	©=1554825
CUSTOMER DRAWING		SCALE 20:1		SHEET 1 OF 2 REV A

1470-19 (2/09)

Downloaded From Onevac.com

FJ044953

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

LOC

DIST

REVISIONS

© COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

DIRECTION OFF TOP OF REEL

PICK UP PLACE

$\phi 1.5^{+0.1}$

4 ± 0.1

2 ± 0.05

1.75 ± 0.1

5.5

12 ± 0.3

A

$1.3^{+0.1}$

0.66 REF

PICK UP PLACE

SECT A-A

330 REF REEL DIA.

100 REF FLANGE CORE DIA.

12.4 REF

18.4 REF REEL WIDTH

160mm REF WITHOUT CHARGE

165°~180° PEELING ANGLE

0.1~1.0N PEELING FORCE

製品装填部

WITH CHARGE 8,000 EA/ REEL

WITHOUT CHARGE 400mm REF

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DWN	CHK	APVD	PRODUCT SPEC	APPLICATION SPEC	WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
						A3	00779	C-1554825	

Tyco Electronics Tyco Electronics Corporation
Kawasaki, Japan

NAME: SHIELD FINGER 1310

DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.2

- 0 PLC \pm
- 1 PLC \pm
- 2 PLC \pm
- 3 PLC \pm
- 4 PLC \pm
- ANGLES $\pm 3^\circ$

MATERIAL FINISH

CUSTOMER DRAWING SCALE 20:1 SHEET 2 OF 2 REV A

1470-19 (2/09)

Downloaded From Oneyac.com

FJ044953

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)