



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
AJ	16	A	ECR-12-005726	27MAR12	RK	MY	



- 1 MATERIALS:  
 BODY (LEG): ZINC ALLOY (ZAMAK 3)  
 BODY (FRONT): BRASS PER QQ-B-626  
 CENTER CONTACT: BRASS PER QQ-B-626  
 INSULATORS: PTFE PER ASTM-D-1710  
 END CAP: BRASS PER QQ-B-626
- 2 FINISH:  
 CENTER CONTACT: GOLD PLATE PER MIL-G-45204  
 BODY (LEG): TIN PLATE PER ASTM-B-545  
 BODY (FRONT): ELECTROLESS NICKEL  
 PL PER MIL-C-26074  
 END CAP: NICKEL PLATE PER QQ-N-290
3. INTERFACE PER MIL-C-39012



RECOMMENDED PCB CONFIGURATION

5414338-1  
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ATTADIA - 01FEB2005	TE Connectivity	
DIMENSIONS: INCHES		CHK J. HAVENER 01FEB2005	NAME J. HAVENER	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. HAVENER 01FEB2005	PRODUCT SPEC PLUG, RTANG, SMB/PCB WITH KEYING LEG	
0 PLC ± -		APPLICATION SPEC		
1 PLC ± -		SIZE A2		
2 PLC ± .25 [.010]		CAGE CODE 00779		
3 PLC ± .13 [.005]		DRAWING NO 5414338		
4 PLC ± -		RESTRICTED TO		
ANGLES ± -		SCALE 8:1		
MATERIAL		WEIGHT		SHEET 1 of 1
FINISH		CUSTOMER DRAWING		REV A

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)