



a) Part as supplied.

382A023-*G01



b) Part after unrestricted recovery.



DIMENSIONS in millimetres
(in inches, for reference)

| Part No. | H | | J | | K | | P | R | HW | JW | KW |
|--------------|--------------|----------------|--------------|---------------|--------------|---------------|--------------|--------------|---------------|---------------|---------------|
| | Min a | Max b | Min a | Max b | Min a | Max b | ±10% b | ±10% b | ±20% b | ±20% b | ±20% b |
| 382A023-*G01 | 27 (1.06) | 12.4 (0.49) | 18 (0.71) | 6.1 (0.24) | 18 (0.71) | 6.1 (0.24) | 38 (1.50) | 43 (1.69) | 2.5 (0.10) | 1.5 (0.06) | 1.5 (0.06) |
| | | | # | # | | | | | | | |


This is an overexpanded variant
Modified dimensions are shown thus:- #

Copyright (!)

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.


Drawn A.LILLEY. Checked Issue 4 Date November 2006 Conforms to ISO Recommendations
3rd Angle Projection
Not to Scale

Approval Design MKTG. Q.A.



| Raychem | | Specification | Part Number |
|----------------|---------------|------------------------|---------------------------------------|
| | | Control Drawing | 382A023-*G01 Issue 4 |
| Iss. | Date | E.C.R. No. | Details of Change |
| 2 | January 1980 | 2286 | -25 added |
| 3 | June 2002 | **** | Redrawn |
| 4 | November 2006 | CR06-DM-104 | -12 Material description name changed |
| 4 | November 2006 | CR06-HM-012 | Imperial dimensions added |

(Ordering Information)



(COMPATIBILITY CHART)

| Material Dash Number | Material Description | SPEC Number | Coating Slash Number |
|----------------------|---------------------------------|------------------|----------------------|
| -3 | POLYOLEFIN, SEMI-RIGID | RT-301, RK-6703 | /42, /86, /180 |
| -4 | POLYOLEFIN, FLEXIBLE | RT-1304 RT-1050 | /42, /86, /180 |
| -6 | SILICON | RT-602, RK-6706 | N/A |
| -12 | FLUOROELASTOMER, FLEXIBLE | RT-1312, RW-2071 | /225 |
| -25 | ELASTOMER, FLUID RESISTANT | RT-1325, RK-6713 | /42, /86, /225 |
| -100 | ZERO HALOGEN | RT-1323, RK-6717 | /86, /180 |
| -130 | POLYOLEFIN, COMMERCIAL FLEXIBLE | RW-2008 | /42 |

NOTES

- ① As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

| | |
|--|---|
| Tyco Electronics UK Ltd. Faraday Road, Swindon, Wiltshire, SN3 5HH England Telephone: (01793) 528171 Fax: 572516 | Tyco Electronics Corporation 300, Constitution Drive, Menlo Park, CA 94025 USA Telephone (650) 361-3860 Fax: (650) 361-5579 |
| Cage Code K1010 | Cage Code 06090 |

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)