




REVISIONS				
P.	LTN	DESCRIPTION	DATE	OWN APVD
D2		REVISED PER ECO-12-009124	15MAY2012	DD RL
D3		REVISED PER ECO-14-016022	23OCT2014	DD RL
D4		REVISED PER ECO-19-000623	28JAN2019	JMS CM

- 1. CIRCUIT IDENTIFICATION NUMBERS LOCATED AS SHOWN.
- 2. SPACER AND CPA (OPTIONAL) ARE SHIPPED IN PRE-ASSEMBLED POSITION.
- 3. PART NUMBER, DATE CODE AND WORK CENTER LOCATION .
- 4. CAVITY ID.
- 5. MATERIAL IDENTIFICATION.
- 6. KEYING OPTION B NOT PREFERRED FOR NEW APPLICATIONS.
- 7. PACKAGING: CONNECTOR ASSEMBLIES BULK PACKED IN CARDBOARD BOXES.
- 8. OPTIONAL CORE SLOTS FOR MOLD CONSTRUCTION.
- 9. SPACER IS SHIPPED IN PRE-LOADED POSITION. SOME SPACERS MAY BECOME FULLY SEATED DURING SHIPPING. USE TE INSTRUCTION SHEET 408-10104 TO REPOSITION SPACER BACK TO IT'S PRE-LOADED POSITION.
- 10. REFER TO TE INSTRUCTION SHEET 408-8599 FOR PROPER CONTACT ASSEMBLY/DISASSEMBLY AND CONNECTOR MATING/ UN-MATING PROCEDURE.



										<----- ASSEMBLY PN					
1-1456985-2	1-1456985-1	1-1456985-0	1456985-9	1456985-8	1456985-7	1456985-6	1456985-5	1456985-4	1456985-3	1456985-2	1456985-1	DESCRIPTION	MATERIAL	COLOR	ITEM NO
	-		-		-		-		-		-	CPA	>PBT-GF20<	RED	3
												SPACER	>PBT-GF30<	RED	2
		-	-	-	-	-	-	-	-	-	-	HOUSING; KEY C	>PA66-GF35<	YELLOW	1
-	-			-	-	-	-	-	-	-	-	HOUSING; KEY F	>PA66-GF35<	BLACK	1
-	-	-	-			-	-	-	-	-	-	HOUSING; KEY E	>PA66-GF35<	BLACK	1
-	-	-	-	-	-			-	-	-	-	HOUSING; KEY D	>PA66-GF35<	BLACK	1
-	-	-	-	-	-	-	-			-	-	HOUSING; KEY C	>PA66-GF35<	BLACK	1
-	-	-	-	-	-	-	-	-	-			HOUSING; KEY B	>PA66-GF35<	BLACK	1
QTY REQ'D PER ASSY											REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)				
WEIGHT OF EACH ASSY NO (g)															

PARTS LIST

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: R. VESTAL 14DEC2006
CHK: D. STRAUSSER 14DEC2006
APVD: D. STRAUSSER 14DEC2006

TE Connectivity


ASSEMBLY, 1X6 POSITION, GET, FEMALE, UNSEALED

SIZE: CAGE CODE: DRAWING NO: A100779 C=1456985
SHEET 1 OF 2 REV D4

SCALE 5:1


REVISIONS				
P.	LTH	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-

KEYING OPTION B



(SHOWN WITH CPA)


KEYING OPTION B



(SHOWN WITH CPA)



SCALE 2:1

KEYING OPTION C




(SHOWN WITH CPA)

SCALE 2:1




KEYING OPTION D



(SHOWN WITH CPA)

SCALE 2:1


KEYING OPTION E



(SHOWN WITH CPA)




SCALE 2:1

KEYING OPTION F



(SHOWN WITH CPA)

SCALE 2:1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: R. VESTAL 14DEC2006 CHK: D. STRAUSSER 14DEC2006 APVD: D. STRAUSSER 14DEC2006	
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	NAME: ASSEMBLY, 1X6 POSITION, GET, FEMALE, UNSEALED SIZE: A100779 C=1456985 RESTRICTED TO:	
MATERIAL: SEE TABLE	FINISH: -	WEIGHT: - CUSTOMER DRAWING	SCALE: 5:1 SHEET 2 OF 2 REV: D4

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)