

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| REVISIONS | | | | |
|-----------|-----|---------------|-----------|--------|
| P | LTR | DESCRIPTION | DATE | APVD |
| A | | INITIAL | 29MAY2015 | DW CW |
| AI | | ECR-17-008664 | 17JUN2017 | CH CW |
| B | | ECR-20-014876 | 06NOV2020 | WOR CW |

SCALE 3:5

TYPE 2: LOW CONSTRUCTION, TOP ENTRY WITH STEEL DOUBLE LOCKING
 OTHER SPEC REFER TO TYPE 1
 类型2: 低结构, 顶出, 带彩锌双扣, 其它规格参照类型1

NOTES:
 1. TECHNICAL CHARACTERISTICS:
 HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
 SURFACE: POWDER COATED, GREY
 DEGREE OF PROTECTION: IP65 (MATED)

注释:
 1. 技术参数:
 上壳材料: 铝合金
 表面处理: 灰色粉末喷涂
 防护等级: IP65(配合)

SCALE 3:5

TYPE 1: LOW CONSTRUCTION, SIDE ENTRY WITH STEEL DOUBLE LOCKING
 类型1: 低结构, 侧出, 带彩锌双扣

| PART NUMBER 料号 | PART DESCRIPTION 描述 | PG/M THREAD 1 PG/M 螺纹孔1 | PG/M THREAD 2 PG/M 螺纹孔2 | TYPE 类型 |
|-------------------|--|----------------------------|----------------------------|---------------|
| T1260242132-000 | H24B-TGB-M32 H24B HOOD, TOP ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY H24B上壳, 顶出M32, 彩锌双扣, 灰色粉末喷涂 | - | M32 | TYPE 2 类型2 |
| T1260242129-000 | H24B-TGB-PG29 H24B HOOD, TOP ENTRY PG29, METAL DOUBLE LOCKING, POWDER COATED, GREY H24B上壳, 顶出PG29, 彩锌双扣, 灰色粉末喷涂 | - | PG29 | |
| T1260242125-000 | H24B-TGB-M25 H24B HOOD, TOP ENTRY M25, METAL DOUBLE LOCKING, POWDER COATED, GREY H24B上壳, 顶出M25, 彩锌双扣, 灰色粉末喷涂 | - | M25 | |
| T1260242121-000 | H24B-TGB-PG21 H24B HOOD, TOP ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY H24B上壳, 顶出PG21, 彩锌双扣, 灰色粉末喷涂 | - | PG21 | |
| T1260240000-000 | H24B-TGB H24B HOOD, NO ENTRY, METAL DOUBLE LOCKING, POWDER COATED, GREY H24B上壳, 无开孔, 彩锌双扣, 灰色粉末喷涂 | - | - | |
| T1250242132-000 | H24B-TSB-M32 H24B HOOD, SIDE ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY H24B上壳, 侧出M32, 彩锌双扣, 灰色粉末喷涂 | M32 | - | TYPE 1 类型1 |
| T1250242125-000 | H24B-TSB-M25 H24B HOOD, SIDE ENTRY M25, METAL DOUBLE LOCKING, POWDER COATED, GREY H24B上壳, 侧出M25, 彩锌双扣, 灰色粉末喷涂 | M25 | - | |
| T1250242121-000 | H24B-TSB-PG21 H24B HOOD, SIDE ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY H24B上壳, 侧出PG21, 彩锌双扣, 灰色粉末喷涂 | PG21 | - | |

| | | | | |
|--|--|-----------------------------|----------------------------------|-----------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN DAVID.WANG 29MAY2015 | TE Connectivity | |
| | | CHK CHRIS.WANG 29MAY2015 | | |
| DIMENSIONS: mm | | APVD XIANG.XU 29MAY2015 | NAME H24B-TSB/TGB/TSBH/TGBH-M/PG | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | PRODUCT SPEC 108-137013 | RESTRICTED TO | |
| 0 PLC ± | | APPLICATION SPEC 114-137013 | SIZE A2 | CAGE CODE 00779 |
| 1 PLC ± | | WEIGHT - | DRAWING NO C-T12X024XXXX000 | |
| 2 PLC ± | | Customer Drawing | SCALE 1:1 | SHEET 1 OF 2 |
| 3 PLC ± | | | | REV B |
| 4 PLC ± | | | | |
| ANGLES ± | | | | |
| FINISH - | | | | |

1471-9 (3/13)

Downloaded From Oneyc.com

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P | LTR | DESCRIPTION | DATE | APVD |
| - | - | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |

120
76
(145)

45
43
(56)

PG/M THREAD 2
PG/M 螺纹孔2

SCALE 3:5

NOTES:
SEE SHEET 1

TYPE 4: HIGH CONSTRUCTION, TOP ENTRY
WITH STEEL DOUBLE LOCKING
OTHER SPEC REFER TO TYPE 3
类型4: 高结构, 顶出, 带彩锌双扣, 其它规格参照类型3

4X M3 THREAD
4X M3 螺纹孔

27
104

PG/M THREAD 1
PG/M 螺纹孔1

SCALE 3:5

TYPE 3: HIGH CONSTRUCTION, SIDE ENTRY
WITH STEEL DOUBLE LOCKING
类型3: 高结构, 侧出, 带彩锌双扣

| PART NUMBER | PART DESCRIPTION | PG/M THREAD 1 | PG/M THREAD 2 | TYPE |
|-----------------|---|---------------|---------------|---------------|
| 料号 | 描述 | PG/M 螺纹孔1 | PG/M 螺纹孔2 | 类型 |
| T1280242140-000 | H10B-TGBH-M40 H24B HOOD, TOP ENTRY M40, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H24B上壳, 顶出M40, 彩锌双扣, 高结构, 灰色粉末喷涂 | - | M40 | TYPE 4 类型4 |
| T1280242132-000 | H24B-TGBH-M32 H24B HOOD, TOP ENTRY M32, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H24B上壳, 顶出M32, 彩锌双扣, 高结构, 灰色粉末喷涂 | - | M32 | |
| T1280242129-000 | H24B-TGBH-PG29 H24B HOOD, TOP ENTRY PG29, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H24B上壳, 顶出PG29, 彩锌双扣, 高结构, 灰色粉末喷涂 | - | PG29 | |
| T1280242125-000 | H24B-TGBH-M25 H24B HOOD, TOP ENTRY M25, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H24B上壳, 顶出M25, 彩锌双扣, 高结构, 灰色粉末喷涂 | - | M25 | |
| T1280242121-000 | H24B-TGBH-PG21 H24B HOOD, TOP ENTRY PG21, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H24B上壳, 顶出PG21, 彩锌双扣, 高结构, 灰色粉末喷涂 | - | PG21 | TYPE 3 类型3 |
| T1270242140-000 | H24B-TSBH-M40 H24B HOOD, SIDE ENTRY M40, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H24B上壳, 侧出M40, 彩锌双扣, 高结构, 灰色粉末喷涂 | M40 | - | |
| T1270242132-000 | H24B-TSBH-M32 H24B HOOD, SIDE ENTRY M32, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H24B上壳, 侧出M32, 彩锌双扣, 高结构, 灰色粉末喷涂 | M32 | - | |
| T1270242129-000 | H24B-TSBH-PG29 H24B HOOD, SIDE ENTRY PG29, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H24B上壳, 侧出PG29, 彩锌双扣, 高结构, 灰色粉末喷涂 | PG29 | - | |
| T1270242121-000 | H24B-TSBH-PG21 H24B HOOD, SIDE ENTRY PG21, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H24B上壳, 侧出PG21, 彩锌双扣, 高结构, 灰色粉末喷涂 | PG21 | - | |

| | | | | |
|--|--|-----------------------------|----------------------------------|-----------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN DAVID.WANG 29MAY2015 | STE TE Connectivity | |
| | | CHK CHRIS.WANG 29MAY2015 | | |
| DIMENSIONS: mm | | APVD XIANG.XU 29MAY2015 | NAME H24B-TSB/TGB/TSBH/TGBH-M/PG | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | PRODUCT SPEC 108-137013 | RESTRICTED TO | |
| 0 PLC ± | | APPLICATION SPEC 114-137013 | SIZE A2 | CAGE CODE 00779 |
| 1 PLC ± | | WEIGHT - | DRAWING NO. C-T12X024XXXX000 | SCALE 1:1 |
| 2 PLC ± | | Customer Drawing | SHEET 2 OF 2 | REV B |
| 3 PLC ± | | | | |
| 4 PLC ± | | | | |
| ANGLES ± | | | | |
| FINISH - | | | | |

1471-9 (3/13)

Downloaded From Onevac.com

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)