

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 2002 ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
IR	-	A1	Text hinzu	29JUL2003	Ba. PL.
		A2	RELEASED TO GENERAL SALES	18JUL2011	PKS RRP

1 Geeignet fuer Kupperlackdraht $\varnothing 0.265...0.40$ mm
 Einzeldraht oder zwei Draehte gleichen Durchmessers
 SLOT ACCEPTS:
 SINGLE OR DOUBLE MAGNET WIRE
 SAME DIAMETERS 0.265...0.40 mm DIA

2 Anlieferungszustand: Kontakte fortlaufend mit
 Papierzwischenlage auf Kunststoffspule aufgewickelt
 Max. 5 Splice Stellen pro Spule
 Splice Stellen nicht miteinander verbunden
 DELIVERY STATE: CONTACTS CONTINUOUS REELED WITH PAPER
 INTERLAYER ON PLASTIC-REEL.
 MAX. 5 SPLICES PER REEL
 SPLICES BE NOT BONDED TOGETHER.

3 Kontaktkammer nach Zeichnung } 411-18516
 CAVITY ACCORDING DWG. }

4 Kennziffer fuer Drahtgroessenbereich (6)
 IDENTIFICATION NO. FOR MAGNET WIRE RANGE (6)

5 Materialdicke } 0.32±0.02
 STOCK THICKNESS }

DIRECTION OFF TOP OF REEL

REELING	TE PART NO.	REV.	MATERIAL	SURFACE COLOR	DESCRIPTION
9	1-1534685-1	A	CuSn	PRETINNED	MAG-MATE .300 mod.
8	1534685-1	C	CuSn	PRETINNED	MAG-MATE .300 mod.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	08JAN2002		 TE Connectivity
DIMENSIONS: mm		CHK	M. Neitzel		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	H. Ploesser		
0 PLC ±0.2 1 PLC ±0.2 2 PLC ±0.2 3 PLC ±0.2 4 PLC ±0.2 ANGLES ±1°		PRODUCT SPEC	H. PLOESSER		
MATERIAL SEE TABLE		FINISH	SEE TABLE		NAME
		WEIGHT	-		MAG-MATE Kontakt mit Loetpin
					Baugroesse .300 mod.
					SIZE
					A3
					CAGE CODE
					00779
					DRAWING NO
					1534685
					RESTRICTED TO
					-
					SCALE
					10:1
					SHEET
					1 OF 1
					REV
					A2

1470-19 (3/11) Downloaded From Onevac.com Pro/ENGINEER DRAWING

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)