




PIN MODULES					
PART NUMBER	DESCRIPTION				
A-08P-02	PIN MODULE A				
B-08P-02	PIN MODULE B				
C-08P-02	PIN MODULE C				
D-08P-02	PIN MODULE D				




SOCKET	MODULES
PART NUMBER	DESCRIPTION
A-08S-02	SKT MODULE A
B-08S-02	SKT MODULE B
C-08S-02	SKT MODULE C
D-08S-02	SKT MODULE D




MODULE	HOUSING
PART NUMBER	DESCRIPTION
3311-253-25266	MODULE HOUSING







MODULE F	RETAINER
PART NUMBER	DESCRIPTION
3311-254-25266	MODULE RETAINER



MODULE F	FOLLOWER
PART NUMBER	DESCRIPTION
3302-210-08266	MODULE FOLLOWER



BRAID S	SUPPORT
PART NUMBER	DESCRIPTION
3320-215-00261	BRAID SUPPORT




BRAID F	OLLOWER
PART NUMBER	DESCRIPTION
3311-251-25266	BRAID FOLLOWER

THIS DRAWING IS A C	CONTROLLED DOCUMENT.	DWN 140218 JPF CHK 160122	TE Connectivity
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.1 2 PLC ±0.01 3 PLC ±0.001	APVD 160122 AR PRODUCT SPEC - APPLICATION SPEC	CONNECTOR, RECEPTACLE FLANGE MOUNT 2532 ARRANGEMENT
MATERIAL	4 PLC ±0.0001 ANGLES ±- FINISH	WEIGHT _	SIZE CAGE CODE DRAWING NO A 2 00779 C=CFX20x2532xxx -
TBD		CUSTOMER DRAWING	SCALE 500 SHEET 3 OF 6 REV B

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION 20

C COPYRIGHT 20 BY - ALL RIGHTS RESERVED.



	RECEPTACLE BACKSHELL
PART NUMBER	TYPE DESCRIPTION
3308-210-2558	NICKEL PLATED ALUMINUM
3308-210-25149	OD CAD PLATED ALUMINUM
3308-210-25336	NICKEL FLUOROCARBON POLYMER PLATED ALUMINUM
3308-210-25332	BLACK ZINC NICKEL PLATED ALUMINUM

				ı			
LOC	DIST	REVISIONS					
-	-	Р	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET I	-	-	-

	P,S
LOCALIZED	FINISHED CONTACTS
PART NUMBER	DESCRIPTION
38941-22L	PIN CONTACT
38943-22L	SOCKET CONTACT

	F,G
FULL GOLD	FINISHED CONTACTS
PART NUMBER	DESCRIPTION
38941-22	PIN CONTACT
38943-22	SOCKET CONTACT


Н, Ј				
HI REL F	INISHED CONTACTS			
PART NUMBER	DESCRIPTION			
12331-22	PIN CONTACT			
12333-22	SOCKET CONTACT			


INSERTION/REMOVAL TOOL					
PART NUMBER	DESCRIPTION				
M8 969 / 4 - 0	SIZE 22 TOOL				

BAND CLAMP								
PART NUMBER	DESCRIPTION							
BND-0812S	ONE STEP BAND - STRAIGHT							

THIS DRAWING IS A CONTROLLED DOCUMENT.		I JPF) 2 8	S TE	TE Connec	† i v i † y
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±-			CONNECTOR, REG	CEPTACLE	
	1 PLC ±0.1 2 PLC ±0.01 3 PLC ±0.001 4 PLC ±0.0001	- APPLICATION SPEC		2532 ARRANGEM	ENT	RESTRICTED TO
	ANGLES ±- FINISH	WE I GHT	A 2 00)779 C-CFX20x	2532 x x x	-
TBD		CUSTOMER DRAWING	•	SCALE	. 500 SHEET 4	of 6 REV B

1471-9 (3/11)





单击下面可查看定价,库存,交付和生命周期等信息

>>TE Connectivity(泰科)