






REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
C		ECO-20-005660: DEFAULT TOL/PLT CHANGE	20MAY2020	A.L	H.L




						HSG COLOR			
						BLACK	NATURAL		
BLACK	Y	3	30			61.8	220		9-5353606-6
	N					66.8	240		
	Y					61.8	220		6-5353606-6
	N				75	56.8	200		
					70	51.8	180		
						49.3	170		
						46.8	160		
						44.3	150		
						41.8	140		
		3	30	70		36.8	120		
		5	50	43		31.8	100		
						29.3	90		
						26.8	80		
						24.3	70		
						21.8	60		
						19.3	50		
						16.8	40		
NATURAL	N	5	50	43		14.3	30		3-5353606-7
	Y	3	30			66.8	240		1-5353606-6
	N					61.8	220		
					75	56.8	200		
					70	51.8	180		
						49.3	170		
						46.8	160		
						44.3	150		
						41.8	140		
		3	30	70		36.8	120		
		5	50	43		31.8	100		
						29.3	90		
						26.8	80		
						24.3	70		
						21.8	60		
						19.3	50		
						16.8	40		
	N	5	50	43		14.3	30		

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN D.LIU 120CT05	TE Connectivity Ltd. HARD TRAY ASSY FH 0.5BTB CONNECTOR REC 4H WITH G-CONT. AND CAP
CHK T.FUTATSUGI 120CT05	
APVD W.KODAMA 120CT05	
PRODUCT SPEC 108-5560	
APPLICATION SPEC	NAME
WEIGHT	SIZE A3
CUSTOMER DRAWING	CAGE CODE 00779
	DRAWING NO C=5353606
	RESTRICTED TO
	SCALE 1:2
	SHEET 1 OF 5
	REV C

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± 0.25
	1 PLC ± 0.15
	2 PLC ± 0.10
	3 PLC ± 0.05
	4 PLC ± 0.0250
	ANGLES ± 3'
MATERIAL 	FINISH




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




19.55	23	240
17.05	↑	220
14.55		200
12.05		180
10.8		170
9.55		160
8.3		150
7.05		140
4.55		120
2.05	↓	100
0.8	23	90
4.4	13.3	80
4.4	10.8	70
1.9	13.3	60
1.9	10.8	50
1.75	13.3	40
1.75	10.8	30
Q	P	POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TE TE Connectivity Ltd.			
DIMENSIONS: MM		CHK				NAME
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	HARD TRAY ASSY			
0 PLC ± -		PRODUCT SPEC	FH 0.5BTB CONNECTOR			
1 PLC ± -		APPLICATION SPEC	REC 4H WITH G-CONT. AND CAP			
2 PLC ± -		WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
3 PLC ± -		CUSTOMER DRAWING	A3	00779	G=5353606	
4 PLC ± -			SCALE	SHEET	REV	
ANGLES ± -			4:1	2 OF 5	C	
MATERIAL	FINISH					

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



SECT. M-M
(GRAND POSITION)
(SCALE 8:1)



SECT. N-N
(SIGNAL POSITION)
(SCALE 8:1)

NOTES


- ① MATERIAL: HOUSING : HIGH TEMP THERMO PLASTIC UL94V-0
CONTACT : COPPER ALLOY
SOLDER PEG : COPPER ALLOY
- ② FINISH: MEETS THE PERFORMANCE REQUIREMENTS
OF PRODUCT SPECIFICATION 108-5560
SOLDER TAIL OF SIGNAL & GROUND CONTACTS : GOLD FLASH;
SOLDER PEG : TIN OVER NI
- ③ THIS POSITION IS GROUND CIRCUIT.
- ④ THIS PRODUCT WAS COATED BY ANTI-FLUX-PENETRATION AGENT.
- ⑤ NO. OF CIRCUIT (DEPEND ON CONNECTOR POS).

64.5	62.7	66.8	62.1	59.5	240
59.5	57.7	61.8	57.1	54.5	220
54.5	52.7	56.8	52.1	49.5	200
49.5	47.7	51.8	47.1	44.5	180
47	45.2	49.3	44.6	42	170
44.5	42.7	46.8	42.1	39.5	160
42	40.2	44.3	39.6	37	150
39.5	37.7	41.8	37.1	34.5	140
34.5	32.7	36.8	32.1	29.5	120
29.5	27.7	31.8	27.1	24.5	100
27	25.2	29.3	24.6	22	90
24.5	22.7	26.8	22.1	19.5	80
22	20.2	24.3	19.6	17	70
19.5	17.7	21.8	17.1	14.5	60
17	15.2	19.3	14.6	12	50
14.5	12.7	16.8	12.1	9.5	40
12	10.2	14.3	9.6	7	30
L	K	H	G	F	POS.



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN	TE Connectivity Ltd. NAME HARD TRAY ASSY FH 0.5BTB CONNECTOR REC 4H WITH G-CONT. AND CAP
	0 PLC ± -	CHK	
	1 PLC ± -	APVD	
	2 PLC ± -	PRODUCT SPEC	
MATERIAL	FINISH	APVD	APPLICATION SPEC SIZE CAGE CODE DRAWING NO RESTRICTED TO
3 PLC ± - 4 PLC ± - ANGLES ± -		WEIGHT	A3 00779 C=5353606
CUSTOMER DRAWING		SCALE 4:1	SHEET 3 OF 5 REV C

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




RECOMMENDED P.C. BOARD LAYOUT



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity Ltd.	
DIMENSIONS: MM		CHK			
		APVD		NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		HARD TRAY ASSY	
0 PLC ± -		APPLICATION SPEC		FH 0.5BTB CONNECTOR	
1 PLC ± -		WEIGHT		REC 4H WITH G-CONT. AND CAP	
2 PLC ± -		CUSTOMER DRAWING		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
3 PLC ± -		SCALE 4:1		A3 00779 C=5353606	
4 PLC ± -		SHEET 4 OF 5		REV C	
ANGLES ± -		REV		C	
FINISH					

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -	DWN CHK APVD PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING	TE Connectivity Ltd.	
		NAME HARD TRAY ASSY FH 0.5BTB CONNECTOR REC 4H WITH G-CONT. AND CAP		
MATERIAL		SIZE A3	CAGE CODE 00779	DRAWING NO G=5353606
		SCALE 4:1	SHEET 5 OF 5	REV C

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)