

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
H		REV PER ECO 16-000990	2-19-16	CT PD

9.9  $\pm 0.13$  DIA  
 $[\pm 0.005]$   
 FOR 3/8 STUD  
 2 PLC

86.11  
 $[3.39]$   
 MAX

20.62  
 $[.812]$   
 MAX

10.41 MIN DIA  
 $[\pm .41]$

13.21 MIN DIA  
 $[\pm .52]$

11.18  
 $[\pm .44]$   
 MIN

25.40  $\pm 0.25$   
 $[\pm 1.000 \pm 0.10]$

1/0 AMP 2  
 AL  
 CU

△ 2

1 WIRE INSULATION: 10.79 $[\pm .425]$  - 11.94 $[\pm .470]$  DIA  
 △ 2 THE TONGUE RADIUS FEATURE IS NOT A TOOLING CONTROLLED DIMENSION AND MAY NOT BE A TRUE RADIUS.

FUNNEL  
 INSERT  
 BODY

17.53  
 $[\pm .69]$   
 MAX DIA

INSULATION DEPTH  
 10.67  
 $[\pm .42]$   
 MIN

CONDUCTOR DEPTH  
 29.97  
 $[\pm 1.18]$   
 MIN

9.65  
 $[\pm .38]$   
 MAX

2.54  
 $[\pm .101]$   
 NOM

BODY: COPPER ASTM-B187 ANNEALED TIN PL MIL-T-10727 0.00457 $[\pm 0.000150]$ MIN THK INSERT & FUNNEL: BRASS PER ASTM B36 NICKEL PLATE SAE AMS QQ-N-290A, DATED JULY 2000, 0.00254 $[\pm 0.000100]$ MIN THK	55837-1
MATERIAL AND FINISH	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DK SCHRUM 6/15/92		
DIMENSIONS: mm [INCHES]		CHK WJ VOCKROTH 6/16/92		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD AJ KAUFMAN 6/16/92	NAME	
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC 108-11011	WIRE TERMINAL, COPALUM SEALED, RING TONGUE, WIRE SIZE: 1/0 AL, 2 COPPER	
MATERIAL SEE TABLE		APPLICATION SPEC 114-2134	SIZE A2	CAGE CODE 00779
FINISH SEE TABLE		WEIGHT 62 GRAMS	DRAWING NO C=55837	RESTRICTED TO -
CUSTOMER DRAWING			SCALE 2:1	SHEET 1 of 1
			REV H	

1471-9 (1/15)

Downloaded From [Onevac.com](http://Onevac.com)

55837

B

A

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)