


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS | | | |
|-----|------|-------------|---------------------------|---------|--------|
| P | LTR | DESCRIPTION | DATE | DWN | APVD |
| AJ | 17 | C1 | REVISED PER ECO-11-005030 | 11MAR11 | RK HMR |

- 1 MATERIAL:
HOUSING: POLYPHENYLENE SULFIDE.
CONTACTS: COPPER ALLOY CDA 752.
- 2 FINISH:
CONTACTS: GOLD PLATE OVER DUCTILE NICKEL PLATE.




1055687-1
PART NUMBER

| | | | | |
|--|-------------|--------------------------------|---|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN P. RESNICK 12/20/91 | TE Connectivity | |
| DIMENSIONS: mm [INCHES] | | CHK - | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD P. RESNICK 05/13/92 | NAME STRAIGHT OSMT PCB MOUNT PLUG RECEPTACLE | |
| 0 PLC ± - 1 PLC ± - 2 PLC ± 0.13 [.005] 3 PLC ± - 4 PLC ± - ANGLES ± 1° | | PRODUCT SPEC - | SIZE A2 | CAGE CODE 00779 |
| MATERIAL 1 | FINISH 2 | APPLICATION SPEC - | DRAWING NO C=1055687 | RESTRICTED TO - |
| CUSTOMER DRAWING | | WEIGHT - | SCALE 20:1 | SHEET 1 of 2 |
| | | REV C1 | | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS | | | |
|-----|------|-------------|------|-----|------|
| P | LTR | DESCRIPTION | DATE | DWN | APVD |
| AJ | 17 | SEE SHEET 1 | - | - | - |



NOTES (FOR PCB LAYOUT ONLY):

1. PRINTED WIRING BOARD MATERIAL: GLASS EPOXY, FR-4 OR SIMILAR, RELATIVE PERMITTIVITY: 4.8oz. COPPER CLAD BOTH SIDES.

△ THESE DIMENSIONS VALID FOR 1.60[.062] BOARD THICKNESS.

RECOMMENDED MOUNTING PATTERN FOR MICROSTRIP LINE

| | | | | |
|--|--|--------------------------------|--|-------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN P. RESNICK 12/20/91 | TE Connectivity | |
| DIMENSIONS: mm [INCHES] | | CHK - | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD P. RESNICK 05/13/92 | NAME STRAIGHT OSMT PCB MOUNT PLUG RECEPTACLE | |
| | | PRODUCT SPEC - | SIZE A2 | |
| MATERIAL | | APPLICATION SPEC - | CAGE CODE 00779 | DRAWING NO C=1055687 |
| FINISH | | WEIGHT - | RESTRICTED TO - | SCALE 20:1 |
| | | CUSTOMER DRAWING | SHEET 2 OF 2 | REV C1 |

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)