

4

3

2

1

THIS DRAWING IS UNPUBLISHED.






RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.



© COPYRIGHT - By -

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	F3	REVISED PER ECR-18-008156	21JUN2018	JB	DZ



- △1 FOR USE ON STANDARD APPLICATORS.(RIGHT-LEFT FEED)
- △2 FOR USE ON MINIATURE APPLICATORS.(LEFT-RIGHT FEED)



WIRE RANGE :  
1.0-2.5mm<sup>2</sup> AWG

INSULATION RANGE  
2.6-3.8mm DIA

	△1	△2	PLATING	PLATING	MATERIAL	PART NUMBER
OBSOLETE						
OBSOLETE						
OBSOLETE						

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN J.v.LIEMPT 24 OCT 96  
CHK A.BIJNEN.  
APVD M.v.DRIEL

TE Connectivity

PIN MATE-N-LOK.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
0 PLC ± -	1 PLC ± -	A3	00779	C=163303	-
2 PLC ± -	3 PLC ± -	WEIGHT	0.000000	SCALE	SHEET 1 OF 1
4 PLC ± -	ANGLES ± -	CUSTOMER DRAWING		REV	F3

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)