




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LDC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
A		FIRST VERSION		12DEC2016	G.F	S.M	

- NOTE:
 1. MATERIAL :
 1.1. INSULATION: THERMALPLATIC, UL 94V-0 COLOR:IVORY
 1.2. CONTACT : COPPER ALLOY
 2.FINISH :
 CONTACT 80u"MIN TIN-PLATED OVER 30u" MIN NICKEL PLATED
 3. CURRENT RATING: 2A
 VOLTAGE RATING: 250V



32.74	34.0	30.0	32	2-2834192-5
30.74	32.0	28.0	30	2-2834192-4
28.74	30.0	26.0	28	2-2834192-3
26.74	28.0	24.0	26	2-2834192-2
24.74	26.0	22.0	24	2-2834192-1
22.74	24.0	20.0	22	1-2834192-9
20.74	22.0	18.0	20	1-2834192-8
18.74	20.0	16.0	18	1-2834192-7
16.74	18.0	14.0	16	1-2834192-6
14.74	16.0	12.0	14	1-2834192-5
12.74	14.0	10.0	12	1-2834192-4
10.74	12.0	8.0	10	1-2834192-3
8.74	10.0	6.0	08	1-2834192-2
6.74	8.0	4.0	06	1-2834192-1
C	B	A	POS	P/N



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GEORGE FU 12DEC2016	TE Connectivity	
		CHK SHI MING 12DEC2016		
DIMENSIONS: M/M		APVD XU XIANG 12DEC2016	NAME 2.0MM PITCH VERTICAL DIP TYPE DUAL ROW WTB RECEPTACLE	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.40 1 PLC ±0.30 2 PLC ±0.20 3 PLC ± 4 PLC ± ANGLES ±3° FINISH		PRODUCT SPEC 108-137253	SIZE CAGE CODE DRAWING NO	
MATERIAL NOTE 1		APPLICATION SPEC 114-137253	RESTRICTED TO	
NOTE 2		WEIGHT -	A200779 C-2834192 -	
		CUSTOMER DRAWING	SCALE 1:1 SHEET 1 OF 1 REV A	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)