

THIS DRAWING IS UNPUBLISHED.
 RELEASED FOR PUBLICATION SEP. 1993.
 BY TYCO ELECTRONICS CORPORATION.
 ALL RIGHTS RESERVED.

LOC	J	DIST	
P	LTR	DATE	DWN
—		—	—
SEE SHEET 1			

REVISIONS
 変更
 DESCRIPTION

TAB POST (LONG)	6.4	72	1,5,9,13,17,21,25,29,33,35,39,43,47,51,55,59,63,67	72	1,5,9,13,17,21,25,29,33,35,39,43,47,51,55,59,63,67	36	D-2, B-2 行 C-2, A-2 行	1,5,9,13,17,21,25,29,33,35,39,43,47,51,55,59,63,67
TAB POST (SHORT)	5.4	0	NONE	0	NONE	36	C-2, A-2 行	1,5,9,13,17,21,25,29,33,35,39,43,47,51,55,59,63,67
PIN POST (LONG)	5.4	0	NONE	194	上下部のボジションを除く全極	0	OTHER ALL POSITION.	
PIN POST (MID)	4.4	196	全極列 (2-66) 及び ALL EVEN NO. COLUMN (2-66) AND	0	NONE	196	全極列 (2-66) 及び ALL EVEN NO. COLUMN (2-66) AND	3,7,11,15,19,23,27,31,37,41,45,49,53,57,61,65
PIN POST (SHORT)	3.4	0	NONE	2	34列 A1, 34列 B1	0	NONE	3,7,11,15,19,23,27,31,37,41,45,49,53,57,61,65
CONTACT NAME	L1	or of pos	コンタクト配置<列番号>	CONTACT LOCATION <COLUMN NO.>	CONTACT LOCATION <COLUMN NO.>	or of pos	コンタクト配置<列番号>	CONTACT LOCATION <COLUMN NO.>
		(L2=7.2)	1 7 9 3 7 4 - 1	CONTACT LOCATION <COLUMN NO.>	CONTACT LOCATION <COLUMN NO.>	(L2=7.2)	1 7 9 3 7 4 - 3	
		(L2=7.2)	1 - 1 7 9 3 7 4 - 2	OBSOLETE				
		(L2=5.2)	2 - 1 7 9 3 7 4 - 2					
		(L2=5.2)	3 - 1 7 9 3 7 4 - 2	(タンス用塗布, ADD LUBRICATION.)				

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	CHK	APVD	PRODUCT SPEC	APPLIC. SPEC	WEIGHT
			製品仕様	取付書用規格	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差					
DIMENSIONS: 単位: mm					
0 PLC	±	1 PLC	±	2 PLC	±
3 PLC	±	4 PLC	±	ANGLES: 度	
MATERIAL: 材料					
FINISH: 仕上					
CUSTOMER: DRAWING					

268P 196 SIGNAL HDR. ASSY
 AMP Z-PACK STAGGERED 050J-II TYPE S

NAME: Tyco Electronics
 名称: Tyco Electronics Corporation
 Kawasaki, Japan

SIZE: A3
 CASE CODE: 00779
 DRAWING NO: C=179374

RESTRICTED TO: —

SCALE: 尺 2 of 2
 SHEET: 2 of 2
 REV: F

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)