


SUB-ASSEMBLY SHOWN AS SHIPPED      SUB-ASSEMBLY SHOWN IN FINAL POSITION



- △ HOUSING MATERIAL SHALL BE LIQUID CRYSTAL POLYMER. (BLACK)
- △ CONTACT MATERIAL SHALL BE PHOS. BRONZE. PLATING SHALL BE 0.00508 [.000200] MIN. TIN LEAD OVER 0.00127 [.000050] MIN. NICKEL ALL OVER.
- △ BASE MATERIAL SHALL BE LIQUID CRYSTAL POLYMER. (BLACK)
- △ SOCKET TO BE MOUNTED WITH AMP LOGO AND CHAMFER ON SOCKET LOCATED IN THIS CORNER OF P.C. BOARD.
- △ THIS AREA TO BE FREE OF COMPONENTS FOR ACCESS OF THE MICRO-PITCH HAND TOOL. MINIMUM OF TWO OPPOSITE SIDES.
- △ CONTACT MATERIAL SHALL BE PHOS. BRONZE. PLATING SHALL BE 0.00508 [.000200] MIN. TIN (LEAD FREE) OVER 0.00127 [.000050] MIN. NICKEL ALL OVER.
- △ ROHS 2002/95/EC COMPLIANT

PIN #1 IDENTIFIER  
 RAISED ARROW


PIN 1 IDENTIFIER  
 Ø1.57 [.062]

OBSOLETE	△ <sub>6</sub>	25.40 [1.000]	39.12 [1.540]	2-822064-6	164
	△ <sub>7</sub> △ <sub>6</sub>	20.32 [.800]	34.04 [1.340]	2-822064-5	132
	△ <sub>7</sub> △ <sub>6</sub>	15.24 [.600]	28.96 [1.140]	2-822064-4	100
OBSOLETE	△ <sub>2</sub>	25.40 [1.000]	39.12 [1.540]	822064-6	164
	△ <sub>2</sub>	20.32 [.800]	34.04 [1.340]	822064-5	132
	△ <sub>2</sub>	15.24 [.600]	28.96 [1.140]	822064-4	100
FINISH		B	A	PART NO.	NO OF POSN


THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN	10-13-90		Tyco Electronics Corporation Harrisburg, Pa
0 PLC ± -	1 PLC ± -	CHK	10-13-90		
2 PLC ± -	3 PLC ± 0.13(.005)	APVD	10-13-90	NAME	MICRO-PITCH SOCKET HOUSING SUB-ASSEMBLY REVERSE FOOTPRINT
4 PLC ± -	ANGLES ± -	PRODUCT SPEC		APPLICATION SPEC	
MATERIAL	FINISH	WEIGHT		SIZE	CAGE CODE
1 2 3 6	SEE TABLE			A1	00779
				SCALE	10:1
				SHEET	1 OF 3
				REV	H


CUSTOMER DRAWING




RECOMMENDED P.C. BOARD HOLE PATTERN  
 SOCKET SIDE  
 100 POSN.  
 SCALE: 4:1




RECOMMENDED P.C. BOARD HOLE PATTERN  
 SOCKET SIDE  
 132 POSN.  
 SCALE: 4:1



RECOMMENDED P.C. BOARD HOLE PATTERN  
 SOCKET SIDE  
 164 POSN.  
 SCALE: 4:1




CHIP POLARIZATION REFERENCE VIEW  
 (PIN NUMBERING ON THIS SHEET ARE FOR  
 CENTER LOCATION OF PIN 1 IDENTIFIER)




DETAIL C  
 (TYP FOR ALL POSITIONS)


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. SALMON 10-13-90		Tyco Electronics Corporation Harrisburg, Pa.	
DIMENSIONS: INCHES		CHK R. MILLER 10-13-90		NAME	MICRO-PITCH SOCKET HOUSING SUB-ASSEMBLY REVERSE FOOTPRINT
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	PRODUCT SPEC	RESTRICTED TO	
0 PLG ± -		APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO.
1 PLG ± -		WEIGHT	A1	00779	822064
2 PLG ± -		CUSTOMER DRAWING	SCALE	10:1	SHEET 2 OF 3
3 PLG ± 0.12[0.005]					REV H
4 PLG ± -					
ANGLES ± -					
MATERIAL					
FINISH SEE TABLE					




RECOMMENDED P.C. BOARD HOLE PATTERN  
 SOCKET SIDE  
 100 POSN.  
 SEE SHEET 2 100 POSN FOR DIMENSIONS




RECOMMENDED P.C. BOARD HOLE PATTERN  
 SOCKET SIDE  
 132 POSN.  
 SEE SHEET 2 132 POSN FOR DIMENSIONS



RECOMMENDED P.C. BOARD HOLE PATTERN  
 SOCKET SIDE  
 164 POSN.  
 SEE SHEET 2 164 POSN FOR DIMENSIONS



CHIP POLARIZATION REFERENCE VIEW  
 (PIN NUMBERING ON THIS SHEET IS FOR OFF CENTER LOCATION OF PIN 1 IDENTIFIER)



MICRO-PITCH SOCKET

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. SALMON 10-13-90	 Tyco Electronics Corporation Harrisburg, Pa.
DIMENSIONS: INCHES		CHK R. MILLER 10-13-90	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD F. BOYD 10-13-90	NAME MICRO-PITCH SOCKET HOUSING SUB-ASSEMBLY REVERSE FOOTPRINT
0 PLG ± - 1 PLG ± - 2 PLG ± - 3 PLG ± 0.1 [ .005 ] 4 PLG ± - ANGLES ± -		APPLICATION SPEC	SIZE A1
MATERIAL		WEIGHT	CAGE CODE 822064
FINISH SEE TABLE		CUSTOMER DRAWING	RESTRICTED TO
SCALE 10:1		SHEET 3 OF 3	REV H

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)