






REVISIONS				
P	LTN	DESCRIPTION	DATE	APVD
B6		ADD NEW DASH NUMBER -8	17JUL2015	CZ SZ



- 1 PART NUMBER AND DATE CODE MARKED IN AREA SHOWN.
- 2 MATERIAL:
HOUSING: GLASS FILLED HIGH TEMP. THERMO PLASTIC, UL94 V-0
SIGNAL CONTACT: COPPER ALLOY
POWER CONTACT: HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING:
SIGNAL CONTACT - .000050 MIN Ni UNDER ALL.
.000030 MIN Au ON CONTACT AREA.
.000100 MIN Sn AT PCB INTERFACE.
POWER CONTACT - .000050 MIN Ni UNDER ALL.
.000030 MIN Au ON CONTACT AREA.
.000100 MIN Sn AT PCB INTERFACE.
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040±.003 HOLE.
- 8 FOR VARIABLE DIMENSIONS PLEASE REFER TO TABLE.

8	4.225	3.875	3.925	3.550	.475	3ACP + 9P + 16S	6600112-8
8	3.175	2.825	2.875	2.300	.475	3ACP + 4P + 24S	6600112-7
8	4.225	3.875	3.925	3.550	1.025	3ACP + 9P + 16S	6600112-6
8	4.225	3.875	3.925	3.550	.475	3ACP + 9P + 16S	6600112-5
8	.250	2.250	1.900	1.950	1.375	4P + 24S	6600112-4
8	3.050	2.700	2.750	2.275	.450	4ACP + 3P + 20S	6600112-3
8	.300	1.950	1.600	1.650	.475	3ACP + 16S	6600112-2
8	.200	2.500	2.150	2.200	1.625	6P + 24S	6600112-1
DIM S	DIM L	DIM U	DIM D	DIM W	DIM K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DWG: T. YU 30MAY2008
 CHK: S. ZHAO 30MAY2008
 APVD: -

DIMENSIONS: INCHES. TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±.01
 1 PLC ±.01
 2 PLC ±.01
 3 PLC ±.005
 4 PLC ±.0020
 ANGLES ±.020

MATERIAL: 2. FINISH: 3.

PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038
 WEIGHT: -



NAME: RIGHT ANGLE HEADER ASSEMBLY WITH MOUNTING HOLES, DUAL BEAM POWER, MULTI-BEAM XL
 SIZE: 114-13038
 CAGE CODE: 6600112
 CUSTOMER DRAWING

SCALE: 4:1 SHEET 1 OF 5 REV: B5

REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APVD.
-	-	SEE SHEET 1	-	-

PART NUMBER	ROWS	POWER			SIGNAL			
		P1	P2	P3	1	2	3	4
		PS	PS	PS	J	J	J	J
6600112-2	D C B A	PS	PS	PS	K	K	K	K
					N	N	N	N
					S	S	S	S
3ACP + 16S								

PART NUMBER	ROWS	POWER							SIGNAL				
		P1	P2	P3	P4	P5	P6	P7	1	2	3	4	5
		PS	PS	PS	PS	PS	PS	PS	J	J	J	J	J
6600112-3	D C B A	PS	PS	PS	PS	PS	PS	K	K	K	K	K	
								N	N	N	N	N	
								H	S	S	S	S	
4ACP + 3P + 20S													




THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONS: INCHES. TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.01, 1 PLC ±.01, 2 PLC ±.01, 3 PLC ±.005, 4 PLC ±.0020. MATERIAL: -. FINISH: -. THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED. DWG: T. YU, 30MAY2008. CHK: S. ZHAO, 30MAY2008. APVD: -. NAME: RIGHT ANGLE HEADER ASSEMBLY WITH MOUNTING HOLES, DUAL BEAM POWER, MULTI-BEAM XL. PRODUCT SPEC: 108-1973. APPLICATION SPEC: 114-13038. WEIGHT: -. CUSTOMER DRAWING. SCALE: 4:1. SHEET 3 OF 5. REV: B5.

REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APVD.
-	-	SEE SHEET 1	-	-

PART NUMBER	ROWS	POWER				SIGNAL																	
		P1	P2	P3	P4	1	2	3	4	5	6												
6600112-4	D C B A	PS	PS	PS	PS	J	J	J	J	J	J	K	K	K	K	N	N	N	N	S	S	S	S
4P + 24S																							

PART NUMBER	ROWS	POWER												SIGNAL															
		P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	1	2	3	4												
6600112-5	D C B A	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	J	J	J	J	K	K	K	K	N	N	N	N	S	S	S	H
3ACP + 9P + 16S																													

PART NUMBER	ROWS	POWER												SIGNAL															
		P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	1	2	3	4												
6600112-8	D C B A	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	J	J	J	J	K	K	K	K	N	N	G	N	S	S	S	H
3ACP + 9P + 16S																													



6600112-5 AND 6600112-8 PCB LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: T. YU 30MAY2008 CHK: S. ZHAO 30MAY2008 APVD: -	TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.002 ANGLES ±.020 FINISH	NAME: RIGHT ANGLE HEADER ASSEMBLY WITH MOUNTING HOLES, DUAL BEAM POWER, MULTI-BEAM XL PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038 WEIGHT: - CUSTOMER DRAWING	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)