

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
A1	-	F3	REVISED PER ECO-11-005140	16APR2011	RK	HMR

Ø33^{+0.6}

Schnitt
Section
A-A

16.8^{+0.4}_{-0.2}
6^{±0.3}
9.2^{-0.5}
6.3^{±0.1}
12.3^{+0.3}
13.5^{+0.3}
15.4^{+0.3}

22.4^{+0.3}
24.3^{±0.3}
1^{+0.4}
9.1^{±0.1}
27.6^{±0.3}

A

1:1

	weiß/ WHITE RAL 9001	PA 6.6	926330-8
3	OBSOLETE	blau/ BLUE RAL 5012	926330-7
	gelb/ YELLOW RAL 1018	PA 6.6	926330-6
3	OBSOLETE	grün/ GREEN RAL 6011	926330-5
	rot/ RED RAL 3000	PA 6.6	926330-4
	natur/ NATURAL	PA 6.6	926330-3
3	OBSOLETE	grau/ GREY RAL 7037	926330-2
	schwarz/ BLACK	PA 6.6	926330-1
	COLOR	MATERIAL	PARTNUMBER

Bemerkungen
NOTES:

1 Nicht vermaßte Wanddicken 1^{+0.2}_{-0.4}
WALL THICKNESS 1^{+0.2}_{-0.4} EXEPT AS NOTED

2 Nicht vermaßte Radien R0.3^{+0.2}
ALL RADII R0.3^{+0.2} EXEPT AS NOTED

3 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	17SEP2008	TE Connectivity NAME 6-poliges POSITIVE LOCK Gehäuse der Serie 6.3 (.250)			
DIMENSIONS: mm		CHK	Raab, S. 22SEP2008			SIZE	CAGE CODE
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	Goepfel, C. 23SEP2008			DRAWING NO	RESTRICTED TO
0 PLC ±0.2 1 PLC ±0.2 2 PLC ±0.2 3 PLC ±0.2 4 PLC ±0.2 ANGLES ±1.5° FINISH		PRODUCT SPEC	-			A2	00779
MATERIAL		APPLICATION SPEC	-	SCALE	2:1		
		WEIGHT	3.7 g	SHEET	1 OF 1		
		CUSTOMER DRAWING	-	REV	F3		

1471-9 (3/11)

Downloaded From Onyac.com

Pro/ENGINEER DRAWING

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)