




THIS DRAWING IS A CONTROLLED DOCUMENT. ALL RIGHTS RESERVED.
 RELEASED FOR PUBLICATION
 ALL RIGHTS RESERVED.



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		ECR-21-123282	07DEC2021	F.F	M.S
B		ECR-22-131698	08MAR2022	F.F	M.S



PIN DEFINITION AS SHOWN,
 N MEANS MAX POSITIONS:
 FOR EXAMPLE: N=12, PN IS 1-2834461-2




AS SHOWN: 1-2834461-2




NOTES :


- MATERIAL: POLYBUTYLENE TEREPHTHALATE.
- PACKAGING: TRAY INSIDE OF CARTON.




1-2834461-6




2-2834461-0



2-2834461-4




2-2834461-8



3-2834461-2

4-2834461-4	4-2834497-4	44	48.1
4-2834461-0	4-2834497-0	40	44.5
3-2834461-6	3-2834497-6	36	40.9
3-2834461-2	3-2834497-2	32	37.3
2-2834461-8	2-2834497-8	28	33.7
2-2834461-4	2-2834497-4	24	30.1
2-2834461-0	2-2834497-0	20	26.5
1-2834461-6	1-2834497-6	16	22.9
1-2834461-2	1-2834497-2	12	19.3
PN(X KEY)	PN(Y KEY)	POSITION	DIMENSION A




4-2834461-4


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 12MAY2021 FRANK FAN		TE Connectivity	
DIMENSIONS: mm		CHK 12MAY2021 GEORGE FU			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 12MAY2021 MING SHI		NAME	
0 PLC ±		PRODUCT SPEC		RECEPTACLE ASSEMBLY	
1 PLC ±		108-137443		MINI DYNAMIC	
2 PLC ±0.25		APPLICATION SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
3 PLC ±		114-137527		A3 00779 C-2834461 -	
4 PLC ±		WEIGHT -		SCALE 3:1 SHEET 1 OF 2 REV B	
ANGLES ±		CUSTOMER DRAWING			
FINISH -					
MATERIAL TBD					

printed on 8 Mar 2022 11:53 (China Standard Time) from TE310617

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			




X KEY
1-2834461-2




Y KEY
1-2834497-2


NOTES:
1. PLEASE REFER DIMENSIONS AND REQUIREMENTS IN SHEET 1.




1-2834497-2




1-2834497-6




2-2834497-0




2-2834497-4



2-2834497-8




3-2834497-2




4-2834497-4

4-2834461-4	4-2834497-4	25	100	200
4-2834461-0	4-2834497-0	30	120	240
3-2834461-6	3-2834497-6	30	120	240
3-2834461-2	3-2834497-2	35	140	280
2-2834461-8	2-2834497-8	35	140	280
2-2834461-4	2-2834497-4	40	160	320
2-2834461-0	2-2834497-0	45	180	360
1-2834461-6	1-2834497-6	45	180	360
1-2834461-2	1-2834497-2	55	220	440
PN(X KEY)	PN(Y KEY)	QUANTITY PER TRAY / PCS	QUANTITY PER MIDDLE BOX / PCS	QUANTITY PER OUTER BOX / PCS



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL
TBD

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±
2 PLC	±0.25
3 PLC	±
4 PLC	±
ANGLES	±
FINISH	-

DWN 12MAY2021

FRANK FAN

CHK 12MAY2021

GEORGE FU

APVD 12MAY2021

MING SHI

PRODUCT SPEC

108-137443

APPLICATION SPEC

114-137527

WEIGHT

-

CUSTOMER DRAWING



TE Connectivity

NAME

RECEPTACLE ASSEMBLY
MINI DYNAMIC

SIZE

A3

CAGE CODE

00779

DRAWING NO

C-2834461

RESTRICTED TO

-

SCALE 3:1

SHEET 2 OF 2

REV B

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)