



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		C		EC 0G3C 0734 04	16DEC04	BSV	JG



- 1 CONTACTS ARE LATCHED INTO THE PRELOAD WINDOWS.
- 2 USE WITH #22-#26 AWG WIRE SIZE, 1.37[.054]/0.76[.030] INSULATION DIAMETER, 0.38[.015] MAXIMUM INSULATION THICKNESS.
- 3 THE DIMENSION APPLIES WITH THE FORWARD PRELOAD STOP IN CONTACT WITH THE HOUSING SURFACE.
- 4 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 5 ASSEMBLIES ARE JOINED BY THE CARRIER STRIP. ORDER QUANTITY REFLECTS TOTAL NUMBER OF INDIVIDUAL ASSEMBLIES REQUIRED. SEE TABLE FOR NUMBER OF ASSEMBLIES PER STRIP.
- 6 HOUSING MAT'L: FLAME RETARDANT POLYCARBONATE. COLOR: BLACK. CONTACT MAT'L: PHOS BRONZE.
- 7 CONTACT FINISH: 000100-.000200 BRIGHT TIN OVER .000050 NICKEL.
- 8 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)
- 9 MAXIMUM ALLOWABLE BOW OF ASSEMBLY NOT TO EXCEED .055.
- 10 .000100-.000200 MATTE TIN OVER .000050 NICKEL



10	2	25.3 [.996]	12.65 [.498]	104920-4	5	5-104922-4
7	2	25.3 [.996]	12.65 [.498]	104920-4	5	104922-4
PLATING	5	B	A	HOUSING PART NUMBER	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	J.HERRINGTON	2-27-95	 Tyco Electronics Corporation Harrisburg, Pa 17105-3608			
CHK	J. GESFORD	2-27-95				
APVD	D. DUPLER	2-27-95				
NAME	RCPT ASSY, AMPMODU MTE, SINGLE ROW, 2.54[.100] C/L, LATCHED & POLARIZED FOR #22-#26 AWG WIRE SIZE, STRIP FORM, SPECIAL					
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
mm	0 PLC ± - 1 PLC ± 0.5[.02] 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH		108-25034	A2	00779	C=104922
MATERIAL	SEE TABLE		WEIGHT	SCALE		SHEET
6			-	4:1		1 OF 1
			CUSTOMER DRAWING		REV	C

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)