



4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

© COPYRIGHT - TE Connectivity Ltd.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

NOTES: (APPLIED TO CURRENT SHEET)

1. THE DIRECTION OF EACH CONNECTOR ON A EMBOSS IS REFERRED TO THIS DRAWING.
2. PACKAGED IN EMBOSS TAPE AND PLASTIC RELL 4000 PCS PER RELL.
3. WINDING THE COVER TAPE AROUND THE OUTER PERIPHERY IN A TURN.

TABLE A

P/N	PIN NO.	Amount of packing		Weight of packing			DIMA	DIMB	
		Pcs/ Reel	Reel/ Carton	PCS/ Carton	Unit weight (g)	Net weight (kg)			GW (kg)
2-2328702-4	24	4,000	5	20,000	0.0827	1.654	5.735	24.00	11.50
1-2328702-0	10	4,000	7	28,000	0.0405	1.134	5.06	16.00	7.50
2328702-8	8	4,000	7	28,000	0.0335	0.938	4.845		
2328702-6	6	4,000	7	28,000	0.0280	0.784	4.675		
2328702-4	4	4,000	7	28,000	0.0218	0.611	5.735		

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 28DEC2017

ELIANA ZHANG

CHK 20171228

WENKE HE

APVD 20171228

WENKE HE

PRODUCT SPEC

108-115142

APPLICATION SPEC

-

WEIGHT

SEE TABLE

CUSTOMER DRAWING

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± 0.40
1 PLC	± 0.25
2 PLC	± 0.15
3 PLC	± 0.10
4 PLC	± -
ANGLES	± -

MATERIAL

-

FINISH

-

NAME

TE Connectivity

0.5 PITCH FPC CONNECTOR  
BACK FLIP

SIZE

A3

CAGE CODE

00779

DRAWING NO

C=2328702

RESTRICTED TO

-

SCALE

1:1

SHEET

2 OF 2

REV

5

1470-19 (1/15)

Downloaded From [Oneyac.com](http://Oneyac.com)

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)