




PROPOSAL DRAWING

RECOMMENDED P.C.B LAYOUT (THICKNESS=1.2mm)
(COMPONENT SIDE) P.C.B TOLERANCE ±0.05

Housing Material: PA9T UL94V-0, Black
Contact Terminal: PHOSPHOR BRONZE (t=0.25mm).
Metallic Shell: Brass(t=0.30mm).



U221-04XN-3BU01-X5

- 1: Au 1U"
- 5: Au 15U"
- 6: Au 30U"
- 1: PBT
- 2: PA6T
- 3: PA6T
- 4: LCP
- 5: BRASS
- S: Scrolls F Flat
- W: WHITE B BLACK

广东星坤科技股份有限公司

生 日期
蔡

文件工程章




REVISIONS
DATE REVISED APPROVED

ANGULAR	±5°
L ≤ 4	±0.2
4 < L ≤ 16	±0.3
16 < L ≤ 63	±0.4
L > 63	±0.5

UNSPECIFIED TOLERANCES

DSND	DATE	SCALE: N/A	MODEL TYPE: USB 2.0
DWN	DATE	VIEW:	PART NO.:
CHKD	DATE	UNIT: mm/in	DWG NO.: U221-04XN-3BU01-S5
APPD	DATE	SIZE: A4	WEIGHT SHEET REVISION
		1.0g	1/1 A0




INDUSTRIAL PRECISION CO., LIMITED



PROPOSAL DRAWING

RECOMMENDED P.C.B LAYOUT(THICKNESS=1.2mm)
(COMPONENT SIDE) P.C.B TOLERANCE:±0.05

Housing Material: PA9T UL94V-0, Black
Contact Terminal: PHOSPHOR BRONZE (t=0.25mm).
Metallic Shell: Brass(t=0.30mm).



U221-04XN-3BU01-X5

- 1 Au 1U"
- 5 Au 15U"
- 6 Au 30U"
- 1 PBT
- 2 PA6T
- 3 PA9T
- 4 LCP
- 5 BRASS
- S Scrolls F Flat
- W/WHITE B BLACK

广东星坤科技股份有限公司

生 日期
蔡

文件工程章

REVISIONS
DATE REVISED APPROVED

UNSPECIFIED TOLERANCES

DSND	DATE	SCALE: N/A	MODEL TYPE: USB 2.0
DWN	DATE	VIEW:	PART NO.:
CHKD	DATE	UNIT: mm/in	DWG NO.:
APPD	DATE	SIZE: A4	U221-04XN-3BU01-F5
		WEIGHT	SHEET
		1.0g	1/1
		REVISION	A0

单击下面可查看定价，库存，交付和生命周期等信息

[>>XKB Connectivity\(中国星坤\)](#)