KEMET Part Number: MPLCH0512L4R7 Not for New Design


(UPIF0512L4R700)

LL

G



KEMET, MPLCH, Power, 4700 nH, 20%



Dimensions		
Chip Size	2220	
L	5.5mm MAX	
W	5mm +/-0.2mm	
Т	1.2mm MAX	
S1	1.1mm NOM	

1.1mm NOM 2.5mm +/-0.2mm

Packaging Specifications		
Packaging:	T&R, 380mm	
Packaging Quantity:	5000	

General Information		
Series:	MPLCH	
Style:	SMD	
Description:	Surface Mount Inductor	
Features:	Low Profile Power Inductors	
RoHS:	Yes	
Core:	Composite	
Miscellaneous:	40 (K) Temperature Rise Max.	

Specifications		
Inductance:	4.7 uH (0.1 MHz)	
Inductance Tolerance:	20%	
Temperature Range:	-40/+125C	
Rated Temperature:	120°C	
Shielded:	Yes	
Current:	3.3 A (Isat, 30% Drop In Inductance), 2.1 A (Irms, 40C Rise By Self Heating)	
DC Resistance:	192 mOhms	

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generate



© 2006 - 2019 KEMET

)911d

单击下面可查看定价,库存,交付和生命周期等信息

>>KEMET Electronics(基美)