








PART NO.  
20527-0\*\*E-01

PART No.	Pos.	A	B	C	D	E
20527-013E-01	13P	4.80	3.00	3.60	4.25	2.25
20527-021E-01	21P	7.20	5.40	6.00	6.65	2.65
20527-025E-01	25P	8.40	6.60	7.20	7.85	3.85
20527-027E-01	27P	9.00	7.20	7.80	8.45	4.45
20527-029E-01	29P	9.60	7.80	8.40	9.05	5.05
◆ 20527-031E-01	31P	10.20	8.40	9.00	9.65	5.65
20527-033E-01	33P	10.80	9.00	9.60	10.25	6.25
20527-039E-01	39P	12.60	10.80	11.40	12.05	8.05


◆ MARK MEANS NOT AVAILABLE.



NOTES

- MATERIALS  
 HOUSING : LCP (GF REINFORCED) NATURAL COLOR (BEIGE)  
 ACTUATOR : LCP (GF REINFORCED) NATURAL COLOR (BEIGE)  
 CONTACT (A) : COPPER ALLOY Au OVER Ni PLATING  
 CONTACT (B) : COPPER ALLOY Au OVER Ni PLATING WITH Ni STRIPE
- COPLANARITY : 0.1 MAX.
- PRODUCTION SPECIFICATION No : PRS-1512
- RoHS Compliant

GENERAL TOLERANCE	
6 MAX.	±0.2
6 OVER MAX. 30	±0.3
30 OVER MAX. 120	±0.5
ANGLE	±2°

5	Z1047	Y.S	Oct./06/10	7.1	DESIGN'D BY	DATE	 Interconnect and Packaging Electronics TOKYO, JAPAN				
4	Z10221	Y.S	Apr./30/'10	T.H	Y.Shimada	Nov./23/'09					
3	Z10210	Y.S	Apr./26/'10	Y.H	CHK'D BY	DATE					
2	Z10182	Y.S	Apr./07/'10	T.H	Y.H	Nov./23/'09					
1	Z10150	Y.S	Mar./19/'10	T.H	APP'D BY	DATE					
REV	ECN	BY	DATE	APP	T.Harada	Nov./24/'09	TITLE				
REV.RECORD					CUSTOMER COPY	PROJECTION	SCALE	UNIT	DWG. No.	SHEET	REV.
SERIES No.						⊕	10:1	mm	20527	1/2	5

FORM REV.4



I-PEX Confidential

Downloaded From [oneyac.com](http://oneyac.com)

WAS T

PART No.	Pos.	B	C	F
20527-013E-01	13P	3.00	3.60	4.20
20527-021E-01	21P	5.40	6.00	6.60
20527-025E-01	25P	6.60	7.20	7.80
20527-027E-01	27P	7.20	7.80	8.40
20527-029E-01	29P	7.80	8.40	9.00
◆ 20527-031E-01	31P	8.40	9.00	9.60
20527-033E-01	33P	9.00	9.60	10.20
20527-039E-01	39P	10.80	11.40	12.00

◆ MARK MEANS NOT AVAILABLE



GENERAL TOLERANCE	
6 MAX.	±0.2
6 OVER MAX. 30	±0.3
30 OVER MAX. 120	±0.5
ANGLE	±2°

<table border="1"> <thead> <tr> <th>REV</th> <th>ECN</th> <th>BY</th> <th>DATE</th> <th>APP</th> </tr> </thead> <tbody> <tr> <td colspan="5">REV. RECORD</td> </tr> <tr> <td colspan="5">SERIES No.</td> </tr> </tbody> </table>					REV	ECN	BY	DATE	APP	REV. RECORD					SERIES No.					DESIGN'D BY	DATE			
					REV	ECN	BY	DATE	APP															
					REV. RECORD																			
SERIES No.																								
CHK'D BY	DATE																							
APP'D BY	DATE																							
					TITLE	MINIFLEX3-BFN																		
					CUSTOMER COPY	PROJECTION	SCALE	UNIT	DWG. No.	SHEET	REV.													
						⊕	10:1	mm	20527	2/2	5													

FORM REV.4

I-PEX Confidential

Downloaded From [Oneyac.com](http://Oneyac.com)

WAS T

单击下面可查看定价，库存，交付和生命周期等信息

[>>I-PEX](#)