

NOTES:

1. MATERIAL IS NYLON66  
UL 94 V-0,COLOR IS NATURE.
2. FREE RADIUS NOT TO EXCEED R0.1mm
3. THE CAVITY MAX HEIGHT 0.10mm ABOVE SURFACE.  
THE TEXT HEIGHT IS ABOUT 2mm.
4. OTHERWISE SPECIFIED PLS REFER TO STANDARD DOCUMENT NO.DC-016
5. SPEC PLS.REFER TO PS-50389-XXXHXXX-XXX

6. PART NUMBER 50389-XXX H X X X-XXX





CKTS ————  
POLARIZATION ————  
0:NONE  
MATERIAL ————  
H:NYLON 66(50000-0001-03) NATRUAL  
(50000-0101-03)BLACK

XXX	Packing	NOTES
001	Bag	NA

COLOR  
0:NATRUAL  
1:BLACK

2	5.80	4.65	2.00
3	7.80	6.65	4.00
4	9.80	8.65	6.00
5	11.80	10.65	8.00
6	13.80	12.65	10.00
7	15.80	14.65	12.00
8	17.80	16.65	14.00
9	19.80	18.65	16.00
10	21.80	20.65	18.00
11	23.80	22.65	20.00
12	25.80	24.65	22.00
13	27.80	26.65	24.00
14	29.80	28.65	26.00
CKTS	MID A	MID B	MID C

<b>QUALITY SYMBOLS</b> MAJOR Ⓜ CRITICAL Ⓢ <b>GENERAL TOLERANCES</b> (UNLESS SPECIFIED) X. ±0.5 .X ±0.25 .XX ±0.15 .XXX ±0.1 ANGLES ±2°	DRAWN BY TIANYINGHONG	DATE 19/09/10	
	CHECKED BY XUZHUYONG	DATE 19/09/10	
	APPROVED BY XUZHUYONG	DATE 19/09/10	SIZE A4
	UNITS mm		DWG NO. 50389-XXXHXXX-XXX
	SCALE 2:1	SHEET NO. 1 OF 3	REV G
			PART NO. SEE NOTES



NOTES:

- MATERIAL IS NYLON66  
UL 94 V-0,COLOR IS NATURE.
- FREE RADIUS NOT TO EXCEED R0.1mm
- THE CAVITY MAX HEIGHT 0.10mm ABOVE SURFACE.  
THE TEXT HEIGHT IS ABOUT 2mm.
- OTHERWISE SPECIFIED PLS REFER TO STANDARD DOCUMENT NO.DC-016
- SPEC PLS.REFER TO PS-50389-XXXHXXX-XXX

6. PART NUMBER 50389-XXX H X X X-XXX





CKTS ————  
POLARIZATION ————  
0:NONE  
MATERIAL ————  
H: ROILON PA66 FR3A(全原料)  
(50000-0004-03)(Natural)  
H: ROILON PA66 FR3A(全原料)  
(50000-1001-03)(BLACK)

XXX	Packing	NOTES
002	Bag	FOR ECOVACS

COLOR  
0:NATURAL  
1:BLACK

2	5.80	4.65	2.00
3	7.80	6.65	4.00
4	9.80	8.65	6.00
5	11.80	10.65	8.00
6	13.80	12.65	10.00
7	15.80	14.65	12.00
8	17.80	16.65	14.00
9	19.80	18.65	16.00
10	21.80	20.65	18.00
11	23.80	22.65	20.00
12	25.80	24.65	22.00
13	27.80	26.65	24.00
14	29.80	28.65	26.00
CKTS	MID A	MID B	MID C

<b>QUALITY SYMBOLS</b> MAJOR (M) CRITICAL (C) <b>GENERAL TOLERANCES</b> (UNLESS SPECIFIED) X. ±0.5 .X ±0.25 .XX ±0.15 .XXX ±0.1 ANGLES ±2°	DRAWN BY TIANYINGHONG	DATE 19/09/10	
	CHECKED BY XUZHUYONG	DATE 19/09/10	
	APPROVED BY XUZHUYONG	DATE 19/09/10	SIZE A4
	UNITS mm		DWG NO. 50389-XXXHXXX-XXX
	SCALE 2 : 1	SHEET NO. 2 OF 3	REV G
			PART NO. SEE NOTES



NOTES:

1. MATERIAL IS NYLON66  
UL 94 V-0,COLOR IS NATURE.
2. FREE RADIUS NOT TO EXCEED R0.1mm
3. THE CAVITY MAX HEIGHT 0.10mm ABOVE SURFACE.  
THE TEXT HEIGHT IS ABOUT 2mm.
4. SPEC PLS.REFER TO PS-50389-XXXHXXX-XXX
5. PART NUMBER

50389-XXX H X X X-XXX

CKTS ————

POLARIZATION ————

0:NONE

MATERIAL ————

H:NYLON 66

XXX	Packing	NOTES
003	Bag	NA

COLOR

0:NATRUAL

1:BLACK

CKTS	MID A	MID B	MID C
4	9.80	8.65	6.00

<b>QUALITY SYMBOLS</b> MAJOR Ⓜ CRITICAL Ⓢ <b>GENERAL TOLERANCES</b> (UNLESS SPECIFIED) X. ±0.5 .X ±0.25 .XX ±0.15 .XXX ±0.1 ANGLES ±2°	DRAWN BY TIANYINGHONG	DATE 19/09/10	<b>ACES</b> ELECTRONICS TITLE 2.0mm WT B Housing	
	CHECKED BY XUZHUYONG	DATE 19/09/10		APPROVED BY XUZHUYONG
	UNITS mm		SIZE A4	DWG NO. 50389-XXXHXXX-XXX
	SCALE 2 : 1	SHEET NO. 3 OF 3	REV G	PART NO. SEE NOTES

单击下面可查看定价，库存，交付和生命周期等信息

[>>ACES\(宏致\)](#)