







- NOTES:
- MATERIAL:
    - HOUSING: THERMOPLASTIC, HIGH TEMP.UL94V-0; COLOR:WHITE.
    - ACTUATOR: THERMOPLASTIC, HIGH TEMP.UL94V-HB; COLOR:BLACK.
    - CONTACT: COPPER ALLOY
    - FITTING NAIL: COPPER ALLOY
  - FINISH:
    - CONTACT:
      - 50~120u" NICKEL PLATING OVERALL
      - 3u" MIN. GOLD PLATING ON CONTACT
      - 1u" MIN. PLATING GOLD FLASH ON SMT
    - FITTING NAIL:
      - 100~200u" MATT TIN PLATING ON SOLDER TAILS(LEAD FREE).
      - 50~100u" NICKEL UNDERPLATING OVERALL.
  - SPEC. PLS. REFER TO PS-51511-XXXXX-001
  - PACKAGE PLS. REFER TO 51515-XXXXX-TRP

5. PART NUMBER




CKT	DIM A	DIM B	DIM C	DIM D	DIM E
11	4.80	3.00	2.40	3.63	3.60
13	5.40	3.60	3.00	4.23	4.20
15	6.00	4.20	3.60	4.83	4.80
17	6.60	4.80	4.20	5.43	5.40
19	7.20	5.40	4.80	6.03	6.00
21	7.80	6.00	5.40	6.63	6.60
23	8.40	6.60	6.00	7.23	7.20
25	9.00	7.20	6.60	7.83	7.80
27	9.60	7.80	7.20	8.43	8.40
29	10.20	8.40	7.80	9.03	9.00
31	10.80	9.00	8.40	9.63	9.60
33	11.40	9.60	9.00	10.23	10.20
35	12.00	10.20	9.60	10.83	10.80
37	12.60	10.80	10.20	11.43	11.40
39	13.20	11.40	10.80	12.03	12.00
41	13.80	12.00	11.40	12.63	12.60
43	14.40	12.60	12.00	13.23	13.20
45	15.00	13.20	12.60	13.83	13.80
47	15.60	13.80	13.20	14.43	14.40
49	16.20	14.40	13.80	15.03	15.00


一般公差 <b>TOLERANCES</b> X ±0.5 .XX ±0.15 X ±0.25 .XXX ±0.10 ANGLES ±1°		<b>宏致電子股份有限公司</b> Aces Electronics Co.,Ltd.	
檢驗尺寸標示 SYMBOLS (M) (D) INDICATE CLASSIFICATION DIMENSION (M) MARK IS CRITICAL DIM. (D) MARK IS MAJOR DIM.	品名 (TITLE) 0.3 MM PITCH ZIF BACK-FLIP FPC CONN SMT R/A D/C 圖號 (DWG.NO) 51515-XXXXX-XXX	製圖 (DR) JAMESLEN *14/03/07 審核 (CHKD) RYAN 核准 (APPD) K.HISATOMI	張數 (SHEET) 1 OF 4 比例 (SCALE) 8:1 單位 (UNITS) mm
表面處理 (FINISH)	比例 (SCALE) 8:1	單位 (UNITS) mm	張數 (SHEET) 1 OF 4 比例 (SCALE) 8:1 單位 (UNITS) mm 圖號 (DWG.NO) 51515-XXXXX-XXX



APPLICABLE FPC RECOMMENDED DIM  
(GENERAL TOLERANCE: ±0.05mm)






一般公差 <b>TOLERANCES</b> X ±0.5 .XX ±0.15 X ±0.25 .XXX ±0.10 ANGLES ±1°		<b>宏致電子股份有限公司</b> Aces Electronics Co.,Ltd.	
檢驗尺寸標示 SYMBOLS   INDICATE CLASSIFICATION DIMENSION	品名 (TITLE) 0.3 MM PITCH ZIF BACK-FLIP FPC CONN SMT R/A D/C	製圖 (DR) JAMESLEN 14/03/07 審核 (CHKD) RYAN	圖號 (DWG.NO) 51515-XXXXX-XXX 核准 (APPD) K.HISATOMI
MARK IS CRITICAL DIM. MARK IS MAJOR DIM.	表面處理 (FINISH)	比例 (SCALE) 8:1	單位 (UNITS) mm
			張數 (SHEET) 2 OF 4
			尺寸 (SIZE) A4
			版次 (REV) B





- NOTES:
- MATERIAL:
    - HOUSING: THERMOPLASTIC, HIGH TEMP.UL94V-0; COLOR:WHITE.
    - ACTUATOR: THERMOPLASTIC, HIGH TEMP.UL94V-HB; COLOR:BLACK.
    - CONTACT: COPPER ALLOY
    - FITTING NAIL: COPPER ALLOY
  - FINISH:
    - CONTACT:
      - 50~120u" NICKEL PLATING OVERALL
      - 3u" MIN. GOLD PLATING ON CONTACT
      - 1u" MIN. PLATING GOLD FLASH ON SMT
    - FITTING NAIL:
      - 100~200u" MATT TIN PLATING ON SOLDER TAILS(LEAD FREE).
      - 50~100u" NICKEL UNDERPLATING OVERALL.
  - SPEC. PLS. REFER TO PS-51511-XXXXX-001
  - PACKAGE PLS. REFER TO 51515-XXXXX-TRP


5. PART NUMBER




CKT	DIM A	DIM B	DIM C	DIM D	DIM E
51	16.80	15.00	14.40	15.63	15.60
53	17.40	15.60	15.00	16.23	16.20
55	18.00	16.20	15.60	16.83	16.80
57	18.60	16.80	16.20	17.43	17.40
59	19.20	17.40	16.80	18.03	18.00
61	19.80	18.00	17.40	18.63	18.60
63	20.40	18.60	18.00	19.23	19.20
65	21.00	19.20	18.60	19.83	19.80
67	21.60	19.80	19.20	20.43	20.40
69	22.20	20.40	19.80	21.03	21.00
71	22.80	21.00	20.40	21.63	21.60




一般公差 <b>TOLERANCES</b> X ±0.5 .XX ±0.15 X ±0.25 .XXX ±0.10 ANGLES ±1°		<b>宏致電子股份有限公司</b> Aces Electronics Co.,Ltd.	
檢驗尺寸標示 SYMBOLS (M) (D) INDICATE CLASSIFICATION DIMENSION (M) MARK IS CRITICAL DIM. (D) MARK IS MAJOR DIM.	品名 (TITLE) 0.3 MM PITCH ZIF BACK-FLIP FPC CONN SMT R/A D/C 圖號 (DWG.NO) 51515-XXXXX-XXX	製圖 (DR) JAMESLEN 14/03/07 審核 (CHKD) RYAN 核准 (APPD) K.HISATOMI	張數 (SHEET) 3 OF 4 比例 (SCALE) 8:1 單位 (UNITS) mm
表面處理 (FINISH)	比例 (SCALE) 8:1	單位 (UNITS) mm	張數 (SHEET) 3 OF 4 比例 (SCALE) 8:1 單位 (UNITS) mm



SCALE 2:1



APPLICABLE FPC RECOMMENDED DIM  
(GENERAL TOLERANCE: ±0.05mm)



RECOMMENDED P.C.B. LAYOUT  
HATCHED AREA SHOWS SOLDERING LAND.

(GENERAL TOLERANCE: ±0.05mm)

一般公差 <b>TOLERANCES</b> X ±0.5 .XX ±0.15 X ±0.25 .XXX ±0.10 ANGLES ±1°		<b>宏致電子股份有限公司</b> <b>Aces Electronics Co.,Ltd.</b>	
檢驗尺寸標示 SYMBOLS (M) (C) INDICATE CLASSIFICATION DIMENSION	品名 (TITLE) 0.3 MM PITCH ZIF BACK-FLIP FPC CONN SMT R/A D/C	製圖 (DR) JAMESLEN 14/03/07 審核 (CHKD) RYAN	圖號 (DWG.NO) 51515-XXXXX-XXX 核准 (APPD) K.HISATOMI
(M) MARK IS CRITICAL DIM. (C) MARK IS MAJOR DIM.	表面處理 (FINISH)	比例 (SCALE) 8:1	單位 (UNITS) mm
			張數 (SHEET) 4 OF 4
			尺寸 (SIZE) A4
			版 (REV) B

单击下面可查看定价，库存，交付和生命周期等信息

[>>ACES\(宏致\)](#)