


WITHOUT LATCH DRAWING



TYPE	DIM C
Half-Mini Card	23.90
Full-Mini Card	48.05

NOTES:


- MATERIALS:
HOUSING: HIGH TEMPERATURE PLASTIC
COLOR:BLACK, UL94 V-0
CONTACT: COPPER ALLOY
NAIL: COPPER ALLOY
- FINISH
CONTACT: PLS. SEE ORDER INFORMATION(R.o.H.S COMPARED)
UNDERPLATED:NICKEL OVERALL
NAIL: TIN ON SOLDER AREA
UNDERPLATED:NICKEL OVERALL
- THE MODULE CARD REFERENCE MINIPCI EXPRESS CARD
ELECTROMECHANICAL SPECIFICATION
- SPEC. PLS. REFER TO PS-51700-XXXX



一般公差 TOLERANCES X ±0.5 .XX ±0.15 X ±0.25 .XXX ±0.1 ANGLES ±2°		宏致電子股份有限公司 Aces Electronics Co.,Ltd.	
檢驗尺寸標示 SYMBOLS INDICATE CLASSIFICATION DIMENSION	品名 (TITLE) CONNECTOR OF 0.8mm 52 POS. H=4.0mm MINIPCI EXPRESS RVS. TYPE 圖號 (DWG.NO) 51700-XXXXX-XXX	製圖 (DR) '13/11/12 DAVID 審核 (CHKD) JERRY	核准 (APPD) JASON
MARK IS CRITICAL DIM. MARK IS MAJOR DIM.	比例 (SCALE) 單位 (UNITS) mm		張數 (SHEET) 1 OF 4 SIZE A4 REV D



DETAIL B
SCALE 4:1



CONNECTOR RECOMMEND P.C.B LAYOUT
GENERAL TOLERANCE ±0.05

NOTES:

1. DATUM D IS THE TOP SURFACE OF PCB

P/N LEGEND

51700 - XXX X X -XXX

POS.
052. 52 PIN


PACKAGE
0. TAPE & REEL

PLATING



W. 1u" Gold on contact and solder for selectiveness plating
M. GOLD 3u" ON CONTACT ARER & GOLD 1u" ON SOLDER TAIL
T. GOLD 10u" ON CONTACT ARER & GOLD 1u" ON SOLDER TAIL

XXX	COLOR	Halogen Free	BOSS
001	BLACK	HF	Y
002	BLACK	HF	N



一般公差 TOLERANCES		宏致電子股份有限公司 Aces Electronics Co.,Ltd.	
X ±0.5	.XX ±0.15	品名 (TITLE)	CONNECTOR OF
X ±0.25	.XXX ±0.1	CLASSIFICATION	0.8mm 52 POS. H=4.0mm
ANGLES	±2°	DWG. NO.	MINIPCI EXPRESS RVS. TYPE
MARK IS CRITICAL DIM.		圖號 (DWG.NO)	51700-XXXXX-XXX
MARK IS MAJOR DIM.		製圖 (DR)	'13/11/12 DAVID
表面處理 (FINISH)		審核 (CHKD)	JERRY
比例 (SCALE)	單位 (UNITS)	核准 (APPD)	JASON
2:1	mm	張數 (SHEET)	2 OF 4
		SIZE	A4
		REV	D



TYPE	DIM A	DIM B
Half-Mini Card	23.90	26.80
Full-Mini Card	48.05	50.95



NOTES:
1. PIN NUMBERING REFERENCE:
ODD PINS: TOP SIDE
EVEN PINS: BOTTOM SIDE



一般公差 TOLERANCES X ± 0.5 .XX ± 0.15 X ± 0.25 .XXX ± 0.1 ANGLES $\pm 2^\circ$	宏致電子股份有限公司 Aces Electronics Co.,Ltd.	
檢驗尺寸標示 SYMBOLS ϕ \ominus INDICATE CLASSIFICATION DIMENSION	品名 (TITLE) 0.8mm 52 POS. H=4.0mm MINIPCI EXPRESS RVS. TYPE	製圖 (DR) DAVID '13/11/12 審核 (CHKD) JERRY
MARK IS CRITICAL DIM. MARK IS MAJOR DIM.	圖號 (DWG.NO) 51700-XXXXX-XXX	核准 (APPD) JASON
表面處理 (FINISH)	比例 (SCALE) 單位 (UNITS) 2:1 mm	張數 (SHEET) 3 OF 4 尺寸 (SIZE) A4 版次 (REV) D



A


B

C


D

E


F



NONE BOSS



NONE BOSS



NONE BOSS

一般公差 TOLERANCES X ±0.5 .XX ±0.15 X ±0.25 .XXX ±0.1 ANGLES ±2°		宏致電子股份有限公司 Aces Electronics Co.,Ltd.		
檢驗尺寸標示 SYMBOLS INDICATE CLASSIFICATION DIMENSION	品名 (TITLE) 0.8mm 52 POS. H=4.0mm MINIPCI EXPRESS RVS. TYPE	製圖 (DR) '13/11/12 DAVID		
MARK IS CRITICAL DIM. MARK IS MAJOR DIM.	圖號 (DWG.NO) 51700-XXXXX-XXX	審核 (CHKD) JERRY		
表面處理 (FINISH)	比例 (SCALE) 4:1	單位 (UNITS) mm		核准 (APPD) JASON
		張數 (SHEET) 4 OF 4	尺寸 (SIZE) A4	版次 (REV) D

A

B

D

E

F

单击下面可查看定价，库存，交付和生命周期等信息

[>>ACES\(宏致\)](#)