



1. Features

1. Low insertion loss at frequency range.
2. BCM2012F2SV series realizes small size and low profile. 2.0x1.2x1.2 mm.
3. 100% Lead(Pb) & Halogen-Free and RoHS compliant.
4. High reliability -Reliability tests comply with AEC-Q200
5. Operating temperature-40~+125°C (Including self - temperature rise)



2. Dimension



Series	A(mm)	B(mm)	C(mm)	D1(mm)	D2(mm)	E(mm)
2012F2SV	2.0±0.2	1.2±0.2	1.2±0.2	0.50±0.1	0.51±0.1	0.15±0.1

3. Part Numbering



- A: Series
- B: Dimension
- C: Material Ferrite Core
- D: Number of Lines 2=2 lines
- E: Type S=Shielded , N=Unshielded
- F: Category Code V=Vehicle
- G: Impedance Match 750= 75 ohm
- H: Turns Rate 11=1 : 1
- I: Control S/N Internal code


4. Specification

TAI-TECH Part Number	UB/B Impedance (Ω)	Test Frequency (MHz)	DC Resistance (Ω) max.	Rated Power (dBm) max.	Rated Volt. (DCV) max.	Withstand Volt. (DCV) max.	IR (MΩ) min.	Insertion Loss (dB)max	CMRR (dB)
BCM2012F2SV-50011-TE2	50/50	400~1800	0.50	27	20	125	10	2.2	15(typ.)
BCM2012F2SV-50011-T02	50/50	40~ 860	1.00	27	20	125	10	2.5	20(typ.)
BCM2012F2SV-50011-MN2	50/50	100~1000	0.35	27	20	50	10	1.0	10(min.)
BCM2012F2SV-50011-ST2	50/50	45~870	1.00	27	20	50	10	1.2	20(min.)
BCM2012F2SV-75011-TE2	75/75	400~1800	0.50	27	20	125	10	2.0	15(typ.)
BCM2012F2SV-75011-T02	75/75	50~1200	0.70	27	20	125	10	1.2	20(typ.)
BCM2012F2SV-75011-MS2	75/75	1000~1500	0.59	27	20	50	10	1.4	20(min.)


TAI-TECH Part Number	UB/B Impedance (Ω)	Test Frequency (MHz)	DC Resistance (Ω) max.	Rated Power (dBm) max.	Rated Volt. (DCV) max.	Withstand Volt. (DCV) max.	IR (M Ω) min.	Insertion Loss (dB)max	CMRR (dB)
BCM2012F2SV-75011-MT2	75/75	50~1200	0.77	27	20	50	10	50~870MHz:1.0 870~1200MHz:1.2.	20(min.)
BCM2012F2SV-75011-SA2	75/75	45~870	0.88	27	20	50	10	1.0	20(min.)
BCM2012F2SV-75011-SB2	75/75	50~1200	0.70	27	20	50	10	1.2	20(min.)
BCM2012F2SV-75011-122	75/75	1000~1500	0.59	27	20	50	10	1.4	20(min.)

Insertion Loss & CMRR

BCM2012F2SV-50011-TE2




BCM2012F2SV-50011-T02




BCM2012F2SV-50011-MN2



BCM2012F2SV-50011-ST2



BCM2012F2SV-75011-TE2




BCM2012F2SV-75011-T02



BCM2012F2SV-75011-MS2



BCM2012F2SV-75011-MT2




BCM2012F2SV-75011-SA2



BCM2012F2SV-75011-SB2



BCM2012F2SV-75011-122



单击下面可查看定价，库存，交付和生命周期等信息

[>>TAI-TECH\(台庆\)](#)