

## Specification for Approval

Date: 2023/9/11





# **Customer:** HFZ2012PV-series-HD TAI-TECH P/N: **CUSTOMER P/N: DESCRIPTION:** QUANTITY: **REMARK:**

**Customer Approval Feedback** 

西北臺慶科技股份有限公司 TAI-TECH Advanced Electronics Co., Ltd

### □西北臺慶科技股份有限公司

TAI-TECH Advanced Electronics Co., Ltd Headquarter:

NO.1 YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN HSIEN, TAIWAN, R.O.C.

TEL: +886-3-4641148 FAX: +886-3-4643565

http://www.tai-tech.com.tw E-mail: sales@tai-tech.com.tw

#### □Office:

深圳辦公室

11BC, Building B Fortune Plaza, NO. 7002, Shennan Avenue, Futian **District Shenzhen** 

TEL: +86-755-23972371 FAX: +86-755-23972340

#### ■臺慶精密電子(昆山)有限公司

TAI-TECH ADVANCED ELECTRONICS(KUNSHAN) CO., LTD SHINWHA ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA TEL: +86-512-57619396 FAX: +86-512-57619688

E-mail: sales@tai-tech.cn

### □慶邦電子元器件(泗洪)有限公司

TAIPAQ ELECTRONICS (SIHONG) CO., LTD JIN SHA JIANG ROAD, CONOMIC DEVELOPMENT ZONE SIHONG, 

E-mail: sales@taipaq.cn

### Sales Dep.

| APPROVED         | CHECKED |
|------------------|---------|
| 管哲頎<br>Eric Guan | 蒯青榮     |

### **R&D** Center

| APPROVED | CHECKED | DRAWN |
|----------|---------|-------|
| 鄧福興      | 浦冬生     | 王俞琴   |

 TAI-TECH
 KBM01-230900302
 P1

## High Current Ferrite Chip Bead(Lead Free)

HFZ2012PV-series-HD

| REV | DATE     | DESCRIPTION | APPROVED | CHECKED | DRAWN |
|-----|----------|-------------|----------|---------|-------|
| 1.0 | 23/09/11 | 新發行         | 鄧福興      | 浦冬生     | 王俞琴   |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
|     |          |             |          |         |       |
| 備   |          |             |          |         |       |
| 註   |          |             |          |         |       |

TAI-TECH KBM01-230900302

## High Current Ferrite Chip Bead(Lead Free)


HFZ2012PV-series-HD

Certificate

### 1. Features

- 1. Monolithic inorganic material construction.
- 2. Closed magnetic circuit avoids crosstalk.
- 3. Suitable for reflow soldering.
- 4. Shapes and dimensions follow E.I.A. spec.
- 5. High Current Bead Low RDC
- 6. Excellent solder ability and heat resistance.
- 7. High reliability. Reliability test meet AEC-Q200.
- 8. 100% Lead(Pb) & Halogen-Free and RoHS compliant.
- 9. Low DC resistance structure of electrode to prevent wasteful electric power consumption.

### 2. Dimensions



| Chip Size |           |  |  |  |
|-----------|-----------|--|--|--|
| Α         | 2.00±0.20 |  |  |  |
| В         | 1.25±0.20 |  |  |  |
| С         | 0.85±0.20 |  |  |  |
| D         | 0.50±0.30 |  |  |  |

Units: mm

### 3. Part Numbering



A: Series

**B**: Dimension

LxW

C: Material D: Category Code Lead Free Material V=Vehicle

E: Impedance

181=180  $\Omega$ 

F: Packaging G: Rated Current T=Taping and Reel, B=Bulk(Bags)

H: Category Code

## Ag(100%) Ni(100%)-1.5um (min.) Sn(100%)-3.5um (min.) Ferrite Body (Pb Free)

Termination (Pb Free)

### 4. Specification

| Tai-Tech<br>Part Number | Impedance (Ω) | Test Frequency (Hz) DC Resistance (Ω) max. |       | Rated Current (mA) max. |
|-------------------------|---------------|--|-------|-------------------------|
| HFZ2012PV-300T85-HD     | 30±25%        | 60mV/100M                                  | 0.004 | 8500                    |
| HFZ2012PV-700T60-HD     | 70±25%        | 60mV/100M                                  | 0.009 | 6000                    |
| HFZ2012PV-111T50-HD     | 110±25%       | 60mV/100M                                  | 0.013 | 5000                    |
| HFZ2012PV-181T40-HD     | 180±25%       | 60mV/100M                                  | 0.020 | 4000                    |
| HFZ2012PV-331T28-HD     | 330±25%       | 60mV/100M                                  | 0.040 | 2800                    |
| HFZ2012PV-471T25-HD     | 470±25%       | 60mV/100M                                  | 0.050 | 2500                    |
| HFZ2012PV-601T23-HD     | 600±25%       | 60mV/100M                                  | 0.060 | 2300                    |
| HFZ2012PV-102T16-HD     | 1000±25%      | 60mV/100M                                  | 0.120 | 1600                    |

- Rated current: based on temperature rise test
- In compliance with EIA 595

 TAI-TECH
 KBM01-230900302
 P3

### 5. Reliability and Test Condition

| Item                                  | Performance   | Test Condition  |
|---------------------------------------|---|---|
| Series No.                            | HFZ   |   |
| Operating Temperature                 | -55∼+150 $^{\circ}$ C (Including self-temperature rise)   |   |
| Transportation<br>Storage Temperature | -55~+150℃<br>(on board)   | For long storage conditions, please see the<br>Application Notice   |
| Impedance (Z)                         |   | Agilent4291<br>Agilent E4991<br>Agilent4287<br>Agilent16192   |
| DC Resistance                         | Refer to standard electrical characteristics list   | Agilent 4338  |
| Rated Current                         |   | DC Power Supply<br>Over Rated Current requirements, there will be<br>some risk  |
| Temperature Rise Test                 | Rated Current < 1A  | Applied the allowed DC current.     Temperature measured by digital surface     Thermometer.  |
| High Temperature<br>Exposure(Storage) |   | Preconditioning:Run through reflow for 3 times. ( IPC/JEDEC J-STD-020E Classification Reflow Profiles Temperature: 150±2°C Duration: 1000hrs Min. Measured at room temperature after placing for 24±2 hrs   |
| Temperature Cycling                   | RDC: Within ±15% of initial value and shall not exceed the specification value  | Preconditioning:Run through reflow for 3 times.( IPC/JEDEC J-STD-020E Classification Reflow Profiles Condition for 1 cycle Step1: -55±2°C 30min Min. Step2: 150±2°C transition time 1min MAX. Step3: 150±2°C 30min Min. (Bead) Step4: Low temp. transition time 1 min MAX. Number of cycles: 1000 Measured at room temperature after placing for 24±2 hrs |
| Biased Humidity (AEC-Q200)            | Appearance : No damage.   | Preconditioning:Run through reflow for 3 times.( IPC/JEDEC J-STD-020E Classification Reflow Profiles Humidity :85±3%RH. Temperature :85±2°C. Duration :1000 hrs Min. Measured at room temperature after placing for 24±2 hrs  |
| High Temperature<br>Operational Life  | Impedance: within±15% of initial value RDC: Within ±15% of initial value and shall not exceed the specification value | Preconditioning:Run through reflow for 3 times.( IPC/JEDEC J-STD-020E Classification Reflow Profiles Temperature : 150±2°C Duration : 1000hrs Min. with 100% rated current. Measured at room temperature after placing for 24±2 hrs   |
| External Visual                       | Appearance : No damage.   | Inspect device construction, marking and workmanship. Electrical Test not required.   |
| Physical Dimension                    | According to the product specification size measurement   | According to the product specification size measurement   |
| Resistance to Solvents                | Appearance : No damage.   | Add aqueous wash chemical - OKEM clean or equivalent.   |

TAI-TECH KBM01-230900302 P4


| Item  | tem Performance Tes  |   |                       |                                |                       |                                  |
|---|--|---|-----------------------|--------------------------------|-----------------------|----------------------------------|
|   |  | Preconditioning:Run through reflow for 3 times.( IPC/JEDEC J-STD-020E Classification Reflow Profiles Test condition:  |                       |                                |                       |                                  |
| Mechanical Shock  |  |   | Peak<br>alue<br>(g's) | Normal<br>duration<br>(D) (ms) | Wave form             | Velocity<br>change<br>(Vi)ft/sec |
|   |  |   | 100                   | 6                              | Half-sine             | 12.3                             |
|   |  | Lead  | 100                   | 6                              | Half-sine             | 12.3                             |
|   |  |   |                       | each o<br>kes (18sho           | direction and colors. | along 3                          |
| Appearance: No damage. Impedance: within±15% of initial value RDC: Within ±15% of initial value and shall not exceed the specification value  Vibration |  | Preconditioning:Run through reflow for 3 times. (IPC/JEDEC J-STD-020E Classification Reflow Profiles Oscillation Frequency: 10Hz ~ 2KHz ~ 10Hz for 20 minute Equipment: Vibration checker Total Amplitude:5g Testing Time: 12 hours(20 minutes, 12 cycles each of 3 orientations) ° |                       |                                |                       |                                  |
|   |  | Number  | of heat               | cycles: 1                      | 202 Condition         |                                  |
| Resistance to Soldering   |  |   | ature<br>C)           | Time<br>(s)                    | ramp/imm<br>and emers | ersion                           |
| Heat  |  | 260 ±5 (solder temp) 10 ±1 25mm/s±6m  |                       |                                |                       |                                  |
| Thermal shock   | Appearance: No damage. Impedance: within±15% of initial value RDC: Within ±15% of initial value and shall not exceed the specification value | Preconditioning:Run through reflow for 3 times. (IPC/JEDEC J-STD-020E Classification Reflow Profiles Condition for 1 cycle Step1: -55±2°C 15±1min Step2: 150±2°C within 20 Sec. Step3: 150±2°C 15±1min Number of cycles: 300 Measured at room temperature after placing for 24±2hrs |                       |                                | ssification           |                                  |
| ESD   | Appearance : No damage.  | Direct Contact and Air Discharge PASSI' COMPONENT HBM ESD Dischar Waveform to a Coaxial Target Test method: AEC-Q200-002 Test mode: Contact Discharge Discharge level: 4 KV (Level: 2)  |                       |                                | Discharge             |                                  |
| Solder ability  | More than 95% of the terminal electrode should be covered with solder.   | a.Method B, 4 hrs @155°C dry heat @235°C±5°C Test time:5 +0/-0.5 seconds.  b. Method D category 3. (steam aging 8hours ± 15 min)@ 260°C±5°C Test time: 30 +0/-0.5 seconds.  |                       |                                | onds.                 |                                  |
| Electrical<br>Characterization  | Refer Specification for Approval   | Summary to show Min, Max, Mean and Standard deviation   |                       |                                | ean and               |                                  |
| Flammability  | Electrical Test not required.  V-0 or V-1 are acceptable.  |   |                       | ble.                           |                       |                                  |

**TAI-TECH KBM01-230900302** P5

| Item              |                         | Performance  | Test Condition  |
|-------------------|-------------------------|--|---|
| Board Flex        | Appearance : No damage. | Support Solder Chip Printed circuit board before testing  45±2  Radius 340  Printed circuit board under test  Displacement | Preconditioning:Run through reflow for 3 times. (IPC/JEDEC J-STD-020E Classification Reflow Profiles Place the 100mm X 40mm board into a fixture similar to the one shown in below Figure with the component facing down. The apparatus shall consist of mechanical means to apply a force which will bend the board (D) x = 2 mm minimum. The duration of the applied forces shall be 60 (+ 5) sec. The force is to be applied only once to the board. |
| Terminal strength | Appearance : No damage. | radius 0.5 mm  DUT  wide  thickness  shear force   | Preconditioning:Run through reflow for 3 times.( IPC/JEDEC J-STD-020E Classification Reflow Profiles With the component mounted on a PCB with the device to be tested, apply a 17.7 N (1.8 Kg) force to the side of a device being tested. This force shall be applied for 60 +1 seconds. Also the force shall be applied gradually as not to apply a shock to thecomponent being tested.   |

### \*\*Derating Curve


For the ferrite chip bead which withstanding current over 1.5A, as the operating temperature over  $110^\circ\text{C}$ , the derating current information is necessary to consider with. For the detail derating of current, please refer to the Derated Current vs. Operating Temperature curve.



### 6. Soldering and Mounting

### 6-1. Recommended PC Board Pattern

| Chip Size |      |          |           |           |           | Pattern<br>ow Sold |       |       |
|-----------|------|----------|-----------|-----------|-----------|--------------------|-------|-------|
| Series    | Туре | A(mm)    | B(mm)     | C(mm)     | D(mm)     | E(mm)              | F(mm) | G(mm) |
| HFZ       | 2012 | 2.0±0.20 | 1.25±0.20 | 0.85±0.20 | 0.50±0.30 | 1.05               | 1.00  | 1.45  |



PC board should be designed so that products can prevent damage from mechanical stress when warping the board.

### 6-2. Soldering

Mildly activated rosin fluxes are preferred. TAI-TECH terminations are suitable for re-flow soldering systems. If hand soldering cannot be avoided, the preferred technique is the utilization of hot air soldering tools.

### 6-2.1 Soldering Reflow:

Recommended temperature profiles for lead free re-flow soldering in Figure 1. Table 1.1&1.2 (J-STD-020E)

### 6-2.2 Soldering Iron:

Products attachment with a soldering iron is discouraged due to the inherent process control limitations. In the event that a soldering iron must be employed the following precautions are recommended. (Figure 2.)

- Preheat circuit and products to 150°C
- Never contact the ceramic with the iron tip1.0mm tip diameter (max)
- Use a 20 watt soldering iron with tip diameter of 1.0mm
- Limit soldering time to 4~5sec.

Fig.1 Soldering Reflow

• 350°C tip temperature (max)





Fig.2 Iron soldering temperature profiles



Iron Soldering times: 1 times max

Table (1.1): Reflow Profiles

| ` '  |                               |
|--|-------------------------------|
| Profile Type:  | Pb-Free Assembly              |
|  | 150℃<br>200℃<br>60-120seconds |
| Ramp-up rate(T <sub>L</sub> to T <sub>p</sub> )  | 3℃/second max.                |
| Liquidus temperature( $T_L$ )<br>Time( $t_L$ )maintained above $T_L$   | 217°C<br>60-150 seconds       |
| Classification temperature(T <sub>c</sub> )  | See Table (1.2)               |
| $\label{eq:tp} \mbox{Time}(t_p) \mbox{ at Tc-}  5^\circ \!\!\!\!\!  \mbox{(Tp should be equal to or less than Tc.)}$ | < 30 seconds                  |
| Ramp-down rate( $T_p$ to $T_L$ )   | 6℃ /second max.               |
| Time 25°C to peak temperature  | 8 minutes max.                |

Tp: maximum peak package body temperature, Tc: the classification temperature.

For user (customer)  ${\bf Tp}$  should be equal to or less than  ${\bf Tc.}$ 

Table (1.2) Package Thickness/Volume and Classification Temperature (Tc)


|                  | Package<br>Thickness | Volume mm <sup>3</sup> <350 | Volume mm <sup>3</sup><br>350-2000 | Volume mm <sup>3</sup> >2000 |
|------------------|----------------------|-----------------------------|------------------------------------|------------------------------|
|                  | <1.6mm               | 260°C                       | 260°C                              | 260°C                        |
| PB-Free Assembly | 1.6-2.5mm            | 260°C                       | 250°C                              | 245°C                        |
|                  | ≥2.5mm               | 250°C                       | 245°C                              | 245°C                        |

Reflow is referred to standard IPC/JEDEC J-STD-020E  $\,^{\circ}$ 

### 6-2.3 Solder Volume:

Accordingly increasing the solder volume, the mechanical stress to product is also increased. Exceeding solder volume may cause the failure of mechanical or electrical performance. Solder shall be used not to be exceed as shown in right side:


Minimum fillet height = soldering thickness + 25% product height



TAI-TECH KBM01-230900302 P7

### 7. Packaging Information


### 7-1. Reel Dimension



| Туре   | A(mm)   | B(mm) | C(mm)    | D(mm) |
|--------|---------|-------|----------|-------|
| 7"x8mm | 9.0±0.5 | 60±2  | 13.5±0.5 | 178±2 |

### 7-2.1 Tape Dimension / 8mm

### ■Material of taping is paper




| Size   | Bo(mm)    | Ao(mm)    | Ko(mm)    | P(mm)    | t(mm)     |  |
|--------|-----------|-----------|-----------|----------|-----------|--|
| 201209 | 2.10±0.05 | 1.30±0.05 | 0.95±0.05 | 4.0±0.10 | 0.95±0.05 |  |

### 7-3. Packaging Quantity

| Chip Size         | 201209 |
|-------------------|--------|
| Chip / Reel 4000  |        |
| Inner box         | 20000  |
| Middle box 100000 |        |
| Carton            | 200000 |

### 7-4. Tearing Off Force



The force for tearing off cover tape is 15 to 60 grams in the arrow direction under the following conditions.


| Room Temp. | Room Humidity | Room atm | Tearing Speed |
|------------|---------------|----------|---------------|
| (℃)        | (%)           | (hPa)    | mm/min        |
| 5~35       | 45~85         | 860~1060 | 300           |

### **Application Notice**

• Storage Conditions(component level)

To maintain the solder ability of terminal electrodes:

- 1. TAI-TECH products meet IPC/JEDEC J-STD-020E standard-MSL, level 1.
- 2. Temperature and humidity conditions: Less than  $40\,^{\circ}\!\!\mathrm{C}$  and 60% RH.
- 3. Recommended products should be used within 12 months from the time of delivery.
- 4. The packaging material should be kept where no chlorine or sulfur exists in the air.
- Transportation
- 1. Products should be handled with care to avoid damage or contamination from perspiration and skin oils.
- 2. The use of tweezers or vacuum pick up is strongly recommended for individual components.
- 3. Bulk handling should ensure that abrasion and mechanical shock are minimized.







**Test Report** 

號碼(No.): ETR22B04558

日期(Date): 06-Dec-2022

頁數(Page): 1 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)

慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國·江蘇省·宿遷市·泗洪縣·經濟開發區杭州路南側·建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD · ECONOMIC DEVELOPMENT ZONE · SIHONG COUNTY · SUQIANCITY · JIANGSU PROVINCE · P.R · CHINA)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

樣品名稱(Sample Name) : FERRITE CHIP BEAD、FERRITE CHIP INDUCTOR、ARRAY、MCF、MCM、

YMV SERIES

樣品型號(Style/Item No.) : FERRITE CHIP BEAD、FERRITE CHIP INDUCTOR、ARRAY、MCF、MCM、

YMV SERIES

收件日(Sample Receiving Date) : 29-Nov-2022

測試期間(Testing Period) : 29-Nov-2022 to 06-Dec-2022

測試需求(Test Requested) : 依據客戶要求進行測試‧測試項目請參閱測試結果表格。 (Testing item(s) is/are

specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

Troy Chang / Department Mayager
Signed for and on behalf of Alwan
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 4545AB9D

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)

慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國,江蘇省,宿遷市,泗洪縣,經濟開發區杭州路南側,建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD,ECONOMIC DEVELOPMENT ZONE,SIHONG COUNTY,SUQIANCITY,JIANGSU PROVINCE,P,R、CHINA)

### 測試部位敘述 (Test Part Description)

No.1 : 整體混測 (MIXED ALL PARTS)

### 測試結果 (Test Results)

| 測試項目<br>(Test Items)   | 測試方法<br>(Method)   | 單位<br>(Unit) | MDL | 結果<br>(Result)<br>No.1 |
|--|--|--------------|-----|------------------------|
| 鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9)                       | 參考IEC 62321-5: 2013.以感應耦合電漿發射光<br>譜儀分析。(With reference to IEC 62321-5:<br>2013, analysis was performed by ICP-OES.)                  | mg/kg        | 2   | n.d.                   |
| 鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)                          | 參考IEC 62321-5: 2013.以感應耦合電漿發射光<br>譜儀分析。(With reference to IEC 62321-5:<br>2013, analysis was performed by ICP-OES.)                  | mg/kg        | 2   | n.d.                   |
| 汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-<br>97-6)                   | 參考IEC 62321-4: 2013+ AMD1: 2017‧以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.) | mg/kg        | 2   | n.d.                   |
| 六價鉻 Cr(VI) (Hexavalent Chromium<br>Cr(VI)) (CAS No.: 18540-29-9) | 參考IEC 62321-7-2: 2017·以紫外光-可見光分光<br>光度計分析。(With reference to IEC 62321-7-2:<br>2017, analysis was performed by UV-VIS.)              | mg/kg        | 8   | n.d.                   |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan

頁數(Page): 2 of 15



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022 頁數(Page): 3 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)

慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國·江蘇省·宿遷市·泗洪縣·經濟開發區杭州路南側·建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD · ECONOMIC DEVELOPMENT ZONE · SIHONG COUNTY · SUQIANCITY · JIANGSU PROVINCE · P,R · CHINA)

| 測試項目<br>(Test Items)             | 測試方法<br>(Method)   | 單位<br>(Unit) | MDL | 結果<br>(Result) |
|----------------------------------|--|--------------|-----|----------------|
|                                  |  |              |     | No.1           |
| 一溴聯苯 (Monobromobiphenyl)         |  | mg/kg        | 5   | n.d.           |
| 二溴聯苯 (Dibromobiphenyl)           |  | mg/kg        | 5   | n.d.           |
| 三溴聯苯 (Tribromobiphenyl)          |  | mg/kg        | 5   | n.d.           |
| 四溴聯苯 (Tetrabromobiphenyl)        |  | mg/kg        | 5   | n.d.           |
| 五溴聯苯 (Pentabromobiphenyl)        |  | mg/kg        | 5   | n.d.           |
| 六溴聯苯 (Hexabromobiphenyl)         |  | mg/kg        | 5   | n.d.           |
| 七溴聯苯 (Heptabromobiphenyl)        |  | mg/kg        | 5   | n.d.           |
| 八溴聯苯 (Octabromobiphenyl)         |  | mg/kg        | 5   | n.d.           |
| 九溴聯苯 (Nonabromobiphenyl)         |  | mg/kg        | 5   | n.d.           |
| 十溴聯苯 (Decabromobiphenyl)         | 參考IEC 62321-6: 2015·以氣相層析儀/質譜儀分  | mg/kg        | 5   | n.d.           |
| 多溴聯苯總和 (Sum of PBBs)             | 参与IEC 02321-0. 2013・以業相層が展/負電報力析。(With reference to IEC 62321-6: 2015, | mg/kg        | -   | n.d.           |
| 一溴聯苯醚 (Monobromodiphenyl ether)  | analysis was performed by GC/MS.)                                      | mg/kg        | 5   | n.d.           |
| 二溴聯苯醚 (Dibromodiphenyl ether)    |  | mg/kg        | 5   | n.d.           |
| 三溴聯苯醚 (Tribromodiphenyl ether)   |  | mg/kg        | 5   | n.d.           |
| 四溴聯苯醚 (Tetrabromodiphenyl ether) |  | mg/kg        | 5   | n.d.           |
| 五溴聯苯醚 (Pentabromodiphenyl ether) |  | mg/kg        | 5   | n.d.           |
| 六溴聯苯醚 (Hexabromodiphenyl ether)  |  | mg/kg        | 5   | n.d.           |
| 七溴聯苯醚 (Heptabromodiphenyl ether) |  | mg/kg        | 5   | n.d.           |
| 八溴聯苯醚 (Octabromodiphenyl ether)  | _  | mg/kg        | 5   | n.d.           |
| 九溴聯苯醚 (Nonabromodiphenyl ether)  |  | mg/kg        | 5   | n.d.           |
| 十溴聯苯醚 (Decabromodiphenyl ether)  |  | mg/kg        | 5   | n.d.           |
| 多溴聯苯醚總和 (Sum of PBDEs)           |  | mg/kg        | -   | n.d.           |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction of exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022

頁數(Page): 4 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)

慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國,江蘇省,宿遷市,泗洪縣,經濟開發區杭州路南側,建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD,ECONOMIC DEVELOPMENT ZONE,SIHONG COUNTY,SUQIANCITY,JIANGSU PROVINCE,P,R、CHINA)

| 測試項目                                  | 測試方法                                    | 單位     | MDL | 結果       |
|---------------------------------------|---|--------|-----|----------|
| (Test Items)                          | (Method)                                | (Unit) |     | (Result) |
|                                       |   |        |     | No.1     |
| 鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl         |   | mg/kg  | 50  | n.d.     |
| phthalate (BBP)) (CAS No.: 85-68-7)   |   |        |     |          |
| 鄰苯二甲酸二丁酯 (DBP) (Dibutyl               | 1                                       | mg/kg  | 50  | n.d.     |
| phthalate (DBP)) (CAS No.: 84-74-2)   |   |        |     |          |
| 鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-           |   | mg/kg  | 50  | n.d.     |
| (2-ethylhexyl) phthalate (DEHP)) (CAS |   |        |     |          |
| No.: 117-81-7)                        |   |        |     |          |
| 鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl          |   | mg/kg  | 50  | n.d.     |
| phthalate (DIBP)) (CAS No.: 84-69-5)  |   |        |     |          |
| 鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl          | 參考IEC 62321-8: 2017,以氣相層析儀/質譜儀分         | mg/kg  | 50  | n.d.     |
| phthalate (DIDP)) (CAS No.: 26761-40- | 析。(With reference to IEC 62321-8: 2017, |        |     |          |
| 0, 68515-49-1)                        | analysis was performed by GC/MS.)       |        |     |          |
| 鄰苯二甲酸二異壬酯 (DINP) (Diisononyl          | analysis was performed by GC/1813.)     | mg/kg  | 50  | n.d.     |
| phthalate (DINP)) (CAS No.: 28553-12- |   |        |     |          |
| 0, 68515-48-0)                        |   |        |     |          |
| 鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl          |   | mg/kg  | 50  | n.d.     |
| phthalate (DNOP)) (CAS No.: 117-84-0) |   |        |     |          |
| 鄰苯二甲酸二正戊酯 (DNPP) (Di-n-               |   | mg/kg  | 50  | n.d.     |
| pentyl phthalate (DNPP)) (CAS No.:    |   |        |     |          |
| 131-18-0)                             |   |        |     |          |
| 鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl          |   | mg/kg  | 50  | n.d.     |
| phthalate (DNHP)) (CAS No.: 84-75-3)  |   |        |     |          |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction of exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022 頁數(Page): 5 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)

慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國·江蘇省·宿遷市·泗洪縣·經濟開發區杭州路南側·建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD · ECONOMIC DEVELOPMENT ZONE · SIHONG COUNTY · SUQIANCITY · JIANGSU PROVINCE · P,R · CHINA)

| 測試項目<br>(Test Items)   | 測試方法<br>(Method)  | 單位<br>(Unit) | MDL  | 結果<br>(Result)<br>No.1 |
|--|---|--------------|------|------------------------|
| 六溴環十二烷及所有主要被辨別出的異構物(HBCDD) ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | 參考IEC 62321-9: 2021.以氣相層析儀/質譜儀分析。(With reference to IEC 62321-9: 2021, analysis was performed by GC/MS.)                              | mg/kg        | 20   | n.d.                   |
| 氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)   |   | mg/kg        | 50   | n.d.                   |
| 氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-<br>15-1)   | 參考BS EN 14582: 2016·以離子層析儀分析。<br>(With reference to BS EN 14582: 2016, analysis<br>was performed by IC.)                              | mg/kg        | 50   | n.d.                   |
| 溴 (Br) (Bromine (Br)) (CAS No.: 10097-<br>32-2)  |   | mg/kg        | 50   | n.d.                   |
| 碘 (I) (lodine (I)) (CAS No.: 14362-44-8)   |   | mg/kg        | 50   | n.d.                   |
| 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)   | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜  | mg/kg        | 0.01 | n.d.                   |
| 全氟辛酸及其鹽類 (PFOA and its salts)<br>(CAS No.: 335-67-1 and its salts)   | 儀分析。(With reference to CEN/TS 15968:<br>2010, analysis was performed by LC/MS/MS.)  | mg/kg        | 0.01 | n.d.                   |
| 聚氯乙烯 (Polyvinyl chloride) (PVC)  | 參考ASTM E1252: 2021·以傅立葉轉換紅外線光<br>譜儀及焰色法分析。(With reference to ASTM<br>E1252: 2021, analysis was performed by FT-IR<br>and Flame Test.) | **           | -    | Negative               |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction of exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022 頁數(Page): 6 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)

慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國·江蘇省·宿遷市·泗洪縣·經濟開發區杭州路南側·建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD · ECONOMIC DEVELOPMENT ZONE · SIHONG COUNTY · SUQIANCITY · JIANGSU PROVINCE · P,R · CHINA)

| 測試項目                                    | 測試方法   | 單位     | MDL | 結果       |
|---|--|--------|-----|----------|
| (Test Items)                            | (Method)   | (Unit) |     | (Result) |
|   |  |        |     | No.1     |
| 銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-  |  | mg/kg  | 2   | n.d.     |
| 36-0)                                   | A 字UC FDA 20F2:1006 以咸咗细今雨坞祭射火   |        |     |          |
| 砷 (As) (Arsenic (As)) (CAS No.: 7440-   | 參考US EPA 3052: 1996,以感應耦合電漿發射光<br>譜儀分析。(With reference to US EPA 3052: | mg/kg  | 2   | n.d.     |
| 38-2)                                   | 1996, analysis was performed by ICP-OES.)                              |        |     |          |
| 鈹 (Be) (Beryllium (Be)) (CAS No.: 7440- | 1 2 30, analysis was performed by ICF -OLS.)                           | mg/kg  | 2   | n.d.     |
| 41-7)                                   |  |        |     |          |

### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 全氟辛烷磺酸及其鹽類包含等物質 (PFOS and its salts including): CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.
- 8. 全氟辛酸及其鹽類包含等物質 (PFOA and its salts including): CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.
- 9. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個別單一材質的含量。 The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022

頁數(Page): 7 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)

慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)


江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國·江蘇省·宿遷市·泗洪縣·經濟開發區杭州路南側·建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD · ECONOMIC DEVELOPMENT ZONE · SIHONG COUNTY · SUQIANCITY · JIANGSU PROVINCE · P,R · CHINA)

### 重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction of exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022 頁數(Page): 8 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)


慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國,江蘇省,宿遷市,泗洪縣,經濟開發區杭州路南側,建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD,ECONOMIC DEVELOPMENT ZONE,SIHONG COUNTY,SUQIANCITY,JIANGSU PROVINCE,P,R,CHINA)

### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022

頁數(Page): 9 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)

慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)


桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國·江蘇省·宿遷市·泗洪縣·經濟開發區杭州路南側·建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD · ECONOMIC DEVELOPMENT ZONE · SIHONG COUNTY · SUQIANCITY · JIANGSU PROVINCE · P,R · CHINA)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022 頁數(Page): 10 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)


慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國,江蘇省,宿遷市,泗洪縣,經濟開發區杭州路南側,建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD,ECONOMIC DEVELOPMENT ZONE,SIHONG COUNTY,SUQIANCITY,JIANGSU PROVINCE,P,R,CHINA)

### 六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022 頁數(Page): 11 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)


慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國,江蘇省,宿遷市,泗洪縣,經濟開發區杭州路南側,建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD,ECONOMIC DEVELOPMENT ZONE,SIHONG COUNTY,SUQIANCITY,JIANGSU PROVINCE,P,R,CHINA)

### 鹵素分析流程圖 / Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsible is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022 頁數(Page): 12 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)


慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國·江蘇省·宿遷市·泗洪縣·經濟開發區杭州路南側·建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD · ECONOMIC DEVELOPMENT ZONE · SIHONG COUNTY · SUQIANCITY · JIANGSU PROVINCE · P,R · CHINA)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022 頁數(Page): 13 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)


慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)

中國,江蘇省,宿遷市,泗洪縣,經濟開發區杭州路南側,建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD,ECONOMIC DEVELOPMENT ZONE,SIHONG COUNTY,SUQIANCITY,JIANGSU PROVINCE,P,R,CHINA)

### 聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022 頁數(Page): 14 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)

慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)

桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)


中國·江蘇省·宿遷市·泗洪縣·經濟開發區杭州路南側·建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD · ECONOMIC DEVELOPMENT ZONE · SIHONG COUNTY · SUQIANCITY · JIANGSU PROVINCE · P,R · CHINA)

### 元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【参考方法/Reference method: US EPA 3051A、US EPA 3052】



<sup>\*</sup> US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



## **Test Report**

號碼(No.): ETR22B04558 日期(Date): 06-Dec-2022 頁數(Page): 15 of 15

西北臺慶科技股份有限公司 (TAI-TECH ADVANCED ELECTRONICS CO., LTD.)

臺慶精密電子(昆山)有限公司 (TAI-TECH ADVANCED ELECTRONICS (KUN-SHAN) CO. LTD.)

慶邦電子元器件 (泗洪) 有限公司 (TAIPAQ ELECTRONICS (SI-HONG) CO., LTD.)


桃園市楊梅區幼獅工業區幼四路1號 (NO. 1, YOU 4TH ROAD, YOUTH INDUSTRIAL DISTRICT, YANG-MEI, TAO-YUAN CITY, TAIWAN R. O. C.)

江蘇省昆山市篷朗昆嘉高科技工業區郭澤路 (GUO-ZE ROAD, KUNJIA HI-TECH INDUSTRIAL PARK, KUN-SHAN, JIANG-SU, CHINA)


中國·江蘇省·宿遷市·泗洪縣·經濟開發區杭州路南側·建設北路東側 (THE SOUTH HANGZHOU ROAD AND THE EAST JIANSHE ROAD · ECONOMIC DEVELOPMENT ZONE · SIHONG COUNTY · SUQIANCITY · JIANGSU PROVINCE · P,R · CHINA)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

### ETR22B04558



### ETR22B04558



\*\* 報告結尾 (End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## 单击下面可查看定价,库存,交付和生命周期等信息

>>TAI-TECH(台庆)