

Part Number: 5016462400

Product Description : 2.00mm Pitch, iGrid Receptacle Crimp Housing, Dual Row, Positive Lock, 24 Circuits, Natural

Series Number : 501646

Status: Active

Product Category: Connector Housings



Documents & Resources

Drawings

5016462400_sd.pdf

3D Models and Design Files

5016462400.dxf 5016462400.pdf

5016462400_stp.zip

Specifications

5016460000-A00.pdf

5016460000-A01.pdf

5016469200-200.pdf

5016460000-PS-000.pdf

5016461000-PS-000.pdf

5016461001-PS-001.pdf

PS-501646-001-001.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|---|
| China RoHS | © |
| EU ELV | Compliant per 2000/53/EC |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2024)6225-DC (07 Nov 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS

- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|--------------|---|
| Category | Connector Housings |
| Series | 501646 |
| Description | 2.00mm Pitch, iGrid Receptacle Crimp Housing, Dual Row, Positive Lock, 24 Circuits, Natural |
| Application | Signal, Wire-to-Board |
| Product Name | iGrid |
| UPC | 822350087209 |

Agency

| CSA | LR19980 |
|-----|---------|
| UL | E29179 |

Physical

| Circuits (maximum) | 24 |
|-----------------------|------------|
| Color - Resin | Natural |
| Flammability | 94V-0 |
| Gender | Receptacle |
| Glow-Wire Capable | No |
| Keying to Mating Part | None |
| Lock to Mating Part | Yes |
| Material - Resin | Nylon |
| Number of Rows | 2 |
| | |

| Packaging Type | Bag |
|-------------------------------|----------------|
| Panel Mount | No |
| Pitch - Mating Interface | 2.00mm |
| Pitch - Termination Interface | 2.00mm |
| Polarized to Mating Part | Yes |
| Stackable | No |
| Temperature Range - Operating | -40° to +105°C |

Mates With / Use With

Mates with Part(s)

| Description | Part Number |
|--|---------------|
| iGrid Vertical, Dual Row, Through Hole Headers | <u>501645</u> |
| iGrid Vertical, Dual Row, Through Hole Headers | 503091 |
| iGrid Right-Angle, Dual Row, Through Hole Headers | <u>501876</u> |
| iGrid Right-Angle, Dual Row, Through Hole Headers | 208659 |

Use with Part(s)

| Description | Part Number |
|------------------------------|---------------|
| iGrid Female Crimp Terminals | <u>501647</u> |
| iGrid Female Crimp Terminals | 501648 |
| iGrid Female Crimp Terminals | 503095 |

This document was generated on Jan 10, 2025

单击下面可查看定价,库存,交付和生命周期等信息

>>MOLEX