







HF

Halogen Free



RECOMMEND PC BOARD HOLE PATTERN:
CONNECTOR MOUNT SIDE
(NOT ACCUMULATE TOLERANCE)
PC BOARD THICKNESS: 1.0~1.6±0.10




34POS: 5611BG-001H****T000

34	X	16	32.0	35.0	36.6	5611BG-001H****T000	5611BG-003H***00000
30	X	14	28.0	31.0	32.6	560WBG-004H****T000	560WBG-001H***00000
28	X	13	26.0	29.0	30.6	560UBG-001H****T000	560UBG-002H***00000
26	X	12	24.0	27.0	28.6	560SBG-001H****T000	560SBG-002H***00000
20	X	9	18.0	21.0	22.6	560LBG-001H****T000	560LBG-002H***00000
10	X	4	8.0	11.0	12.6	560ABG-001H****T000	560ABG-002H***00000
POS	KEY	n	A	B	C	MALE PART NO.	FEMALE PART NO.

REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
X1			INITIAL RELEASE	2022.02.17	JACKY
X4		1/44	增加 DATECODE	2022.10.03	tanghaibo
X5		1/45	新增料号编码	2022.12.19	tanghaibo
X6		1/45	修改编码电镀选项	2023.02.18	tanghaibo

- MATERIAL: HOUSING: GLASS FILLED THERMO PLASTIC POLYESTER(94V-0)
COLOR: BLACK OR WHITE
CONTACT: COPPER ALLOY
RETENTION PEG: PRE-TIN COPPER ALLOY
- FINISH(ALL OVER): NICKEL PLATING 1.27um MIN
- FINISH(CONTACT AREA): GOLD PLATING TIN SPECIFICATIONS
REFER TO THE FOLLOWING MATERIAL
NUMBER CODE SPECIFICATIONS
- FINISH(CONTACT TAIL): TIN PLATING 2um MIN AFTER
- THE SHAPE, SIZE AND POSITION OF THE CHARACTER
SHOW THE OUTLINE.
THEY DON'T SHOW DETAILS
- DATECODE: YYWW
YY: YEAR(22: 2022)
WW: WEEK(25: THE 25TH WEEK)
D: DAY(1~7: SUNDAY~SATURDAY)
- PART NO.: 56**BG-***H * * * * T000

RESERVE NUMBER
PACKAGE CODE:
P: TUBE
R: REEL
T: TRAY
LOGO MARK:
1: WITH DEREN LOGO
2: WITHOUT LOGO
PLATING CODE: 1/45
4: Au: 15u"
6: Sn: OVE TIN
HOUSING COLOR:
1: BLACK
2: WHITE
WATER CODE: 001~ZZZ
POS CODE: 10POS: 0A
20POS: 0L
26POS: 0S
28POS: 0U
30POS: 0W
34POS: 11

**DEREN**

SHENZHEN DEREN ELECTRONIC CO., LTD

DRAW NO.

REV.

X6

CUSTOMER DRAWING

DESIGN:

Tanghaibo

CHECK:

APPROVAL:

DATE

2023.02.18

SHEET:

SCALE:

TITLE: WTB Male XHP 15H Pitch2.0




P/N: 56**BG-***H****T000

90DIP ASSY




UNIT: mm

HF




Halogen Free



30POS: 560WBG-004H****T000



28POS: 560UBG-001H****T000









26POS: 560SBG-001H****T000

REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
X1			INITIAL RELEASE	2022.02.17	JACKY
X4		1/4	增加 DATECODE	2022.10.03	tanghaibo
X5		1/5	新增料号编码	2022.12.19	tanghaibo
X6		1/6	修改编码电镀选项	2023.02.18	tanghaibo

DIM	TOL	DIM	TOL	SHENZHEN DEREN ELECTRONIC CO., LTD						
x.	±0.50	x.	±5°		CUSTOMER DRAWING		DATE	TITLE: WTB Male XXP 15H Pitch2.0 90°DIP ASSY		
.x	±0.35	.x	±3°		DRAW NO.		DESIGN:	Tanghaibo	2023.02.18	P/N: 56**BG-***H****T000
.xx	±0.30				***		CHECK:			SHEET: 2/3 
				REV.	X6	APPROVAL:			SCALE: 1:1 UNIT: mm	

HF

Halogen Free



20POS: 560LBG-001H****T000

10POS: 560ABG-001H****T000

REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
X1			INITIAL RELEASE	2022.02.17	JACKY
X4		1/4	增加 DATECODE	2022.10.03	tanghaibo
X5		1/5	新增料号编码	2022.12.19	tanghaibo
X6		1/6	修改编码电镀选项	2023.02.18	tanghaibo

DIM	TOL	DIM	TOL	 DEREN SHENZHEN DEREN ELECTRONIC CO., LTD			
x.	±0.50	x.	±5'	CUSTOMER DRAWING		DATE	TITLE: WTB Male XXP 15H Pitch2.0 90°DIP ASSY
.x	±0.35	.x	±3'	DRAW NO.		DESIGN: Tanghaibo	P/N: 56**BG-****H****T000
.xx	±0.30			***		CHECK:	SHEET: 3/3
				REV.	X6	APPROVAL:	SCALE: 1:1 UNIT: mm

单击下面可查看定价，库存，交付和生命周期等信息

[>>DEREN\(得润电子\)](#)