

## Electronic housing - ME 22,5 OT-MSTBO-U BU - 2278610

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Upper part of housing, for COMBICON connection, double-level

### Product Features

- When a device is unplugged from the system as a whole, the signal chain is not interrupted# Supply via standard MINI COMBICON plug
- Gold contacts for data transmission and power supply (125 V, 8 A)
- ME...TBUS connector with 5 parallel contacts can be snapped onto DIN rails to save space

### Key commercial data

Packing unit	1 1
Minimum order quantity	250 1
Weight per Piece (excluding packing)	15.36 GRM
Custom tariff number	85472000
Country of origin	Germany

### Technical data

Product type	Component housing upper part
Approval	UL Recognized
Width	22.5 mm
Height	38.5 mm
Depth	99 mm
Color	blue (5015)
Number of connections	16
Connection method	Pluggable

### Classifications

#### eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27261210
eCl@ss 7.0	27440208
eCl@ss 8.0	27440208

# Electronic housing - ME 22,5 OT-MSTBO-U BU - 2278610

## Classifications

### ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC002314
ETIM 4.0	EC000886
ETIM 5.0	EC000886

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Approvals

### Approvals

---

#### Approvals

UL Recognized

---


Ex Approvals

---

Approvals submitted

---

### Approval details

UL Recognized 
---

---

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)